

United States
Department of
Agriculture
Forest Service



**Southern
Research Station**

General Technical
Report SRS-70

Comprehensive Regional Resource Assessments and Multipurpose Uses of Forest Inventory and Analysis Data, 1976 to 2001: A Review

Victor A. Rudis



The Author

Victor A. Rudis, Research Forester, U.S. Department of Agriculture,
Forest Service, Southern Research Station, 201 Lincoln Green,
Starkville, MS 39759.

Cover:

Depending upon one's disciplinary perspective, the image on the cover may depict forest products, services, or intangible values. Inventoried elements in the scene could include information about air quality, human uses, tree volume, the owner's intentions, the forest's proximity to water, and temporal trends, with some data having multipurpose uses in a comprehensive forest resource assessment.

For more information regarding the FIA Program, contact the following:

National

FIA National Program Leader
USDA Forest Service, 1NW
201 14th St., SW
Washington, DC 20090-6090

Northeast

Program Manager, FIA
USDA Forest Service
Northeastern Research Station
11 Campus Blvd., Suite 200
Newtown Square, PA 19073

North Central

Program Manager, FIA
USDA Forest Service
North Central Research Station
1992 Folwell Ave.
St. Paul, MN 55108

**South (includes Puerto Rico and
Atlantic territories)**

Project Leader, FIA
USDA Forest Service
Southern Research Station
4700 Old Kingston Pike
Knoxville, TN 37919

Rocky Mountain

Program Manager, FIA
USDA Forest Service
Rocky Mountain Research Station
507 25th St.
Ogden, UT 84401

**Pacific Northwest (includes Alaska, Hawaii,
and Pacific territories)**

Program Manager, FIA
USDA Forest Service
Pacific Northwest Research Station
620 SW Main, Suite 400
Portland, OR 98205

Statistical Techniques

Project Leader, FIA
USDA Forest Service
Rocky Mountain Research Station
2150 Centre Ave., Bldg. A
Fort Collins, CO 80526-1891

Or visit the FIA Web site at:

<http://www.fia.fs.fed.us>

October 2003

Southern Research Station
P.O. Box 2680
Asheville, NC 28802

Table of Contents

	<i>Page</i>
Introduction	1
Background	4
Problem and Objectives	5
Methods	6
Results and Synthesis	7
A Growing and Diversifying User Audience	8
Early Progress	10
Approaches to Comprehensive Assessments	13
Progress Toward Multipurpose Utility	19
Synthesis	20
Acknowledgments	21
Literature Cited	21
Appendix	33
References by Selected Subjects	33
Air pollution	33
Biomass	34
Dead wood	38
Esthetics	40
Geographic context	42
Nearby nonforest influences	54
Owner attitudes	60
Range	72
Recreation opportunity and remote and roadless areas	74
Tropical inventories	79
Water quality	81
Vegetative habitat typing	89
Wildlife	90
Other FIA-Associated Literature	98
Web Sites with FIA-Associated Data Uses	128

Comprehensive Regional Resource Assessments and Multipurpose Uses of Forest Inventory and Analysis Data, 1976 to 2001: A Review

Victor A. Rudis

Abstract

Reported is a compilation of over 1,400 literature citations and a review of selected subjects that constitute an integrated knowledge base for comprehensive forest resource assessments with regional, field sample-based forest inventory data. The focus of the report is on nontraditional and novel technical uses tied to the U.S. Department of Agriculture, Forest Service, Forest Inventory and Analysis (FIA) field surveys published or in press between 1976 and July 2001. Briefly noted are pioneering studies that link FIA data with air pollution, biomass, dead wood, esthetics, geographic context (geographic information systems and satellite remote sensing), nearby nonforest influences (operability, roads), owner attitudes, range (agroforestry and livestock use), recreation, tropical inventories, water quality (soils and hydrology), vegetative habitat typing, and wildlife. All known M.S. theses and Ph.D. dissertations associated with FIA data since 1976 are included, regardless of subject matter. Also incorporated are citations of collected works concerning integrated assessments and multidisciplinary surveys and representative citations associated with economics, global climate change, remote sensing, sampling designs, tropical forest resources, and traditional timber resource assessments. The literature review suggests assessments are "comprehensive" for issues in selected regions and chosen resources. Multidiscipline involvement, multipurpose uses of nontraditional data, and analysis of resources other than timber are variable. Nontraditional measurements and models, with some exceptions, have been provincially, rather than nationally, applicable and not well coordinated among regions. Recommended are ways to accelerate progress toward comprehensive assessments and cost-effective multipurpose uses.

Keywords: Bibliography, ecological inventories, forest inventory, hydrology, interdisciplinary studies, integrated assessments, monitoring, natural resource planning, range, recreation, timber, water, wildlife habitat.

Introduction

The scope of land-management-planning issues has widened and the process of measuring and assessing forest resources has grown increasingly complex.

Traditional timber-oriented inventories no longer are sufficient to assess timber supplies or monitor forest resources (Wikstrom and Alston 1985). There is widespread perception that current efforts and capabilities for monitoring America's forest resources are failing to meet increasingly complex and large-scale needs (Peterson and others 1999). The expanding role of forests and public involvement in forestry today elicit differing concerns, measurement priorities, and sometimes opposing opinions about land use, forest resources, and the attributes to be measured.

Inventories of standing timber are common benchmarks by which many forest industries and natural resource agencies determine forest-resource supplies, but an underlying assumption is that timber inventory data include all of the needed information. That this assumption is wrong is illustrated by the lack of mature-tree harvests near urban areas on nonindustrial private land and court injunctions against timber sales on National Forest System land.

Measurement of forest resources is not just an inventory of a forest's biological characteristics, but the evaluation of their value relative to all of society's needs. Scientific measurement of timber and other forest products is more precise than measurement of the less tangible values and services that forests provide. Comprehensive, multidisciplinary assessments that address contemporary forest resource issues require useful analyses of forest inventory data.

To be comprehensive, regional forest-resource inventories must not only account for forest land use and timber production, but also for land and water (hereafter earth) cover, other land uses, other resources, and their

interactions. Long-term and global planning must also consider the effects of acid deposition, carbon sequestration, and climate change; and must anticipate changes in the role of forests as producers of products, services, and intangible values. Such assessments would seem to require the impossible—consideration of all associated resources and the social, spatial, and temporal dynamics taking place among them. Interdisciplinary inventories are frontiers in which multidisciplinary approaches advance towards comprehensive assessment. However, an integrated inventory may not be possible for all resources (Bastedo and Theberge 1983). Assessments must at least incorporate scientific data and analyses from other disciplinary perspectives—often assembled with dissimilar research techniques or collected at very different levels of precision.

A standard system for collecting, storing, and analyzing such information commonly is required, but usually is lacking (Jensen and others 1999). Many scientists and assessment teams familiar with studies within their own disciplines often ignore the work of other disciplines. Interdisciplinary analysis is uncommon because the interdisciplinary infrastructure—funding, information, and social networks—may not always exist. Rarely are there agencies, journals, or organized stakeholders, much less scientific societies, devoted to the task. Interdisciplinary assessments often are plagued by the inordinate amount of time required to communicate among authors with differing disciplinary perspectives using analyses performed at inconsistent scales of data resolution.

This report considers a corpus of material from a variety of natural resource disciplines and perspectives in a searchable database, assembled for studying the ways that forest inventory data are used. Knowledge of the corpus is crucial in optimally selecting measurement standards, identification of knowledge gaps, and the developing comprehensive assessments.

Federal, State, and local public agencies, large land-holding commercial firms, and some nongovernmental organizations (NGOs), conduct resource inventories to obtain information and make decisions about forests. The author used the systematic field, sample-based forest survey conducted by the U.S. Department of Agriculture, Forest Service (USDA FS), Forest Inventory and

Analysis (FIA) program as an example. This science-based, broad-region survey program, one of the oldest of its kind still used, began in the 1930s in response to concerns about dwindling timber supplies on private land in the United States. Responsibility for assessing current conditions and trends in both public and private forests rests with the USDA FS; and the FIA program is its research-based tool. Scientific, sample-based inventories began with the passage of the McSweeney-McNary Forest Research Act of 1928. Later, passage of the Forest and Rangeland Renewable Resources Planning Act of 1974 (P.L. 93-378 [88 Stat. 476]) and associated laws in 1978 (P.L. 95-307 [92 Stat. 353]) shifted inventory and monitoring efforts of the USDA FS from documenting commodity outputs towards a more comprehensive assessment of forest resources that also included water, range, recreation, timber, and wildlife values. The Forest Ecosystem and Atmospheric Pollution Research Act of 1988 added monitoring to account for ecological effects associated with air pollution. Cooperative agreements with eastern national forests and later legislation (Agricultural Research, Extension, and Education Reform Act of 1998) broadened the USDA FS FIA program to include status-and-health surveys on all public land, including western national forests and designated wilderness areas.

Owing to differing resources and stakeholders, there is some regional variation in the manuals of procedures for field data collection assembled by FIA staffs (U.S. Department of Agriculture, Forest Service 2001b, 2001c, 2001d). Nevertheless, a core set of attributes and procedures always has conformed to one set of measurement standards for national reporting. Between the late 1970s and mid-1990s, some FIA staffs started developing comprehensive assessments, often independently, by supplementing traditional timber measurements with procedures drawn from other natural resource disciplines, measures relevant to other natural resource assessments, and an inventory of attributes with multipurpose interest; e.g., in Alaska,¹ Intermountain

¹ U.S. Department of Agriculture, Forest Service. 1995. Field procedures for the southeast Alaska inventory. [Various pages in separate sections]. On file with: USDA Forest Service, Pacific Northwest Research Station, FIA Unit, 3301 C Street, Suite 200, Anchorage, AK 99503-3954.

West,² North Central,³ Northeastern,⁴ Pacific Northwest,⁵ and Southern (Kentucky,⁶ Midsouth,⁷ and Southeast⁸) United States, and Puerto Rico.⁹ In some instances, FIA staffs also assembled relational databases containing the added attributes with traditional timber data to facilitate extramural analyses and modeling with resource objectives other than timber; e.g., in the north-central region for total biomass appraisals (Hahn and Hansen 1985) and the southern (Midsouth¹⁰ and Southeast¹¹) region for a variety of range, recreation, water, and wildlife habitat assessments.

² U.S. Department of Agriculture, Forest Service. 1994. Utah forest survey field procedures, 1994-1995. 232 p. On file with: USDA Forest Service, Rocky Mountain Research Station, Interior West FIA Unit, 507 25th Street, Ogden, UT 84401.

³ U.S. Department of Agriculture, Forest Service. 1996. North central region inventory and analysis field instructions—Illinois and Indiana. 87 p. + appendix. On file with: USDA Forest Service, North Central Research Station, FIA Unit, 1992 Folwell Avenue, St. Paul, MN 55108.

⁴ U.S. Department of Agriculture, Forest Service. 1996. Field instructions for the fifth inventories of New Hampshire and Vermont. 90 p. + appendix. On file with: USDA Forest Service, Northeastern Research Station, FIA Unit, 11 Campus Blvd, Suite 200, Newtown Square, PA 19073.

⁵ U.S. Department of Agriculture, Forest Service. 1995. Field instructions for the inventory of western Oregon 1995-1997. 224 p. On file with: USDA Forest Service, Pacific Northwest Research Station, FIA Unit, 620 SW Main, Suite 400, Portland, OR 97205.

⁶ U.S. Department of Agriculture, Forest Service. 1986. Field instructions for the fourth inventory of Kentucky 1986-1987. 97 p. + appendix. On file with: USDA Forest Service, Southern Research Station, FIA Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.

⁷ U.S. Department of Agriculture, Forest Service. 1994. Forest survey inventory work plan: Arkansas 1994-1995. 61 p. + appendices. [Appendix B: Other forest resources work plan, 1994-1995. 19 p. <http://www.srs.fs.usda.gov/pubs/viewpub.jsp?index=502> (Date accessed: June 2003)]. On file with: USDA Forest Service, Southern Research Station, FIA Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.

⁸ U.S. Department of Agriculture, Forest Service. 1991. Field instructions for the Southeast. [Various pages]. On file with: USDA Forest Service, Southern Research Station, FIA Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.

⁹ U.S. Department of Agriculture, Forest Service. 1991. Forest survey inventory work plan: Puerto Rico 1990. 38 p. + appendix. On file with: USDA Forest Service, Southern Research Station, FIA Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.

¹⁰ U.S. Department of Agriculture, Forest Service. 1996. Interactive data access user manual: forest inventory and analysis: forest resource data for Midsouth States. Version 6.1. [Various pages]. On file with: USDA Forest Service, Southern Research Station, FIA Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.

¹¹ U.S. Department of Agriculture, Forest Service. 1984. A user's guide to forest information retrieval (FIR): forest inventory and analysis. 93 p. On file with: USDA Forest Service, Southern Research Station, FIA Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.

Individuals from agencies, disciplines, and regions often differ in their need for information from forest inventories and assessments. In developing nationally standardized inventories and comprehensive assessments, decision makers seek consensus among stakeholders from a variety of disciplinary interests and resource regions, e.g., cooperators and partners from State agencies, other Federal agencies, forest industry, and universities, along with concerned individuals. Stakeholders today also include groups like The Nature Conservancy, The Wilderness Society, the U.S. Environmental Protection Agency, the U.S. Department of the Interior Fish and Wildlife Service, and USDA Natural Resource Conservation Service (NRCS), as well as those focused only on timber resources. Individuals in such disparate disciplines need a common understanding of past and present measurements and knowledge of others' concerns about associated resources. Integrated knowledge is essential to optimize the selection of common attributes and standardize procedures for cost-efficient data collection, storage, management, and analysis.

Stakeholders often question the usefulness of observations, measurements, and techniques not directly tied to their interests. Field data collectors may ask: "Why are we measuring this?", "Who is going to use it?", and "How important is it?" For resource inventory administrators, analysts, and data-acquisition specialists, which additional measures will truly be useful once collected, and which now recorded should be dropped are routine concerns at State, regional, and national meetings. Questions about forest resource issues posed by local public-interest groups occupy center stage from time to time, engendering a scramble for the appropriate inventory or analysis technique. Published studies—scattered among libraries of disparate disciplines, agencies, and regions—already address many such questions. A citation database is one means of informing these and other groups, finding relevant reports for particular issues, discovering already tried sampling and assessment efforts, and promoting new ways to analyze, describe, and integrate the data with other information.

Background

Monitoring of earth cover for forest resources with sample observations began in the 1930s (Frayer and Furnival 2000). The USDA FS established the Forest Survey program to conduct such surveys on all private land and most non-Federal public land. From the beginning, the audience for these data included natural resource planning agencies of the Federal Government, State forestry agencies, and their supporters. Authors of the first nationwide inventory titled their document “Timber Resources for America’s Future” (U.S. Department of Agriculture, Forest Service 1958). Satisfying the need for standardized timber statistics remained a primary driver of the inventory program in both the early 1970s (U.S. Department of Agriculture, Forest Service 1973), and the late 1970s (U.S. Department of Agriculture, Forest Service 1977).

Even as they were begun, however, these timber-oriented inventories addressed other interests. Integration of data about forest types with earth-cover information occurred in map form—an effort that necessitated incorporation of nonforest landmarks. Ownership, volume, and other attributes of forest land later appeared in map form, along with tabular statistics, e.g., for Mississippi (Sternitzke 1962). Descriptive distribution maps of tree species on forest land have appeared for economically important species, e.g., hickory (Cruikshank and McCormack 1956). An early research use included comparisons of surveyed tree-species distributions with tree pollen from pond sediments, which were useful in gauging long-term species shifts and the ecological processes that gave rise to them (Webb 1974).

In the late 1950s and early 1960s, the American Forestry Association (AFA) sponsored three efforts to assemble examples of what today might be termed a comprehensive assessment. Analysts combined into book-length volumes, FIA data on forest-land area, land cover, forest ownership, available literature, and other economic and demographic information. Included were forest-type maps, tabular summary statistics of forest area, an analysis of issues, and a discussion of other resources. Using data for California (Dana and Krueger 1958), one set of topics focused on private land intermingled with public land. Using data for Minnesota (Dana and others 1960), another focused on formerly tax-delinquent local public land. Using data for North

Carolina (Pomeroy and Yoho 1964), the third effort focused on small, nonindustrial private holdings. A central concern that emerged from the three reports—and other owner studies of the period (Moyer and Daugherty 1976)—was that the intentions of private nonindustrial owners regarding forest-land use were critical to adequately assessing timber supplies.

Early documents that linked forest inventories to other resource evaluations concerned deer browse (Moore and others 1960, Ripley and McClure 1963). By the mid-1970s, many felt that combining the effort to directly inventory timber attributes with information about other resource attributes made sense—even among those concerned only with timber resource supplies (Southern Research Planning Committee 1974). Scientists from the USDA FS with cooperators at research institutions, modified inventory procedures for FIA data collection and analysis to better address associated issues surrounding timber supplies, such as ownership studies (Kingsley 1975), field estimates of potential productivity from noncommercial species (MacLean and Bolsinger 1973), and potential range on forest land (Pearson and Sternitzke 1974). In a 1975 meeting scheduled to discuss the 1976 survey of South Carolina, organizers from the State and the USDA FS expanded “the ongoing timber-oriented forest survey into a more complete . . . inventory” (McClure 1979). Initial findings appeared in “Multiresource Inventories—A New Concept for Forest Survey” (McClure and others 1979).

Reflecting shifting interests, the program changed names a few times—the Renewable Resources Evaluation (RRE) program in the late 1970s, and since the mid-1980s—the FIA program. In the past, FIA units coordinated with the National Forest System, the Bureau of Land Management, and other landholding Federal agencies, as well as States, to compile inventory information for all domestic forest land. Today FIA is responsible for surveys on all land. Through cooperative arrangements, many of the smaller Federal land parcels, Federal land in Alaska, and all National Forest System land are surveyed using the same FIA sampling scheme.

In the 1990s, concerns about air pollution effects on forest ecosystems fostered the development of an FIA-affiliated program known as “Forest Health Monitoring” or FHM (Bones 1993). The program began in the Eastern United States (Bechtold and others 1992, Bones 1993,

Brooks and others 1991) and spread to the West (O'Laughlin 1994). The program includes growing-season measurements; pilot testing of a variety of indicators, e.g., understory vegetation structure; and collection of a wider array of information, e.g., tree crown condition and soils. Recent FHM reports use FIA data to establish the context for findings rather than making resource assessments, but commonly focus on damage and mortality to trees from pests and air pollution. FHM used a sampling scheme, and for some regions used locations that differed from the FIA program until about 1996. FIA and FHM programs now are merged. FHM conducts more detailed measurements than FIA and does most sampling during the growing season on a subset of FIA plots. FHM publishes State, regional, and national reports, with the most recent regional reports available for the Northeast (McWilliams and others 1997), South (Burkman and others 1998), and West (Rogers and others 2001).

Forest inventory priorities and the issues addressed in assessments have shifted over the years. In the past decade, increasing awareness of global forestry issues has broadened the scope of data needed to include criteria and indicators for the conservation and sustainable management of forests (Smith 1999). Nations made commitments to provide such information that meets agreed-upon global reporting protocols (Smith 1999). These indicators will shape both the selection and standardization of future attributes for the FIA program, as well as the analysis of existing forest resource data.

Despite many changes, FIA data and inventories generally are not widely perceived to address issues other than those that relate strictly to timberland and timber resources. A common assumption is that the U.S. Census of Agriculture provides a definitive estimate for area of cropland and pastureland, and that NRCS surveys provide definitive nonforest resource estimates. Acceptance of this belief is reflected in the presentation of land-use area estimates. In the first table of many USDA FS FIA resource bulletins (e.g., Alerich 1990), FIA inserts U.S. Census of Agriculture area estimates of cropland and pastureland for nonforest land.

Monitoring the associated attributes of forest ecosystems remains a critical component of the FIA survey effort. Most FIA resource status reports include species,

damage, stand structure, and human influence measurements as important indicators; estimates of disturbance, growth, removals, mortality, succession, and erosion as important processes; and amenities, range, recreation, timber, water quality and wildlife habitat as important resources. Due to differing measures and regional interests, the reports vary in their coverage. Beginning in 1999, a committee composed largely of Forest Service FIA staff agreed to a core set of these attributes to serve as the standard set of nontraditional measures nationwide. To what extent the analysis of these indicators, processes, and resources will be featured in future resource status reports has not yet been determined.

Problem and Objectives

Cross-disciplinary surveys often share some data, informal infrastructure, development concepts, and stakeholders. However, such surveys often have restricted administrative support among natural resource agencies and professional research societies. Akin to trans-boundary efforts among sovereign nations, cross-disciplinary surveys have no common sources of financial support, and few communication vehicles, such as journals and terminology, that mean the same to all involved. The lack of a formal administrative infrastructure extends to information management, which includes cataloging, storage, and delivery of data and associated documents.

Before the widespread use of Internet technologies, display and storage of paper copies on central library shelves increased the likelihood that a report would receive attention by a diverse audience. For years, USDA FS Research Stations have published paper copies of FIA-associated documents. They commonly are delivered free of charge to interested individuals and libraries,¹² some of which are forestry department libraries. Central libraries that were part of the Federal

¹² Each USDA FS Research Station publishes and distributes a list of recent Station publications and reprints of selected articles published elsewhere by Forest Service scientists. Some Stations also send all of their publications to those libraries that request them. Periodically, the Stations also ask recipients to formally resubscribe or renew their stated interest in receiving the list or paper copies of documents.

Depository Library (FDL) program¹³ relied, in part, on the FDL for collection, cataloging, and delivery of all USDA documents. With few exceptions, however, FDL policy since 1981 has been to distribute documents only on microfiche.

Cataloging by subject, as well as discipline, and inclusion of abstracts or other extensive indexing also increases the likelihood of a readership broader than the traditional forestry discipline. In practice, indexing varies widely among forestry schools. While many university libraries index Research Station serial publications as individual books, others catalog them by series number only, rather than by author, keyword, title, or subject. Still other libraries and their patrons rely on bibliographic services attuned to government documents, such as AGRICOLA. By contrast, a nongovernment journal's publisher or professional society often extensively indexes articles and books of serial publications every few years.

Today, online catalogs and searches of most university libraries as well as specialized for-profit bibliography services and several nonprofit collections, are available to anyone with a modem and a personal computer. Many newer publications are now available on the Web. Indexing also has improved, and electronic searches of an entire document may be conducted online.

Given all of the above, there is an obvious gap in cataloging, indexing, and distributing information to diverse audiences. This is especially true of older documents. My objective is to assemble and index the literature associated with FIA data from an array of natural resource disciplines, technical user groups,

scholarly peer-reviewed journals, and online electronic sources. The citation database indexes reports from individual disciplines, forms a knowledge base for referencing associated efforts, and provides a tracking process to monitor technical advances. As a reference repository, the citation database fosters integration of an evolving knowledge system for data collection, modeling, monitoring, and analysis, as well as the cross-disciplinary dissemination of findings.

This report focuses on nontraditional and novel technical uses tied to the USDA FS FIA field surveys that were published between 1976 and July 2001. Studies that reported using FIA data were included if associated with hydrology, ownership, range, recreation, or wildlife habitat. Also included are citations of collected works concerning integrated assessments and multi-disciplinary surveys; representative citations associated with air pollution, economics, global climate change, remote sensing, sampling designs, tropical forest resources, and traditional timber resource assessments; and all known M.S. theses and Ph.D. dissertations since 1976. Briefly noted are pioneering studies to analyze data from inventories of air pollution, biomass, dead wood, esthetics, geographic information science, operability, ownership, range and livestock use, recreation, satellite remote sensing, water, tropical forest resources, vegetative habitat, and wildlife habitat.

Methods

The first citation database was Rudis' (1991) "Wildlife Habitat, Range, Recreation, Hydrology, and Related Research Using Forest Inventory and Analysis Surveys: A 12-Year Compendium," which covered the period 1979 to 1990 for the coterminous United States. I revised the database and expanded the years of the compendium to include the period 1976 through July 2001. Revisions included citations of all known M.S. theses and Ph.D. dissertations associated with FIA data since 1976, regardless of topic, citations of collected works and selected documents concerning integrated assessments and multi-disciplinary FIA surveys prior to 1976, FIA surveys in the tropical United States, and representative citations associated with timber resource assessments. I assembled all citations in Endnote 4.0 software (ISI Research Soft 2000) to form a fully searchable citation database.

¹³ The Federal Depository Library (FDL) program is a centralized library service that makes available publications produced by Federal agencies. Unlike the Research Stations, the FDL program serves both libraries and Federal agencies by not requiring periodic resubscription, production, delivery, and selection of specific documents. Instead, the FDL program provides all Research Station publications. Beginning in 1977, however, the FDL started using microfiche as an alternative to paper distribution. Inch-thick technical documents, for example, were reduced to a millimeter in size, which saved considerable delivery and storage costs. Since 1981, FDL has stopped sending paper copies of selected documents and replaced them almost exclusively with microfiche, except for color-based publications. Today, Web-accessible documentation has increased, but the policy for tangible documentation remains in microfiche.

Queries of other electronic databases for 1976 through July 2001 used the following keywords: forest inventory, multipurpose, and surveys; multiresource and surveys; regional and forest and surveys, forest and service and surveys; land and resource and survey; land use; FIA and forest; forest and inventory. Chief search engines used were AGRICOLA, dissertation abstracts, USDA FS Research Station publication databases, and recent issues of journals with online search capabilities. Other electronic searches used keywords: land use; FIA and forest; forest and inventory. The other electronic searches included Scirus “<http://www.scirus.com>” an Internet search engine focused on scientific information, and a variety of Web search engines (primarily AltaVista, Google, and Netscape).

As in Rudis (1991), other professionals (scientists within the USDA FS FIA program, NGOs, and professors at universities) known to use FIA data for nontraditional purposes provided their lists of publications. Sources included conference proceedings associated with contributions already known to contain presentations by these professionals. I also included Web-based technical publications but not newspapers and nontechnical articles in popular news magazines.

The citation database includes abstracts where available, and annotations of selected recent publications (particularly those concerned with timber resources) to reference information reflecting their multidisciplinary, multipurpose, nontraditional, and novel analyses or data uses. Citations concerned with traditional timber resource statistics and analysis are included but are not inclusive of all such reports. Within-State USDA FS

Resource Bulletins that consist chiefly of traditional tabular statistics are excluded.

For several reasons, key references between 1976 and 1978 are listed primarily as collected works, e.g., conference proceedings and bibliographies, rather than as citations from individual authors. A bibliography of multiresource and integrated inventory studies already is available for the period 1978 and earlier (Lund and McNutt 1979). The Lund and McNutt (1979) bibliography also contains many citations for inventories conducted by other U.S. agencies and foreign countries, as well as a wider diversity of inventory citations—with annotations. In addition, online search capabilities and access to hardbound materials were more limited before the widespread use of computers.

Results and Synthesis

There were over 1,425 citations published or in press between 1976 and July 2001. What follows is an overview of studies for the period, early progress for selected subjects, approaches to comprehensive assessments, progress toward multipurpose utility, and a synthesis. An appendix lists citations by selected subjects.

The number of entries grew between 1979 and 2000, with a slight decline in the early 1990s (fig. 1). Increases in the past 5 years are likely due to sponsorship of aggregate studies associated with a decennial assessment required under the Resources Planning Act (RPA). Other likely causes are wider dissemination and Internet




Figure 1—Average frequency of articles associated with forest inventory and analysis data uses, 1979 to 2000.

documentation of the traditional forest inventory data in the East (Hansen and others 1992) and West (Woudenberg and Farrenkopf 1995), other advances in Geographic Information System (GIS) software, and the growing demand for more comprehensive regional assessments. Since publication of the eastwide manual (Hansen and others 1992), citations have more than doubled.

A Growing and Diversifying User Audience

Strategically important components of a comprehensive survey require information from and involvement by other agencies and disciplines, a broad constituency, and informed stakeholders. Because laws mandate comprehensive assessments, there is a need for information about timber, other resources, and other forest attributes. The range of data and analyses and the potential audience for these data—both inside and outside the USDA FS—has greatly expanded. Data dissemination and involvement across disciplines at the technical level, and across agency jurisdictional boundaries at the administrative level, are not yet well coordinated.

At the national level, forest-land assessments continue a long tradition of service to the timber resource community (U.S. Department of Agriculture, Forest Service 1981, 1982, 1989, 2001a). Analysts have addressed information needed by increasingly wider audiences, with larger sections devoted to other resources and other associated issues. An array of natural resource disciplines is involved in preparing reports to address allied issues. FIA data are important in many such studies (Flather and others 1999; Joyce and Birdsey 2000; Mitchell 2000; Smith and Sheffield 2001; U.S. Department of Agriculture, Forest Service 2001a).

The primary users of data and analytical reports before 1979 were national, State, and county forestry agencies, forest industry representatives, and forest industry consultants. At the State level, many FIA forest inventory resource bulletins focus on data standardized to address timber resource interests, such as traditional statistics (timberland area, growing-stock volume, sawtimber and poletimber-sized stands, and trends in growth, removals, and mortality). Few consultants, managers, planners, or researchers are willing to sift through data and analyses laden with resource assumptions other than their own.

Nor are they likely to spend much time expressing cross-disciplinary data needs relevant to other resources, agencies, or issues.

Some resource user groups have documented inventory data needs and the types of analysis desired with regard to nontraditional attributes such as human influences, range, recreation, wildlife habitat, and water quality. In the 1980s, such reports appeared in selected proceedings (Barnard and others 1985, Chalk and others 1984, Irland Group 1989, Lewis 1988, Porter and others 1983, Shands 1985). Recent reports have documented additional needs for timber (Irland Group 1989, Minnesota Department of Administration Management Analysis Division 1997, Tarbet and Cashwell 1990), wildlife habitat (Brooks 1990; Brooks and Barnard 1984; Morrison and Marcot 1995; U.S. Department of Agriculture, Forest Service 1992), and ecological information in general (Rudis and others 1995). Two national blue ribbon panels, representing Federal and State agencies, forest industry, universities, and NGOs—made specific recommendations about the FIA program (American Forest & Paper Association 1998, American Forest Council 1992). Multidisciplinary regional assessments, such as those for the Pacific Northwest (Haynes and Perez 2000), also noted data gaps and listed recommendations for regional surveys.

State and local users make their special data needs known through individual FIA units, but public records of informal inquiries are not maintained. Forest industries use FIA data extensively to model current and projected wood supplies, to support investment analysis and to assess regulatory impacts on wood supplies, e.g., coastal zone, riparian, and endangered species habitat restrictions (Lord 2000). These groups and individuals often ask for general stand characteristics, including tree species and ownership information that is already available in standard format from the FIA Web site <http://fia.fs.fed.us>. Occasionally articles are published that detail recommendations on selected nontraditional attributes, e.g., for input into the State of California's wildlife habitat modeling efforts (Noon 1984), but such documentation is rare or incomplete. Timber resource interests note the need for more, better, and faster information. Better information includes geographic context attributes to assess urban impacts and timber availability, and vegetative habitat typing to model future wood productivity (Lord 2000). Occasional users of FIA

statistics include individuals in disciplines other than timber management, such as forest hydrologists, recreation specialists, and managers in State-level natural heritage and wildlife agencies and conservation groups. These and other occasional users have expressed interest in these and other nontraditional data, as well as other novel data uses (Blackmon 2001); although they may be unaware of some elements, or have limited financial opportunity to analyze fully the nonstandard information.

Other evidence for the wider array of scientific interests comes from reports in nontraditional journals. Three-fourths of the articles come from conference proceedings, regional assessments, and individual USDA

FS Research Station reports. The number of journal articles has been increasing since the mid-1980s (fig. 2), as has the number of outlets. Articles have appeared in no fewer than nine different journals every year since 1986 (fig. 3).

Common outlets for much traditional FIA-related research are Canadian Journal of Forest Research, Forest Products Journal, Forest Science, and Journal of Forestry. There is a much more diverse audience today. In 2000, subjects included a wide range of biology, ecology, and economic issues, as represented by the articles' journal titles. Such titles are: American Journal of Agricultural Economics (Prestemon and Holmes 2000), Forest




Figure 2—Average frequency of articles in journals associated with forest inventory and analysis data uses, 1979 to 2000.




Figure 3—Annual frequency of unique journals with articles associated with forest inventory and analysis data uses, 1979 to 2000.

Ecology and Management (Borges and Hoganson 2000, Gill and others 2000a, Lund and Iremonger 2000), Forest Policy and Economics (Raunikar and others 2000), Global Ecology and Biogeography (Phillips and others 2000), Journal of Biogeography (Buergi and others 2000), Journal of Forest Economics (Scarpa and others 2000), Native Plants Journal (Outcalt 2000), Southern Journal of Applied Forestry (Cubbage and others 2000, Huebschmann and others 2000, Prestemon and Pye 2000), American Midland Naturalist (Zhang 2000), Transactions of the North American Wildlife and Natural Resources Conference (Schmidt 2000), Western Journal of Applied Forestry (Chojnacky and Dick 2000), and World Resources Review (McNulty and others 2000). Others include Annals of Operations Research (King 2000a), Atmospheric Environment (Wiedinmyer and others 2000), Climate Research (Easterling and others 2000), Computers and Electronics in Agriculture (King and others 2000, MacLean and others 2000, Shifley and others 2000), Environmental Modeling and Assessment (Luxmoore and others 2000), Environmental Monitoring and Assessment (Mercer and Aruna 2000, Stehman and others 2000), Remote Sensing of Environment (Gill and others 2000b), and The Compiler (King 2000b). For the first half of 2001, other journals included Ecological Modeling (Bragg 2001), Global Change Biology (Coops and Waring 2001), Journal of Vegetation Science (Frescino and others 2001), Land Use Policy (Buergi and Russell 2001), Wildlife Society Bulletin (Trani and others 2001), and Woodland Management (Leatherberry 2001b).

Early Progress

This section briefly notes early advances in analytical techniques, in characterizing other resources and in addressing such nontraditional subjects as air pollution, biomass, dead wood, esthetics, geographic context (GIS and satellite remote sensing), nearby nonforest influences, operability, owner attitudes, range (agroforestry, browse, livestock use, and understory forage), recreation opportunities, tropical inventories, water quality (erosion, hydrology, soils), vegetative habitat typing, and wildlife.

Air pollution (including biogenic emissions)—Early studies associating atmospheric pollution with forest decline (Brooks 1989, Hornbeck and Smith 1985, Hornbeck and others 1986) later led to detailed

investigations. The first studies on biogenic emissions used FIA data as input for modeling air pollution from trees (Guenther and others 1989).

Biomass—Carbon sequestration and fire-danger rating models use FIA estimates of vegetation biomass. Analysts use FIA estimates to calculate potential fuel supply for wood-fired power plants, and to index foliage volume for ecological habitat characterization.

Scientists first developed estimates for all tree components and, later, estimates of vegetation on nonforest land as well as aboveground woody biomass. An early county-georeferenced, regional assessment map included estimates of woody biomass by dominant tree species (Delcourt and others 1981). In Florida, analysts quantified biomass from forest inventory data on trees, understory vegetation, samples of woody vegetation on nonforest land, and averages from unpublished data (Cost and McClure 1982). In other regions, scientists used a more precise accounting approach, e.g., in North Dakota (Jakes and Smith 1982), including biomass equations for an array of understory species for North-Central States (Smith and Brand 1983). Another modeling effort included understory biomass modeling tied to overstory estimates in Alabama (Joyce and Baker 1987) and portions of the interior West (Mitchell and others 1987). A study in Alaska tied understory species and biomass to vertical vegetative structure (Mead and others 1987, Yarie and Mead 1989). Later, scientists associated with each of these disparate efforts assembled a U.S.-wide publication on biomass in timberland (Cost and others 1990).

Dead wood—The term “dead wood” in this report refers to rotten and standing dead trees, and coarse woody debris. Live tree assessments are the main reason for timber resource assessments, but dead materials play a vital role not only in salvage logging operations but also in carbon biomass assessment, fire-danger rating, wildlife habitat assessments (termed snags or dens), and as an indicator of old-growth conditions. Early studies of standing dead trees applied standard and nonstandard FIA attributes to assess snag densities for wildlife habitat appraisal (McComb and others 1986a, 1986b; O’Brien and Moisen 1992; Ohmann and Bolsinger 1989; Ohmann and others 1994; Rudis 1988a, 1988b). One novel, early application used standing dead trees to predict coarse woody debris for biodiversity appraisal (McMinn and Hardt 1996).

Esthetics—Esthetics embody amenity valuation, visual penetration, and scenic beauty. Public interest groups, e.g., the Wilderness Society (Morton 1994), and users of public land often are concerned with esthetics and scenic beauty. Quantitative approaches incorporate FIA tree and plot information directly as models to link timber with nontraditional resource values, including scenic beauty (Buhyoff and others 1986; Rudis and others 1988a, 1988b). When used with timber-based profit-maximization modeling, these and other FIA tree- and plot-based models help estimate hypothetical amenity values (opportunity cost of timber revenue foregone).

Geographic context (GIS and satellite remote sensing)—Maps present basic information for assessing geographic context (Gedney and VanSickle 1979), and remote sensing using aerial photography has been an FIA tool since the program's inception. GIS applications began with the assembly of a multi-source database at the county level. One such database included FIA data assembled from county statistical reports. Known as the geocology database (Olson and others 1980), this first-ever multidisciplinary effort spawned research uses beyond timber inventory, including the mapping of woody biomass (Delcourt and others 1981) and coterminous U.S. documentation of natural vegetation (Klopatek and others 1979).

The use of plot-based FIA information began with the availability of automated plotting and mapmaking technologies. An early example using approximate plot locations was the use of FIA data to illustrate the distribution of roadless forest areas (Rudis 1986). A decade later, scientists coupled plot-level GIS links with U.S. census data and FIA data to quantify forest resources in urban census tracts (Hershey and Birch 1996), as well as to examine potential timber resource impacts from urban population proximity (Barlow and others 1998).

Early use of satellite remote sensing and imaging technologies with GIS resulted in published statistics and mapped data for Alaska (LaBau and Winterberger 1988), Arizona (Born and Pearlberg 1987), Illinois (Iverson and Risser 1987), and Louisiana (Teuber 1987). Such use spread throughout the United States in the early 1990s (Powell and others 1993, Zhu 1994, Zhu and Evans 1994). Progress in remote sensing is covered in more detail elsewhere (Peterson and others 1999). Early

efforts to examine the nontraditional attributes of forests included poststratification of FIA plot data with information from satellite imagery to assess the effects that streamside management zone regulation would have on timber supplies (Wu 1994).

Nearby nonforest influences—Proximity to roads, water, and urban or otherwise developed land, as well as sites with steep slopes or permanent saturation, may present economic or environmental barriers to timber management and harvest operations. FIA reports occasionally include information on some of these items, but routine inclusion varies widely throughout the United States.

In the early 1980s, several statewide assessments reported tabular information on forest area near nonforest land. Some of this information also appeared in focused special reports on adverse site conditions, such as road proximity and steep slopes (Phillips and Powell 1985), or to assess forest recreation opportunities (Rudis 1986). Some used terms like “operability” (Czaplewski and others 1986, Spencer and others 1986) and “timber availability” (May and LeDoux 1992), which had a single-discipline context. Resource- or discipline-neutral terms such as distance from (proximity to) roads, urban areas, and water bodies served multipurpose resource information needs. Urban influence studies in the East started at the county level (Brooks and Rowntree 1984) and in the West at the plot level to assess neighborhood context (Oswald 1986). Methods to identify urbanizing influences varied considerably, with many of the approaches using aerial photos, which were closely dependent on measuring the distance from field plots to variously defined urban areas. Later efforts involved GIS (see the section on geographic context for additional information). An early effort to assess streamside management zone distances involved coarse-scale georeferencing of FIA plots (Wu 1994).

Owner attitudes—The USDA Economic Research Service noted in 1976 that many of the then-current FIA survey reports for the Northeastern United States said little about the availability of private timber resources (Moyer and Daugherty 1976). In some States, the reports simply reported forest land area and volume in a single nonindustrial owner class approaching 90 percent of the sample.

Improved estimates pioneered in the Northeast used owner surveys—questionnaires stratified by the distribution of FIA forested plots (Kingsley 1975, 1976; Kingsley and Birch 1977; Kingsley and Finley 1975). This procedure eventually spread throughout the United States. For many years, the focus was on an owner's primary use or reason for owning land and questions about short-term harvest intentions. Multiple objectives and multiple-use benefits were ignored, however. Recent forest owner surveys have included separate queries about posting, hunting, and other secondary benefits (Leatherberry 2001a), and now include questions about multiple land-use objectives.

There currently are no efforts to use the FIA sample design to sample rural landowners not associated with forest land. This exclusion limits some forms of cross-disciplinary analysis and modeling, e.g., land used for public recreation, and forest-to-nonforest land conversion. A broader sample that includes owners associated with all land—not just forested land—could serve a number of purposes for stakeholders, such as to identify owner attitudes about reforestation, agroforestry operations (Christmas trees, nonwood forest products), and interest in tree cover while meeting desired agricultural crop, recreation, real estate, or wildlife objectives.

Range—Range is a term used to describe such land uses as agroforestry, livestock grazing, and wildlife browse or understory forage. A pioneering study to tally forage occurred in association with FIA surveys for southern pine stands. The survey goal was to assess opportunities to graze livestock and produce timber (Pearson and Sternitzke 1974). In some regions, scientists later developed ways to estimate vegetation structure and foliar cover by testing models that link FIA overstory measures with amount of forage (Cost 1984, Joyce and Baker 1987, Mitchell and others 1987, O'Brien and Van Hooser 1983, Popham and Baker 1987).

The first publication on livestock grazing statistics for forest land considering broad regions appeared in FIA forest resource reports for Alabama (Rudis and others 1984), California (Bartolome and Huntsinger 1986, Bolsinger 1988), and east Texas (Rudis 1988a). In Kansas, a special study compared FIA timber resources in grazed and ungrazed forests (Schmidt and Hansen 1998). Forest land with livestock grazing now appears

standard in characterizing the regional mix of resource uses (Rudis 1998), and in tracking disturbances of forest land in the South (Rudis 1998, Schweitzer 2000).

Recreation opportunity and remote and roadless areas—FIA attributes were associated with recreation-use potential, and with pioneering efforts in South Carolina (Saunders 1979) and later in Alabama (Rudis 1983). The attributes “distance from roads” and “remote forests” continue to be a means of distinguishing primitive from developed recreational experiences (Rudis 1986). Other photointerpretation has been explored (Czaplewski and others 1986). Additional techniques using adjacent townships were incorporated for Minnesota (Freimund and others 1996, Jaakko Poeyry Consulting 1993b). FIA staff began measuring forest fragment size (area or extent of contiguous forest cover) as a surrogate for estimating eligibility for scale-dependent timber management assistance programs (Wells and others 1974), and later used it as a measure of remoteness, defacto wilderness, or primitive recreational opportunity (Rudis 1986).

Tropical inventories—With greater need for both conservation and multipurpose uses of forests on tropical islands, managers have special inventory information needs. Soils, rainfall, moisture, and agroforestry land-use classes represent critical classification attributes on tropical islands where there is little forest cover. As in the continental United States, early forest resource surveys in Puerto Rico and Hawaii focused on potential timber products, but rejected an examination by traditional land-use classes. Instead, surveyors subdivided tree cover into selected agroforestry classes such as coffee shade in Puerto Rico (Birdsey and Weaver 1982) and primary and secondary forest in Hawaii (Metcalf and others 1978). A few years later, FIA used a more holistic approach by first categorizing earth cover, and then subdividing cover into eight forest, three agroforest, and eight nonforest land-use and cover classes. For forest land, divisions in Pacific ecosystems typically included upland, palm, swamp, mangrove, atoll, plantation, and dwarf forest (Cole and others 1987, MacLean and others 1986). As on the continent, detailed measures were made of potential timber resources, and most efforts focused on woody biomass and woody species estimation (MacLean and others 1988, Petteys and others 1986).

Water quality (hydrology and soils)—Though perhaps not widely known, FIA staff referenced field-sampled

locations to sample soils in selected regions. In cooperation with NRCS, soil measurements were included in the early 1980s surveys of Alaska (Larson and Mead 1983), New England (Ferwerda 1982, Okoye 1997), and Puerto Rico (Weaver and others 1987). In west Oklahoma, NRCS added FIA measurements to its land and soil surveys (Rosson 1995). In the Lake States for 1980s surveys, special studies of air pollution included soil information (David and others 1988). In connection with a statewide forest hydrology study for South Carolina (Dissmeyer 1979), FIA inventory procedures included measurements of soil-associated attributes such as erosion potential, litter depth, and soil texture. Several of the soil-associated attributes were included in the 1976 survey of South Carolina and—with some variation—continued for a number of years in other Southeastern States¹⁴.

Vegetative habitat typing—Occurrence of a species at a particular location suggests conditions suited to its growth. Similarly, a group of overstory tree species at a given location helps categorize its forest community type and potential wood productivity. Occurrences of nontree species also serve the same role, but reports that document use of these data in FIA surveys have been sporadic. In the West, nontree species accounted for, and continue to reflect, potential timber (site) productivity when no trees are present (MacLean and Bolsinger 1973). In Utah, FIA field crews classify vegetative habitat class at sampled locations by both predominant overstory and understory plant species (O'Brien 1999). For Wisconsin, a similar approach recently was used in that State's most recent forest survey (Kotar 1999, Kotar and others 1999).

A pilot study begun in the Great Lakes area was scheduled to formally classify dominant tree overstory, tree sapling, and site-condition data into ecological productivity classes¹⁵ (personal communication,

Don Faber-Langendoen, State University of New York, College of Environmental Science and Forestry, November 2001). The long-term goal is to integrate FIA timber-based forest types with an interagency and NGO-sponsored ecological classification scheme, known collectively as the U.S. National Vegetation Classification System (Grossman and others 1998, Weakley and others 1998).

Wildlife—Early efforts to assess wildlife habitat incorporated a deer browse inventory around 1960. This pioneering cross-disciplinary research thrust began with pilot testing (Ehrenreich and Murphy 1962, Moore and others 1960), and then was followed by regional estimation of deer browse for north Georgia (Ripley and McClure 1963). A decade later, FIA surveys used browse inventories in New Hampshire (Barnes 1975) and southwest Louisiana (Pearson and Sternitzke 1976). FIA surveys in the Southeast also used vegetation structure attributes to assess the status of wildlife habitat (Cost 1979, Hamel and others 1986). Habitat assessments showed promise for such forest-dependent species as the red-cockaded woodpecker (Lennartz and McClure 1979) and woodcock (Cushwa and others 1977). Later, FIA conducted assessments in other regions and for other wildlife species, including black bear, goshawk, and the Mexican spotted owl. Another early effort used periodic FIA data summaries to prepare numerical indices for addressing habitat trends as part of generic bird habitat appraisals (Graber and Graber 1976). Scientists also developed models to project trends in wildlife habitat (Boyce and Cost 1978).

Approaches to Comprehensive Assessments

Several approaches may be used in a comprehensive assessment of forest resources. These range from a description and analysis of forest resources: (1) from a single disciplinary perspective involving only FIA data-sets and written with a single objective, e.g., presentation of the latest survey statistics, or addressing a singular issue, to (2) a complete synthesis of analyses from an array of disciplinary perspectives, involving both FIA and other data-sets, to address a range of natural resource and socio-economic issues. For ease of discussion and simplicity, I categorized the approaches first by discipline, second by data used, and third by purpose of the report. I coded these approaches as representing single (S) or multiple (M) perspective(s) or discipline(s), data-set(s), and purpose(s), and cite an example for each approach in table 1.

¹⁴ U.S. Department of Agriculture, Forest Service. 1982. Field instructions for the Southeast. 120 p. On file with: USDA Forest Service, Southern Research Station, FIA Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.

¹⁵ Personal communication. 2001. Don Faber-Langendoen, Adjunct Professor and Senior Ecologist, State University of New York, College of Environmental Science and Forestry, 448 Illick Hall, 1 Forestry Drive, Syracuse, NY 13210.

Table 1—Range of approaches to reporting of FIA survey results by perspective or discipline, data sources used, purpose of the report, and examples

Type	Perspective or discipline	Data sources used	Purpose(s) of the report	Example report ^a and reference
SSS	Single	FIA surveys	Information supplied to a single -discipline target audience, with data from a single source, and presented for a single purpose—report of new survey findings	Forest Resources of Louisiana (Rosson and others 1988) primarily reported the status and change in timber resources since prior FIA surveys.
MSS	Multi-disciplinary teams	Largely FIA surveys	Examination by a multidisciplinary team of a single data source, for a single purpose for which the data are appropriate	Patterns and Trends of Early Successional Forests in the Eastern United States (Trani and others 2001) used timberland statistics to assess wildlife habitat.
MSM	Multiple	Largely FIA surveys	Information supplied to a broad, multidiscipline audience, with data from a single source, and presented for multiple purposes	Comprehensive Inventory of Utah's Forest Resources, 1993 (O'Brien 1999) references ecological community types for a variety of user information needs.
SSM	Single	Largely FIA surveys	Collection of selected single discipline perspectives about data from a single source, and presented for multiple purposes	Majority of Proceedings of the Symposium on Arkansas Forests: A Conference on the Results of the Recent Forest Survey of Arkansas (Guldin 2001)
SMS	Single	FIA surveys and other data sources	Examination from single discipline perspectives with data from multiple sources, and presented for a single purpose	Linking STATSGO and FIA Data for Spatial Analysis of Land Carbon Densities (Xu and Pristley 2000)
MMS Type 1— Planning reports	Multi-disciplinary teams	FIA surveys and other data sources	Examination by multiple or cross-disciplinary teams with data from multiple sources for a single purpose	Sustainable Forest Management: Policy, Planning and Practice: Forum Report (Great Lakes Forest Alliance 2000)
MMS Type 2— Research reports	Multi-disciplinary teams	FIA surveys and other data sources	Examination by multiple or cross-disciplinary teams with data from multiple sources for a single purpose	Multidisciplinary research reports from a generic environmental impact statement study of timber harvesting and forest management in Minnesota (Jaakko Poeyry Consulting, Inc. 1992a, 1992b, 1992c, 1992d, 1992e, 1992f, 1992g, 1993a, 1993b).
SMM	Single	Array of data sources	Collection of selected single discipline perspectives, with data from multiple sources for multiple purposes	Integrated Tools for Natural Resources Inventories in the 21st Century: Proceedings of the IUFRO Conference (Hansen and Burk 2000)
MMM	Multi-disciplinary synthesis	Array of data sources	A synthesis of examinations from multiple discipline perspectives, using multiple data sets, and serving multiple purposes	Summary Technical Report (Pirani and Yaro 1993) for the analysis of selected resources for the New York-New Jersey Highlands regional study

^a In bold if provided.

The following are details about each of these approaches:

SSS—Single discipline or perspective, single source data, and single purpose. Typically, an SSS report describes findings from the most recent FIA survey. Objectives selected are those that the FIA data were initially designed to address. Although additional data may be available from other sources, findings are often limited to the single set of data. In other words, description and analysis are data-driven or issue-driven, rather than driven by the need to conduct a thorough assessment from multiple points-of-view. Reports, tables, charts, and other output match terms understandable to one discipline and a single target audience. Issues addressed are about resources of interest to a particular audience, e.g., timber (Rosson and others 1988) and wildlife (Brooks and others 1986). Often there is little incorporation of other perspectives or involvement by other stakeholders in determination of the analysis needed or in a review of the manuscript. A literature search of associated scientific information often is uncommon in USDA FS resource bulletin series. This approach yields the lowest form of integration; a single disciplinary perspective and FIA data-sets determine the amount and sufficiency of information included in such reports.

MSS—Multidiscipline team perspective, single source data, and single purpose. This approach uses FIA data and involves multiple disciplinary perspectives for a single purpose. There is limited involvement in the choice of objectives by other disciplines. Restrictions on data utility from multidisciplinary teams often rest with existing definitions and categories of land use and earth cover. Approaches to estimation of nonforest land area with trees, reserved land, woodland, and timberland with and without livestock grazing are inconsistent or nonexistent for some States, which limits a number of assessments that cross disciplinary, political, and resource use boundaries. Historically, problems between a land-based resource inventory and its utility to address other needs may revolve around developing a consensus between land use and land cover (Powell 1982).

Between the 1980s and early 1990s, four of six FIA survey regions began quantifying land cover in addition to land-use classes, e.g., separate land uses for pastured forest land, urban forest land, and nonforest land with and without trees. Examples included Christmas tree

operations, orchards, pastureland with trees, urban land with trees. Occasionally, special studies used these hybrid land cover and land use classes to quantify other information needs, e.g., urban vegetation (Geron and others 1995). Detailed land class (nonforest-land uses such as cropland, pastureland, and water; and hybrid land cover and land use) estimates appeared in some forest resource reports, but none appeared nationally in standardized form.

Broad land-use classes are standardized and have been used to map the neighborhood context surrounding forest land (Rudis 2001). However, hybrid and more detailed earth-cover and land-use classes remain a local option (U.S. Department of Agriculture, Forest Service 1999a, 2001b, 2001c, 2001d). FIA surveys use different land-cover and land-use classes to account for locally important uses, such as agroforestry production systems in the tropics (MacLean and others 1986). Elsewhere, FIA units have established local standards to assess a broad range of land uses and incorporate land cover classes desired by other disciplinary perspectives (Rudis 1993).

A study of early successional habitat (Trani and others 2001) is a recent example that addresses a resource other than timber. Although the team was interdisciplinary, the available data were restricted to timberland because such estimates were consistent across the study's FIA regions for the particular objective—assessment of the status and trends in early successional habitat. Timberland formed 98 percent of the forested habitat of concern, so authors felt that ignoring the other detailed land classes was not significant.

MSM—Multiple discipline or perspective, single source data, and multiple purposes. This approach is driven by the need to assess findings from the most recent survey. However, unlike SSS or SSM approaches, it includes other objectives because results serve a varied audience. In some cases, SSS authors recast FIA data in terms relevant to other disciplines. It often includes descriptive analytical reports that feature multiple facets of the data collected. Some of these include efforts for the North (Brooks and others 1993), South (Rudis 1998, Rudis 2001), and interior West (O'Brien 1999). Consultation with other natural resource experts may precede the design of the report, issues addressed, and attributes featured.

SSM—A collection of single-discipline perspectives, single source data, and multiple purposes. This approach takes the form of collected works with multiple objectives, where individuals with expertise in various disciplines, e.g., economics, forest hydrology, recreation and tourism, silviculture, timber products, wildlife, are invited or assigned to discuss findings directly associated with results of a recent FIA inventory. In most cases, participants have raw or preliminary FIA data to examine prior to the meeting. Recent efforts have included collected works for meetings associated with the States of Alabama (Jones 1991), Arkansas (Guldin 2001), New York (Abrahamson and others 1996), and Oregon (Lettman 1988).

Such meetings and the reports they generate serve as communication outlets for managers, NGOs, practitioners, planners, and others who may not have stated publicly or published their opinions regarding FIA data uses or associated data needs. Often, however, participants are given little time, and little, if any, additional funding to provide more than a cursory overview of findings, let alone a comprehensive cross-disciplinary synthesis of the data or even an in-depth discussion of issues relevant to one discipline. Nonetheless, the presentations do provide valuable insight into the perspectives and interests of contributors. Such forums provide short-term communication within a cross-disciplinary audience or readership. Occasional, well-prepared presentations yield credible syntheses of disparate concepts or a disciplinary analytical process from two or more disciplines, which foster cross-disciplinary communication.

The ideal situation would involve (1) including representatives from other disciplines on the inventory staff, (2) greater participation through funding for program interests, and (3) direct involvement of Federal, State, and private groups from a variety of disciplines (national forest, State forestry, game and fish, conservation commission, timber industry, planning staffs, and NGOs) in the analysis of collected data. Scientists and administrators may initiate these approaches, e.g., in the late 1970s for South Carolina (McClure and others 1979), but fail to establish the needed long-term infrastructure. Problems common to multidisciplinary efforts—limited coordination of analysis among competing agencies and resource interests, incompatible priorities and perceived responsibilities, and a limited

administrative infrastructure (Rudis 1993)—make such approaches difficult to maintain.

Since 1999, State forestry agencies have become direct partners in the data-collection effort, with shared responsibilities and funding for FIA activities. They have raised many questions and have served on committees that determine attributes and procedures. Though the process is in an early stage of development, the interagency infrastructure may well alter the degree of cross-disciplinary involvement and influence by special interest groups in subsequent analysis.

SMS—Single discipline or perspective, multiple data sources, and single purpose. This approach commonly integrates data from other sources to address a single objective. Information from research journal articles as well as articles in focused conference proceedings may be included. These articles combine FIA data with separate, independent FIA estimates. Typically, information is required at a scale appropriate to the goal of the study, e.g., regional habitat estimates of black bear, red-cockaded woodpecker, and spotted owl; State-level owner-preference surveys; stand-level scenic beauty; and county-level U.S. Census surveys. Recent study goals have included regional biogenic emissions (Wiedinmyer and others 2000), soils and carbon sequestration (Xu and Pristley 2000), and satellite image-scaled estimates combined with forest structure, slope, elevation and moisture conditions from FIA plot measurements (Frescino and others 2001).

MMS—Multiple disciplines or perspectives, multiple data sources, and single purpose. This is a team-based assessment focused on a particular issue or geographic region, or both. The team assigns itself one large task. One or more individuals with perceived expertise in a particular discipline assume, or are assigned to, subcategories of the larger task. Tasks are issue-driven rather than data-driven. Regardless of data that might be available, team leaders organize analytical steps and workflow schedules to ensure that the team addresses all facets of the issue in a timely manner. For a variety of reasons, not all appropriate FIA data may be used. These include lack of expertise in applying the data to cross-disciplinary issues; incompatible priorities, perceived responsibilities, and disciplinary assumptions; and inconsistencies in measurement and their resolution across FIA boundaries (Rudis 1993).

MMS Type 1—An MMS assessment that closely resembles a working document for planning and may include maps, general guidelines, and narrative statements not rigorously ascribed to a particular scientific source or research document. The earliest report of this type grew from desire to obtain a “comprehensive core of data and analyses to guide policy making on all ownerships, including Federal, State, and private lands” by the California Department of Forestry and Fire Protection. The goal was to develop a “program to assess and anticipate the changing role of natural resource lands in the context of the State as a whole” (Ewing and others 1988). In California, the issue revolved around the conflict between rangeland and forest land among public land managers, rural farmers, and representatives of other private interests.

A committee composed of individuals representing both private and public agency interest groups initiated a similar assessment in New Hampshire some years later. New Hampshire’s issues focused on “forest sustainability and a more ecological approach to forestry . . . the role of the forest-based economy . . . the relationship between forests, people and forest industries . . . the complex task of balancing society’s interests in preserving public values in forest land . . . and protecting personal and property rights” (Forest Resources Plan Steering Committee 1996).

Other such assessments included regional, issue-focused reports, such as those for the Great Lakes (Great Lakes Forest Alliance 2000), New York-New Jersey Highlands (Michaels and others 1992), and Northern Forest Lands (Harper and others 1990). In all of those assessments, traditional FIA data provided background material, typically describing the historic and present-day status of the timber resource. Nontraditional data served as supplementary, broad regional estimates of particular interest. These included general wildlife habitat statistics for the Northern Forest Lands study (Watson 1994), and supplementary ownership information for the New York-New Jersey Highlands studies (Michaels and others 1992).

MMS Type 2—MMS assessments that resemble technical research articles, with close attention to scientific sources of information. Often there is a concern about a major regional issue such as the perceived intensification of wood production—the development of

chip mills for processing of low-quality hardwoods, extensive establishment of pine plantations, or conversion of oak-pine stands to pure pine. Forecasting with timber growth models, other resource projection models, U.S. census statistics, and other economic indicators are formally associated with ground-based inventory data when possible to evaluate various facets of the assessment.

One such case involved the State of Minnesota, which commissioned a study, now known as a Generic Environmental Impact Statement (GEIS) (Jaakko Poeyry Consulting 1994), to investigate timber harvesting and forest management. This unique effort funded a number of reports by a private consulting firm. The firm provided limited release of the documents, distributing them to State agencies and the public for a nominal cost, then later released them on the Web. Reports focused on forest area and owner trends (Jaakko Poeyry Consulting 1992f), biodiversity (Jaakko Poeyry Consulting 1992a), damage to trees or forest health (Jaakko Poeyry Consulting 1992c), economics (Jaakko Poeyry Consulting 1992b), recreation and esthetics (Jaakko Poeyry Consulting 1993b), soils (Jaakko Poeyry Consulting 1992d), timber resources (Jaakko Poeyry Consulting 1992e), water and fisheries (Jaakko Poeyry Consulting 1992g), and wildlife (Jaakko Poeyry Consulting 1993a). A final report abstracted the results of individual, discipline-specific studies and synthesized results (Jaakko Poeyry Consulting 1994). Scientists affiliated with these studies later reported portions of the results in Ph.D. dissertations or more widely read outlets, i.e., journal articles and technical proceedings (Anderson and others 1992, Freimund 1994, Freimund and others 1996, Grigal and Bates 1997, Kapple 1995, Rose and others 1992).

Other examples include broad regional, multi-year studies conducted to address regional issues in the Southern Appalachians (Southern Appalachian Man and the Biosphere 1996b), Interior Columbia Basin (Quigley and others 1996), and Ouachita-Ozark Highlands (U.S. Department of Agriculture, Forest Service 1999b). The role and contribution of FIA to the assessment varied with funding and issues endemic to the regions under study.

The MMS Type 2 assessments often have substantial funds to support the logistics of data assembly, modeling, and analysis but often draw upon existing data to make

inferences and model associations with other data. FIA data most often are used to categorize forest area by ownership and stand-diameter classes on private forest land. They also provide county level estimates of total forest land, current timber volume, growth, harvest, mortality, and susceptibility to tree pests. Issues that require more than timber production statistics, such as “biodiversity, soil depletion and productivity, certain seral stages, and [perceived] loss of . . . nonrenewable forest resources” (Quigley and others 1996), remain unresolved.

FIA data that could have been used to resolve some of the issues, such as detailed traditional and nontraditional FIA measurements (U.S. Department of Agriculture, Forest Service 2001c), were not collected in a standard way across the entire assessment region or were inadequately developed for scientific analysis. Southern Appalachian studies referred primarily to specialized data analyzed by selected disciplines (Herman 1996). Interior Columbia Basin studies referred only to the standardized national summary of traditional data (Powell and others 1993). Other FIA data may have been included in the assessment database for future research use, but the final technical assessment contains no details. In many such cases, available FIA data are dwarfed by other information already standardized and readily useable by a variety of disciplines, e.g., in the West by forest management inventories of the National Forest System, and in the East by the USDA NRCS National Resources Inventory (NRI).

SMM—Single discipline or perspective, multiple data sources, and multiple purposes. This assessment approach usually uses a narrowly-focused session or symposium proceedings resulting from conferences concerned with inventory measurements. Reports occasionally include journal articles. Annotation of nontraditional and novel FIA data uses and techniques prior to 1990 appear in a workshop “Progress with integrating multiple value objectives into broad-scale forest inventories,” held in Syracuse, NY, August 2, 1989, as part of a state-of-the-art conference on forest inventory methodology (LaBau and Cunia 1990).

Occasionally, there is coordination among participants at such conferences. Participants involved with FIA-associated data often sponsor sessions or workshops at many of the larger international conferences. Lately,

biometricians have taken the lead in organizing a formal symposium series focused just on FIA-associated topics; and two had been completed as of July 2001—for the years 1999 (McRoberts and others 2000) and 2000 (Reams and others 2001).

These conferences have documented developments in measurement tools, statistical analysis techniques, and data uses. Titles attached to these conferences reflect their focus: integrated inventories (Lund and others 1978), forest resource inventories (Frayer 1979), wildlife habitat inventories (Cushwa and others 1979), in-place resource inventories (Brann and others 1982), renewable resource inventories (Bell and Atterbury 1983), forest inventory methodology (LaBau and Cunia 1990), and global natural resource monitoring and assessments (Lund and Preto 1990). More recently, one focused on forest ecosystem resource surveys in North America, and many topics were relevant to tropical forest assessments (Aguirre-Bravo and Franco 1999).

Coordinated sessions at larger conferences result in reports that form substantial bodies of knowledge about selected issues. The latest major international conference (Hansen and Burk 2000) used the theme “integrated inventory tools,” and included sessions on natural resource inventory design, analysis, and management applications; measurement consistency issues; data management; GIS and remote sensing applications; forest growth model interfaces; and special purpose inventories and applications.

MMM—Multidisciplinary team(s) or multiple perspectives, multiple data sources, and multiple purposes. This assessment approach commonly produces a report synthesizing several in-depth reports or chapters with differing perspectives, as well as data examined in detail by others. It is a summary document representing highlights of findings, common threads, and concepts. In its simplest form, such an approach is akin to a synthesis of papers presented at a conference involving disparate studies and data-sets. Length and depth may vary from a brief synthesis, such as an impromptu summation of presentations, to a more deliberate integration of disparate concepts. An example of the former was done for Arkansas (Blackmon 2001) and of the latter for the New York-New Jersey Highlands (Pirani and Yaro 1993). Well-funded multidisciplinary teams integrate their findings more fully, sometimes with additional

interdisciplinary analysis, such as is included in the Northwest Forest plan (Haynes and Perez 2000), the 1989 RPA assessment (U.S. Department of Agriculture, Forest Service 1990), and the Southern Appalachian assessment (Southern Appalachian Man and the Biosphere 1996a).

Progress Toward Multipurpose Utility

Dual and multiple land uses are the norm for most arable land in the United States. Traditional single-resource classification simplifies these complexities, making possible tabular reports and assessments. The estimates produced yield coarse-scaled resource assessments. Such estimates are questionable if there are substantial areas with mixed forest and nonforest-land uses, such as forest land or significant commercial wood products in agriculture- or urban-dominated neighborhoods.

The literature review suggests three approaches. The first is a field method of documenting uses on a sampled plot. The second method documents a plot's proximity to dominating nonforest-land uses. The third method surveys nonindustrial private owners for information about their land use and makes assumptions about uses affiliated with industrial and public ownership. The three approaches use different scales of measurement; but in every case, the assessment proceeds following estimation of the multiple land-use probabilities for a sampled plot and the resources they represent. Although these approaches provide credible data for planning at predefined scales, the accuracy of assigned probabilities, and analyses at other measurement scales, are of concern.

For example, FIA plot-based indices of livestock grazing in forested areas corroborate findings from an examination of the surrounding neighborhood. In the South, livestock grazing on forest land occurs in a few ecological provinces, primarily in pasture-dominated landscapes (Rudis 1998). Grazing on forest land also occurs in the California Sierra Mountains (Bartolome and Huntsinger 1986) and in the Intermountain West. The same is true for forests dominated by urban influences. Urban uses of forest land are important components in estimation of resources, particularly in coastal portions of the United States (Dwyer and others 2000).

Because it takes so long to inventory a region and monitor changes, past designers of the FIA program are occasionally fortunate in providing for unanticipated data needs. For example, Pacific yew, a noncommercial species, was discovered in the 1980s to have anticancer properties. Fortunately, FIA program staff were able to draw information from an already collected, larger inventory of otherwise noncommercial species, and to provide estimates of the range and extent of the Pacific yew (Bolsinger and Jaramillo 1990).

The historic design of the survey does not always serve current needs, however. Definitions of forest land established in earlier decades may not always represent current uses, such as season-specific grazing on forest land and urban development within forest landscapes, or match current measurement technology, e.g., satellite imagery. On private land, detailed timber information from FIA surveys may be ancillary to a more widely encompassing, standardized inventory, e.g., the NRCS-NRI. In public-dominated areas of the West, until recently, the FIA sample design did not extend to National Forest System land.

Satellite imagery of forest cover types also competes with traditional FIA field-collected data. The U.S. Geologic Service's Land Use and Land Cover, the U.S. Fish and Wildlife Service's Gap survey, as well as other well-funded Federal and State earth-cover inventory programs, serve broader audiences because the resulting scale of information products may be closer to perceived management issues. Many users of FIA data have questioned the spatial precision and error estimates associated with the program's widely spaced samples. Landsat and other satellite-based inventories may provide products more suited to the needs of a variety of disciplines. The advantage of satellite imagery is that (1) the data management and organization are flexible enough to accommodate changing needs, e.g., data categories and elements can be reassembled to suit other disciplinary assumptions, and (2) the data have logical spatial and temporal associations with other geographic information important to a comprehensive assessment.

Nevertheless, advances in GIS technologies have made it possible to readily visualize FIA data in geographic context—not only by scientists but also by decision-makers and advocacy groups in a variety of disciplines. A decade ago, Rudis (1991) stated that “integration of

FIA information with other land use data should provide users with an improved information database with which to test hypotheses and become better informed about regional impacts.” Since that time, spatially oriented data retrievals, analysis, and linkages with other data-sets have occurred, and more than 70 citations have referenced FIA data. Such studies commonly refer to geography related hypotheses, e.g., about the distribution of forested ecosystems, their associated characteristics, habitats for forest-dwelling species, regional ecological landscape dynamics, land-use practices, and temporal trends. More than half of these have been published in just the past five years. Using GIS, links between FIA data and satellite imagery are also more common in a number of recent regional modeling efforts, such as global climate change monitoring and air pollution assessment.

Synthesis

Given the array of approaches now used, it is safe to say that the time has arrived for a disciplined, strategic inventory of associated attributes, and the incorporation of other relevant data and analysis. However one may view the inclusion of inventory attributes or analytical techniques to address a particular issue, it is important to weigh potential benefits against their potential cost.

The sheer volume of citations in nontraditional subject areas [air pollution, biomass, dead wood, esthetics, geographic context (GIS and satellite remote sensing), nearby nonforest influences, operability, owner attitudes, range (agroforestry, browse, livestock use, and understory forage), recreation opportunities, tropical inventories, water quality (erosion, hydrology, soils), vegetative habitat typing, and wildlife] is staggering. Scientists from a wide range of disciplines have developed analytical techniques, novel measurements, and models to characterize other resources and address a variety of issues.

Relating some of these specialized FIA data and analyses to nationally important, comprehensive assessments occurs periodically with RPA appraisals. Examples include biomass (Cost and others 1990) and urban forests (Dwyer and others 2000). Integration of a unit of timber with a unit of one or more other resources has yet to be achieved, however. Efforts to directly link biomass, urban forests, and other subject areas with timber resource

supplies, forest management, and land-use policies have been hampered by inconsistencies among data collected and their sources. Establishment of minimal standards for a comprehensive as well as cost-effective assessment of forest resources may be required for State and regional analyses. Adaptation and refinement of procedures probably will be necessary if the data are to be used in future national RPA appraisals.

With the exception of biomass and urban forest attributes—and perhaps a few others—many field observations and data uses remain provincially rather than nationally applicable and poorly coordinated among regions. Some specialized field observations may not be cost effective to inventory nationally. These are likely to remain important in studies for modeling or a region-specific assessment such as special forest products (e.g., bear grass in the Pacific Northwest), invasive species (e.g., *Melaleuca* spp., a problematic nonnative invasive in Florida) and management practices unique to specific portions of the country. Retention of collective knowledge about specialized data and the unique resource uses in an area become problems whenever decisions are made not to consider them in national assessments.

Specialized data of the FIA survey appear to have been fully used when they: (1) are consistent across spatial and temporal scales important to the geographic region and questions being addressed; (2) are well-documented and stored in a form suited to available analytical techniques, or can be made so in a timely fashion to suit the timetable of the assessment; (3) lend themselves to data management and organization that are flexible enough to accommodate changing needs; (4) can be reassembled without bias to suit other disciplinary assumptions; and (5) have logical spatial and temporal associations with other data important to a comprehensive assessment, e.g., satellite imagery and economic and social surveys. More rapid progress towards comprehensive assessments can be achieved if all specialized FIA data met these criteria.

If the goal of comprehensive assessment of the forest resource is to integrate analysis from all relevant disciplinary and regional perspectives and to synthesize findings, then the FIA program organization should reflect those goals at all levels. Convergence of an array of common attributes and the analysis of protocols of

comprehensive assessment will be achieved only by clarification and refinement of an evolving knowledge base. Maintenance and support for a central depository of documented results and use by both data analysts and designers of data collection procedures may ensure that progress.

Acknowledgments

Assistance with this report came from many individuals. I received help from Marie Davis, Assistant Department Head, InfoSouth, University of Georgia, Athens, GA, for AGRICOLA citation data searches; LaDonne Delgado, Coordinator for Government Documents and Microforms, Mississippi State University, for help with government documents on microfiche; and staff of the USDA FS, Southern Research Station, FIA Program with citation entries. Appreciation for entries is extended to Mark Hansen and Tom Schmidt at the North Central Research Station; Bob Brooks, Susan King, Andy Lister, Will McWilliams, and Rachel Riemann at the Northeastern Research Station; Ralph Alig, Andrew Gray and Janet Ohmann at the Pacific Northwest Research Station; Renee O'Brien at the Rocky Mountain Research Station; and John Pye at the Southern Research Station. Scientists at universities and the USDA FS provided reprints and lists of publications and helped to verify FIA data uses for some of the publications. Manuscript reviewers included Roger Lord, Boise Cascade Corporation; Mark Hansen, USDA FS, North Central Research Station; and Doug Powell, USDA FS, Washington Office.

Literature Cited

- Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. 1996. *The Empire forest—changes and challenges: Conference proceedings*. 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 204 p.
- Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. 1999. *Toward a unified framework for inventorying and monitoring forest ecosystem resources: North American science symposium; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS–P–12*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 533 p.
- Alerich, Carol L. 1990. *Forest statistics for Kentucky—1975 and 1988*. Resour. Bull. NE–117. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 295 p.
- American Forest & Paper Association. 1998. *Forest inventory and analysis program: the report of the second blue ribbon panel*. Washington, DC: American Forest & Paper Association. 17 p.
- American Forest Council. 1992. *Report of the blue ribbon panel on forest inventory and analysis*. Washington, DC: American Forest Council. 11 p.
- Anderson, D.H.; Freimund, W.A.; Pitt, D.G. 1992. Developing a recreation resource inventory model (RRIM) for forest planning and management. In: Sievanen, T., ed. *Nordic outdoor recreation: international comparative studies: Proceedings of the workshop; 1992 September 9–10; Siuntio, Finland*. Res. Pap. 439. Helsinki, Finland: Finnish Forest Research Institute: 72–88.
- Barlow, Stephen A.; Munn, Ian A.; Cleaves, David A.; Evans, David L. 1998. The effect of urban sprawl on timber harvesting: a look at two Southern States. *Journal of Forestry*. 96(12): 10–14.
- Barnard, Joseph; Myers, Wayne; Pearce, John [and others]. 1985. Surveys for monitoring changes and trends in renewable resources: forest and marine fisheries. *The American Statistician*. 39(4): 363–373.
- Barnes, Robert Brooks. 1975. *A quantitative evaluation of winter deer browse in southern New Hampshire forests*. Durham, NH: University of New Hampshire. 96 p. M.S. thesis.
- Bartolome, James R.; Huntsinger, Lynn. 1986. *Forest grazing in California's western Sierra Nevada: a report to the California Department of Forestry and Fire Protection. Contract 8CA63850*. Berkeley, CA: University of California, Department of Forestry and Resource Management. 148 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2084. [Date accessed: August 2001].
- Bastedo, J.D.; Theberge, J.B. 1983. An appraisal of interdisciplinary resource surveys (ecological land classification). *Landscape Planning*. 10: 317–334.
- Bechtold, William A.; Hoffard, William H.; Anderson, Robert L. 1992. *Summary report: forest health monitoring in the South, 1991*. Gen. Tech. Rep. SE–81. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 40 p.
- Bell, John F.; Atterbury, Toby, eds. 1983. *Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR*. Corvallis, OR: Oregon State University, College of Forestry. 737 p.
- Birdsey, Richard A.; Weaver, Peter L. 1982. *The forest resources of Puerto Rico*. Resour. Bull. SO–85. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 59 p.
- Blackmon, B.G. 2001. *Summation of the symposium on Arkansas forests*. In: Guldin, James M., tech. comp. *Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR*. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 124–125.

- Bolsinger, Charles L. 1988. The hardwoods of California's timberlands, woodlands, and savannas. Resour. Bull. PNW-148. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 50 p.
- Bolsinger, Charles L.; Jaramillo, Annabelle E. 1990. *Taxus brevifolia* Nutt.: Pacific yew. In: Burns, Russell M.; Honkala, Barbara H., tech. coords. Silvics of North America: conifers. Agric. Handb. 654. Washington, DC: U.S. Department of Agriculture, Forest Service: 573-579. Vol. 1.
- Bones, James T. 1993. A blueprint for forest resources inventories in the United States. In: Nyyssöenen, Aarne; Poso, Simo; Rautala, Johanna, eds. Proceedings of Ilvessalo symposium on national forest inventories. Res. Pap. 444. Helsinki, Finland: Finnish Forest Research Institute: 32-40.
- Borges, Jose G.; Hoganson, Howard M. 2000. Structuring a landscape by forestland classification and harvest scheduling spatial constraints. *Forest Ecology and Management*. 130(1-3): 269-275.
- Born, J. David; Pearlberg, C. 1987. Forest inventory and LANDSAT MSS vegetation mapping for Arizona. In: Symposium on strategies for classification and management of native vegetation for food production in arid zones; 1987 October 12-16; Tucson, AZ. Gen. Tech. Rep. RM-150. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 53-58.
- Boyce, Stephen G.; Cost, Noel D. 1978. Forest diversity: new concepts and applications. Res. Pap. SE-194. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 36 p.
- Bragg, D.C. 2001. Potential relative increment (PRI): a new method to empirically derive optimal tree diameter growth. *Ecological Modeling*. 137(1): 77-92.
- Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. 1982. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9-14; Orono, ME. SAF 82-02. Bethesda, MD: Society of American Foresters. 1,101 p.
- Brooks, Robert T. 1989. An analysis of regional forest growth and atmospheric deposition patterns, Pennsylvania (U.S.A.). In: Bucher, Juerg B.; Bucher-Wallin, Inga, eds. Air pollution and forest decline: Proceedings of the 14th international meeting for specialists in air pollution effects on forest ecosystems; 1988 October 2-8; Interlaken, Switzerland. IUFRO P2.05. Birmensdorf, Switzerland: Eidgenössische Anstalt fuer das forstliche Versuchswesen: 283-288. Vol. 1.
- Brooks, Robert T. 1990. Wildlife habitat evaluation tools: the U.S. Forest Service's forest inventory and analysis. In: Oswald, Helfried, coord. Proceedings: division 1: 19th IUFRO World Congress; 1990 August 5-11; Montreal, Canada. Montreal, Canada: Canadian IUFRO World Congress Organizing Committee. 2: 163-172.
- Brooks, Robert T.; Barnard, Joseph E. 1984. Kentucky's fourth forest inventory: information for wildlife habitat evaluation. In: McComb, W.C., ed. Management of nongame species and ecological communities: Proceedings of a workshop; 1984 June 11-12; Lexington, KY. Lexington, KY: University of Kentucky: 53-58.
- Brooks, Robert T.; Frieswyk, Thomas S.; Ritter, Arthur. 1986. Forest wildlife habitat statistics for Maine—1982. Resour. Bull. NE-96. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 146 p.
- Brooks, Robert T.; Kittredge, David B., Jr.; Alerich, Carol L. 1993. Forest resources of southern New England. Resour. Bull. NE-127. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 71 p.
- Brooks, Robert T.; Millers, Imants; Dickson, David R. 1991. Forest health monitoring in the United States: the 1990 experience in New England. In: IUFRO workshop on monitoring air pollution impact on permanent sample plots, data processing and results interpretation; 1991 September 2-6; Prachatice, Czechoslovakia. Prague, Czechoslovakia: Department of Ecological Monitoring of Forestry and Game Management Research Institute: 12-21.
- Brooks, Robert T.; Rowntree, Rowan A. 1984. Forest area characteristics for metropolitan and nonmetropolitan counties of three Northeastern States of the United States. *Urban Ecology*. 8: 341-346.
- Buergi, Matthais; Russell, Emily W.B. 2001. Integrative methods to study landscape changes. *Land Use Policy*. 18: 9-16.
- Buergi, Matthias; Russell, Emily W.B.; Motzkin, Glenn. 2000. Effects of postsettlement human activities on forest composition in the Northeastern United States: a comparative approach. *Journal of Biogeography*. 27(5): 1123-1138.
- Buhyoff, Gregory J.; Hull, R. Bruce, IV; Lien, John N.; Cordell, H. Ken. 1986. Prediction of scenic quality for southern pine stands. *Forest Science*. 32(3): 769-778.
- Burkman, William G.; Vissage, John S.; Hoffard, William H. [and others]. 1998. Summary report—forest health monitoring in the South, 1993 and 1994. Resour. Bull. SRS-32. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 91 p.
- Chalk, David E.; Miller, Stephen A.; Hoekstra, Thomas W. 1984. Multiresource inventories: integrating information wildlife resources. *Wildlife Society Bulletin*. 12: 357-364.
- Chojnacky, David C.; Dick, James L. 2000. Evaluating FIA forest inventory data for monitoring Mexican spotted owl habitat: Gila National Forest example. *Western Journal of Applied Forestry*. 15(4): 195-199.
- Cole, Thomas G.; Falanruw, Marjorie C.; MacLean, Colin D. [and others]. 1987. Vegetation survey of the Republic of Palau. Resour. Bull. PSW-22. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 13 p. + 17 maps.
- Coops, N.C.; Waring, R.H. 2001. Assessing forest growth across southwestern Oregon under a range of current and future global change scenarios using a process model, 3-PG. *Global Change Biology*. 7(1): 15-29.

- Cost, Noel D. 1979. Ecological structure of forest vegetation. In: Frayer, W.E., ed. *Forest resource inventories: Proceedings of a workshop; 1979 July 23–26; Fort Collins, CO.* Fort Collins, CO: Colorado State University, Department of Forestry and Wood Sciences. 1: 29–37.
- Cost, Noel D. 1984. FIA understory measurement techniques in the Southeast. In: Schlatterer, Ed; Lund, H. Gyde, eds. *Proceedings of the inventory integration workshop; 1984 October 15–19; Portland, OR.* Washington, DC: U.S. Department of Agriculture, Forest Service, Range and Timber Management Staffs: 101–110.
- Cost, Noel D.; Howard, James O.; Mead, Bert [and others]. 1990. The forest biomass resource of the United States. Gen. Tech. Rep. WO–57. Washington, DC: U.S. Department of Agriculture, Forest Service. 21 p.
- Cost, Noel D.; McClure, Joe P. 1982. Multiresource inventories: techniques for estimating biomass on a statewide basis. Res. Pap. SE–228. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 31 p.
- Cruikshank, James W.; McCormack, J.F. 1956. The distribution and volume of hickory timber. Hickory Task Force Rep. 5. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 12 p.
- Cabbage, F.W.; Pye, J.M.; Holmes, T.P.; Wagner, J.E. 2000. An economic evaluation of fusiform rust protection research. *Southern Journal of Applied Forestry.* 24(2): 77–85.
- Cushwa, Charles T.; Barnard, Joseph E.; Barnes, Robert B. 1977. Trends in woodcock habitat in the United States. In: Keppie, Daniel; Owen, Ray B., Jr., eds. *Proceedings of the 6th woodcock symposium; 1977 October 4–6; Fredericton, New Brunswick, Canada.* Fredericton, New Brunswick, Canada: Canadian Wildlife Service, New Brunswick Department of Natural Resources: 31–38.
- Cushwa, Charles T.; Petoskey, Merrill L. 1979. Coordinating wildlife habitat inventories and evaluations. *Transactions of the North American Wildlife and Natural Resources Conference.* 44: 337–467.
- Czaplewski, Raymond L.; Cost, Noel D.; Bernu, Gregory J.; Moore, Richard A. 1986. Interpreting physiography, slope, aspect, operability, and accessibility of forest plots using large, medium, and small scale aerial photography in South Carolina. In: ASPRS technical papers: 1986 ASPRS-ACSM fall convention; 1986 September 28–October 3; Anchorage, AK. Falls Church, VA: American Society of Photogrammetry and Remote Sensing: 309–321.
- Dana, Samuel Trask; Allison, John H.; Cunningham, Russell N. 1960. *Minnesota lands: ownership, use, and management of forest and related lands.* Washington, DC: The American Forestry Association. 463 p. [Distributed to the trade by the Livingston Publishing Co., Narberth, PA].
- Dana, Samuel Trask; Krueger, Myron. 1958. *California lands: ownership, use, and management: land ownership series.* Washington, DC: The American Forestry Association. 308 p.
- David, Mark B.; Grigal, David F.; Ohmann, Lewis F.; Gertner, George Z. 1988. Sulfur, carbon, and nitrogen relationships in forest soils across the northern Great Lake States as affected by atmospheric deposition and vegetation. *Canadian Journal of Forest Research.* 18: 1386–1391.
- Delcourt, Hazel R.; West, Darrell C.; Delcourt, Paul A. 1981. Forests of the Southeastern United States: quantitative maps for aboveground woody biomass, carbon, and dominance of major tree taxa. *Ecology.* 62(4): 879–887.
- Dissmeyer, George E. 1979. Analysis of soils and hydrological data taken by renewable resources evaluation in South Carolina. In: Frayer, W.E., ed. *Forest resource inventories: Proceedings of a workshop; 1979 July 23–26; Fort Collins, CO.* Fort Collins, CO: Colorado State University, Department of Forestry and Wood Sciences. 1: 38–47.
- Dwyer, John F.; Nowak, David J.; Noble, Mary Heather; Sissinni, Susan M. 2000. Connecting people with ecosystems in the 21st century: an assessment of our Nation's urban forests. Gen. Tech. Rep. PNW–GTR–490. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 483 p.
- Easterling, M.M.; DeWalle, D.R.; Iverson, L.R. [and others]. 2000. The potential impacts of climate change and variability on forests and forestry in the mid-Atlantic region. *Climate Research.* 14: 195–206.
- Ehrenreich, John H.; Murphy, Dean A. 1962. A method of evaluating habitat for forest wildlife. *Transactions of the North American Wildlife and Natural Resources Conference.* 27: 376–384.
- Ewing, Robert A.; Tosta, Nancy; Tuazon, Raul [and others]. 1988. *California's forests and rangelands: growing conflict over changing uses.* Sacramento, CA: California Department of Forestry and Fire Protection, Forest and Rangeland Resources Assessment Program. 348 p. + appendices. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=1756. [Date accessed: August 2001].
- Ferwerda, J.A. 1982. Cooperative effort of the U.S. Forest Service and the Soil Conservation Service inventory of natural resources in Maine, 1980–1982. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. *In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME.* SAF 82–02. Bethesda, MD: Society of American Foresters: 603–606.
- Flather, Curtis H.; Brady, Stephen J.; Knowles, Michael S. 1999. Wildlife resource trends in the United States: a technical document supporting the 2000 RPA assessment. Gen. Tech. Rep. RMRS–GTR–33. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 79 p.
- Forest Resources Plan Steering Committee. 1996. *New Hampshire forest resource plan.* Manchester, NH: New Hampshire Department of Resources and Economic Development, Division of Forests and Lands. 111 p. <http://ceinfo.unh.edu/forestry/documents/NHFRP01.pdf> [Date accessed: May 2002].
- Frayer, W.E., ed. 1979. *Forest resource inventories: Proceedings of a workshop; 1979 July 23–26; Fort Collins, CO.* Fort Collins, CO: Colorado State University, Department of Forest and Wood Sciences. 1,037 p. 2 vol.

- Fraye, W.E.; Furnival, George M. 2000. History of forest survey sampling designs in the United States. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 42–49.
- Freimund, W.A.; Anderson, D.H.; Pitt, D.G. 1996. Developing a recreation and aesthetic inventory framework for forest planning and management. *Natural Areas Journal*. 16(2): 108–117.
- Freimund, Wayne Alan. 1994. Empirical validation of a forest inventory based aesthetic value model. Madison, WI: University of Wisconsin. 94 p. Ph.D. dissertation.
- Frescino, T.S.; Edwards, T.C.; Moisen, G.G. 2001. Modeling spatially explicit forest structural attributes using generalized additive models. *Journal of Vegetation Science*. 12(1): 15–26.
- Geodney, Donald R.; VanSickle, Charles C. 1979. Geographic context of forestry. In: Duerr, W.A. [and others], eds. Forest resource management: decision-making principles and cases. Philadelphia: W.B. Saunders Co.; Washington, DC: U.S. Department of Agriculture, Forest Service: 301–318. Chapter 23.
- Geron, C.D.; Pierce, T.E.; Guenther, A.B. 1995. Reassessment of biogenic volatile organic compound emissions in the Atlanta area. *Atmospheric Environment*. 29(13): 1569–1578.
- Gill, Samantha J.; Biging, Gregory S.; Murphy, Edward C. 2000a. Modeling conifer tree crown radius and estimating canopy cover. *Forest Ecology and Management*. 126(3): 405–416.
- Gill, Samantha J.; Milliken, Jeff; Beardsley, Debby; Warbington, Ralph. 2000b. Using a mensuration approach with FIA vegetation plot data to assess the accuracy of tree size and crown closure classes in a vegetation map of northeastern California. *Remote Sensing of Environment*. 73(3): 298–306.
- Graber, Jean W.; Graber, Richard R. 1976. Environmental evaluations using birds and their habitats. *Biolog. Notes* 97. Urbana, IL: Illinois Natural History Survey. 40 p.
- Great Lakes Forest Alliance. 2000. [Draft]. Sustainable forest management: policy, planning & practice: forum report; 2000 May 15–17; Racine WI. <http://web.archive.org/web/20010814123158/http://www.lsfra.org/paper.htm>. [Date accessed: August 2001].
- Grigal, D.F.; Bates, P.C. 1997. Assessing impacts of forest harvesting—the Minnesota experience. *Biomass and Bioenergy*. 13(4–5): 213–222.
- Grossman, D.H.; Farber-Langendoen, D.; Weakley, A.S. [and others]. 1998. International classification of ecological communities: terrestrial vegetation of the United States. The national vegetation classification system: development, status, and applications. Arlington, VA: The Nature Conservancy. 126 p. Vol. 1.
- Guenther, A.; Lamb, B.; Westberg, H. 1989. U.S. national biogenic sulfur emissions inventory. In: Saltzman, Eric S.; Cooper, William J., eds. Biogenic sulfur in the environment: Proceedings of the 194th meeting of the American Chemical Society; 1987 August 30–September 4; New Orleans. Washington, DC: American Chemical Society: 14–30. Chapter 2.
- Guldin, James M., tech. comp. 2001. Arkansas forests: a conference on the results of the recent forest survey of Arkansas: Proceedings of the symposium; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 125 p.
- Hahn, Jerold T.; Hansen, Mark H. 1985. Data bases for forest inventory in the north-central region. Gen. Tech. Rep. NC–101. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 57 p.
- Hamel, Paul B.; Cost, Noel D.; Sheffield, Raymond M. 1986. The consistent characteristics of habitats: a question of scale. In: Verner, Jared; Morrison, Michael L.; Ralph, C. John, eds. *Wildlife 2000: modeling habitat relationships of terrestrial vertebrates: Proceedings of an international symposium; 1984 October 7–11; Fallen Leaf Lake, CA*. Madison, WI: University of Wisconsin Press: 121–128.
- Hansen, Mark; Burk, Thomas, eds. 2000. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 743 p.
- Hansen, Mark H.; Frieswyk, Thomas; Glover, Joseph F.; Kelly, John F. 1992. The eastwide inventory database: user's manual. Gen. Tech. Rep. NC–151. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 48 p.
- Harper, Stephen C.; Falk, Laura L.; Rankin, Edward W. 1990. The northern forest lands study of New England and New York: a report to the Congress of the United States on the recent changes in landownership and land use in the northern forest of Maine, New Hampshire, New York and Vermont. Rutland, VT: U.S. Department of Agriculture, Forest Service; Governors' Task Force on Northern Forest Lands. 206 p. + 1 folded leaf of plates.
- Haynes, Richard W.; Perez, Gloria E., tech. eds. 2000. Northwest forest plan research synthesis. Gen. Tech. Rep. PNW–GTR–498. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 130 p.
- Herman, K.A., ed. 1996. The southern appalachian assessment online [database]. http://sunsite.utk.edu/neighborhoods/SAMAB/samab/data/SAA_data.html [Date accessed: August 2001].
- Hershey, Rachel Riemann; Birch, Thomas. 1996. Method for identifying urban forest from forest inventory and analysis data. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. *The Empire Forest—changes and challenges: Proceedings of a conference; 1995 November 13–14; Syracuse, NY*. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 59–71.

- Hornbeck, J.W.; Smith, R.B.; Federer, C.A. 1986. Growth decline in red spruce and balsam fir relative to natural processes. *Water, Soil, and Air Pollution*. 31: 425–430.
- Hornbeck, James W.; Smith, Robert B. 1985. Documentation of red spruce growth decline. *Canadian Journal of Forest Research*. 15: 1199–1201.
- Huebschmann, Michael M.; Gering, Lawrence R.; Lynch, Thomas B. [and others]. 2000. An individual-tree growth and yield prediction system for uneven-aged shortleaf pine stands. *Southern Journal of Applied Forestry*. 24(2): 112–120.
- Irland Group. 1989. Forest inventory and related needs to 1992 and beyond. Report to the Maine Forest Service. Augusta, ME: The Irland Group. 98 p. Available from: The Irland Group, Forestry Consultants, 7 North Chestnut Street, Augusta, ME 04330.
- ISI Research Soft. 2000. Endnote 4.0 [CD-ROM]. Berkeley, CA: ISI Research Soft. <http://www.endnote.com>. [Date accessed: September 2001].
- Iverson, Louis R.; Risser, Paul G. 1987. Analyzing long-term changes in vegetation with geographic information system and remotely sensed data. *Advances in Space Research*. 7(11): 183–194.
- Jaakko Poeyry Consulting, Inc. 1992a. Biodiversity: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 133 p. <http://www.iic.state.mn.us/download/geis/biodiv/biodiver.pdf>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1992b. Economics and management issues: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 199 p. <http://www.iic.state.mn.us/download/geis/soils/forsoil.pdf>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1992c. Forest health: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 224 p. <http://www.iic.state.mn.us/download/geis/health/forhealth.pdf>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1992d. Forest soils: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 199 p. <http://www.iic.state.mn.us/download/geis/soils/forsoil.pdf>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1992e. Maintaining productivity and the forest resource base: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 305 p. + appendices. <http://www.iic.state.mn.us/download/geis/product/prodmain.htm>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1992f. Public forestry organizations and policies: a background paper for a generic environmental impact statement study on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 137 p. <http://www.iic.state.mn.us/download/geis/puborg/puborg.pdf>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1992g. Water quality and fisheries: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 320 p. <http://www.iic.state.mn.us/download/geis/water/watermain.htm>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1993a. Forest wildlife: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 255 p. http://www.iic.state.mn.us/download/geis/wild/wild_main.pdf. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1993b. Recreation and aesthetic resources: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 138 pages + appendices. <http://www.iic.state.mn.us/download/geis/rec/rec.pdf>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1994. Final generic environmental impact statement study on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. [Number of pages unknown]. Chapters 1 through 7. <http://www.iic.state.mn.us/download/geis/main/geismain.htm>. [Date accessed: June 2003].
- Jakes, Pamela J.; Smith, W. Brad. 1982. A second look at North Dakota's timberland. *Resour. Bull. NC-58*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 86 p.
- Jensen, Mark E.; McGarvey, Tim; Bourgeron, Patrick [and others]. 1999. ECADS—a multi-resource database and analytical system for ecosystem classification and mapping. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. *North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS-P-12*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 76–80.
- Jones, R.H., ed. 1991. *Alabama's forest resources: past, present and future: Proceedings of a conference; 1991 May 29–30; Auburn, AL: Auburn University, School of Forestry, Alabama Cooperative Extension Service*. 139 p.
- Joyce, L.A.; Baker, R.L. 1987. Forest overstory-understory relationships in Alabama forests. *Forest Ecology and Management*. 18: 49–59.
- Joyce, Linda A.; Birdsey, Richard A., tech. eds. 2000. *The impact of climate change on America's forests: a technical document supporting the 2000 U.S. Department of Agriculture, Forest Service, RPA assessment*. Gen. Tech. Rep. RMRS-GTR-59. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 134 p.

- Kaple, Douglas Clyde. 1995. Using forest inventory and analysis data to interpret spatial patterns in a forest management scheduling model. St. Paul, MN: University of Minnesota. 123 p. Ph.D. dissertation.
- King, S.L. 2000a. Sequential Gaussian simulation vs. simulated annealing for locating pockets of high-value commercial trees in Pennsylvania. *Annals of Operations Research*. 95: 177–203.
- King, Susan L. 2000b. Mapping pockets of high-value black cherry trees in Pennsylvania. *The Compiler*. 16(1): 14–24.
- King, Susan L.; Bennett, Kristin P.; List, Shannon. 2000. Modeling noncatastrophic individual tree mortality using linear regression, neural networks, and support vector machines. *Computers and Electronics in Agriculture*. 27(1): 401–406.
- Kingsley, Neal P. 1975. The forestland owners of New Jersey. *Resour. Bull. NE–39*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 24 p.
- Kingsley, Neal P. 1976. The forestland owners of southern New England. *Resour. Bull. NE–41*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 27 p.
- Kingsley, Neal P.; Birch, Thomas W. 1977. The forestland owners of New Hampshire and Vermont. *Resour. Bull. NE–51*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 47 p.
- Kingsley, Neal P.; Finley, James C. 1975. The forestland owners of Delaware. *Resour. Bull. NE–38*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 78 p.
- Klopatek, Jeffrey M.; Olson, Richard J.; Emerson, Craig J.; Joness, Jan L. 1979. Land-use conflicts with natural vegetation in the United States. *Environmental Conservation*. 6(3): 191–199.
- Kotar, John. 1999. Forest habitat type classification enhances interpretation of the 1996 Wisconsin forest inventory. In: Ek, Alan R.; ZumBahlen, Bruce, comps. *Improving forest productivity for timber—a key to sustainability: Proceedings of a conference; 1998 December 1–3; Duluth, MN*. St. Paul, MN: University of Minnesota, Department of Forestry: 197–210.
- Kotar, John; Kovach, Joseph A.; Brand, Gary. 1999. Analysis of the 1996 Wisconsin forest statistics by habitat type. *Gen. Tech. Rep. NC–207*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 166 p. http://www.ncrs.fs.fed.us/4801/gtr207/p139_D_cnty.pdf. [Date accessed: September 2001].
- LaBau, Vernon J.; Cunia, Tiberius, tech. eds. 1990. State-of-the-art methodology of forest inventory: Proceedings of a symposium; 1989 July 30–August 5; Syracuse, NY. *Gen. Tech. Rep. PNW–263*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 592 p.
- LaBau, Vernon J.; Winterberger, Kenneth C. 1988. Use of a four-phase sampling design in Alaska multiresource vegetation inventories. In: *Satellite imageries for forest inventory and monitoring: experiences, methods, perspectives: Proceedings of IUFRO S4.02.05 meeting; 1988 August 29–September 2; Hytiala, Finland*. Helsinki, Finland: University of Helsinki, Department of Forest Mensuration and Management: 89–102.
- Larson, Frederic R.; Mead, Delbert R. 1983. Designing a comprehensive multi-resource field inventory for Alaska. In: Bell, John F.; Atterbury, Toby, eds. *Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR*. Corvallis, OR: Oregon State University, College of Forestry: 313–317.
- Leatherberry, Earl C. 2001a. Private timberland owners of Wisconsin, 1997. *Res. Pap. NC–339*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 84 p.
- Leatherberry, Earl C. 2001b. A profile of Wisconsin's private forestland owners. *Woodland Management*. 22(1): 16–18.
- Lennartz, Michael R.; McClure, Joe P. 1979. Estimating the extent of red-cockaded woodpecker habitat in the Southeast. In: Frayer, W.E., ed. *Forest resource inventories: Proceedings of a workshop; 1979 July 23–36; Fort Collins, CO*. Fort Collins, CO: Colorado State University, Department of Forestry and Wood Science: 1: 48–62.
- Lettman, Gary J., tech. ed. 1988. *Assessment of Oregon's forests: a collection of papers published by the Oregon State Department of Forestry*. Salem, OR: Oregon State Department of Forestry, Forest Resources Planning Section. [Number of pages unknown].
- Lewis, David K., comp. 1988. 1988 review of United States Forest Service research by conservation organizations. In: *Report to stations directors of the Southern and Southeastern Forest Experiment Stations; 1988 November 23*. 7 p. On file with: U.S. Department of Agriculture, Forest Service, Forest Inventory and Analysis Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.
- Lord, Roger G. 2000. Annual forest inventory: an industry perspective. In: McRoberts, Ronald E.; Reams, Gregory A.; Van Deusen, Paul C., eds. *Proceedings of the 1st annual forest inventory and analysis symposium; 1999 November 2–3; San Antonio, TX*. *Gen. Tech. Rep. NC–213*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 49–54.
- Lund, H. Gyde; Iremonger, Susan. 2000. Omissions, commissions, and decisions: the need for integrated resource assessments. *Forest Ecology and Management*. 128(1–2): 3–10.
- Lund, H. Gyde; LaBau, Vernon J.; Ffolliott, Peter D.; Robinson, David W., eds. 1978. Integrating inventories of renewable natural resources: Proceedings of a workshop; 1978 January 8–12; Tucson, AZ. *Gen. Tech. Rep. RM–55*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 482 p.
- Lund, H. Gyde; McNutt, Elise. 1979. Integrating inventories: an annotated bibliography. *Tech. Note 333*. Denver: U.S. Department of the Interior, Bureau of Land Management. 183 p.

- Lund, H. Gyde; Preto, Giovanni, tech. coords. 1990. Global natural resource monitoring and assessments: preparing for the 21st century. In: Proceedings of the international conference and workshop; 1989 September 24–30; Venice, Italy. Bethesda, MD: American Society for Photogrammetry and Remote Sensing. 1,495 p. 3 vol.
- Luxmoore, Robert J.; Hargrove, William W.; Sharp, M. Lynn [and others]. 2000. Signal-transfer modeling for regional assessment of forest responses to environmental changes in the Southeastern United States. *Environmental Modeling and Assessment*. 5: 125–137.
- MacLean, Colin D.; Bolsinger, Charles L. 1973. Estimating productivity on sites with a low stocking capacity. Res. Pap. RP–PNW–152. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 18 p.
- MacLean, Colin D.; Cole, Thomas G.; Whitesell, Craig D. [and others]. 1986. Vegetation survey of Pohnpei, Federated States of Micronesia. Resour. Bull. PSW–18. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p. + maps.
- MacLean, Colin D.; Whitesell, Craig D.; Cole, Thomas G.; McDuffie, Katherine E. 1988. Timber resources of Kosrae, Pohnpei, Truk, and Yap, Federated States of Micronesia. Resour. Bull. PSW–24. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.
- MacLean, David A.; MacKinnon, Wayne E.; Porter, Kevin B. [and others]. 2000. Use of forest inventory and monitoring data in the spruce budworm decision support system. *Computers and Electronics in Agriculture*. 28(2): 101–118.
- May, Dennis M.; LeDoux, Chris B. 1992. Assessing timber availability in upland hardwood forests. *Southern Journal of Applied Forestry*. 16(2): 82–88.
- McClure, Joe P. 1979. Multiresource inventories—a new concept for forest survey in the Southeast. In: Frayer, W.E., ed. *Forest resource inventories: Proceedings of a workshop*; 1979 July 23–26; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forestry and Wood Sciences. 1: 23–28.
- McClure, Joe P.; Cost, Noel D.; Knight, Herbert A. 1979. Multiresource inventories—a new concept for forest survey. Res. Pap. SE–191. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 68 p.
- McComb, William C.; Bonney, Stephen A.; Sheffield, Raymond M.; Cost, Noel D. 1986a. Den tree characteristics and abundance in Florida and South Carolina. *Journal of Wildlife Management*. 50(10): 584–591.
- McComb, William C.; Bonney, Stephen A.; Sheffield, Raymond M.; Cost, Noel D. 1986b. Snag resources in Florida—are they sufficient for average populations of primary cavity-nesters? *Wildlife Society Bulletin*. 14(1): 40–48.
- McMinn, James W.; Hardt, Richard A. 1996. Accumulations of coarse woody debris in southern forests. In: McMinn, James W.; Crossley, D.A., eds. *Proceedings of the workshop on coarse woody debris in southern forests: effects on biodiversity*; 1993 October 18–20; Athens, GA. Gen. Tech. Rep. SE–94. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 1–9.
- McNulty, S.G.; Moore, L.R.; Iverson, L.R. [and others]. 2000. Application of linked regional scale growth, biogeography, and economic models for Southeastern United States pine forests. *World Resources Review*. 12(2): 298–320.
- McRoberts, Ronald E.; Reams, Gregory A.; Van Deusen, Paul C. 2000. Proceedings of the first annual forest inventory and analysis symposium; 1999 November 2–3; San Antonio, TX. Gen. Tech. Rep. NC–213. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 57 p.
- McWilliams, William H.; Arner, Stanford L.; Barnett, Charles J. 1997. Summary of mortality statistics and forest health monitoring results for the Northeastern United States. In: Pallardy, Stephen G. [and others], eds. *Proceedings: 11th central hardwood forest conference*; 1997 March 23–26; Columbia, MO. Gen. Tech. Rep. NC–188. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 59–75.
- Mead, Bert; Yarie, John; Herman, David. 1987. Biomass estimates for nontimber vegetation in Tanana River Basin of interior Alaska. In: Wharton, Eric H.; Cunia, Tiberius, comps. *Estimating tree biomass regressions and their error: Proceedings of the workshop on tree biomass regression functions and their contribution to the error of forest inventory estimates*; 1986 May 26–30; Syracuse, NY. Gen. Tech. Rep. NE–117. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 149–153.
- Mercer, Evan; Aruna, P.B. 2000. Assessing the impacts of forests on human welfare: preliminary results from the mid-Atlantic integrated assessment. *Environmental Monitoring and Assessment*. 63: 43–63.
- Metcalf, Melvin E.; Nelson, Robert E.; Petteys, Edwin Q.P.; Berger, John M. 1978. Hawaii's timber resources, 1970. Resour. Bull. PSW–15. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 20 p.
- Michaels, Joseph A.; Neville, L. Robert; Edelman, David [and others]. 1992. *New York-New Jersey Highlands regional study*. Washington, DC: U.S. Government Printing Office. 130 p. + 7 maps.
- Minnesota Department of Administration Management Analysis Division. 1997. *Forest information needs assessment*. St. Paul, MN: Minnesota Interagency Information Cooperative. 54 p. <http://www.iic.state.mn.us/about/iicneeds.pdf>. [Date accessed: August 2001].
- Mitchell, J.E.; Bartling, P.N.S.; O'Brien, R.A. 1987. Understory cover-biomass relationships in the front range ponderosa pine zone. Res. Note RM–471. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 5 p.

- Mitchell, John E. 2000. Rangeland resource trends in the United States: a technical document supporting the 2000 U.S. Department of Agriculture, Forest Service, RPA assessment. Gen. Tech. Rep. RMRS-GTR-68. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 84 p.
- Moore, William H.; Ripley, Thomas H.; Clutter, Jerome L. 1960. Trials to determine relative deer range carrying capacity values in connection with the Georgia forest survey. In: Proceedings of the annual conference of the Southeastern Association of Game and Fish Commissioners. [Location of publisher unknown]: [Publisher unknown]: 14: 98-104.
- Morrison, Michael L.; Marcot, Bruce G. 1995. An evaluation of resource inventory and monitoring program used in national forest planning. *Environmental Management*. 19(1): 147-156.
- Morton, Peter A. 1994. Charting a new course: national forests in the Southern Appalachians. The living landscape. Washington, DC: The Wilderness Society. 90 p. + appendix. Vol. 5.
- Moyer, D. David; Daugherty, Arthur B. 1976. Landownership in the Northeast U.S.: a sourcebook. AGERS-2. Washington, DC: U.S. Department of Agriculture, Economic Research Service. 192 p.
- Noon, Barry R. 1984. An analysis of the compatibility of forest inventory and analysis data as input to wildlife habitat relationship models. Final report to California Department of Forestry. Arcata, CA: Humboldt State University, Department of Wildlife. 49 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2010. [Date accessed: August 2001].
- O'Brien, R.A.; Moisen, G.G. 1992. Expanded applications of large-scale integrated forest inventory data. In: Avers, Peter E., ed. Taking an ecological approach to management: Proceedings of a national workshop; 1992 April 27-30; Salt Lake City. WO-WSA-3. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 164.
- O'Brien, Renee A. 1999. Comprehensive inventory of Utah's forest resources, 1993. RMRS-RB-1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 105 p.
- O'Brien, Renee A.; Van Hooser, Dwane D. 1983. Understory vegetation inventory: an efficient procedure. Res. Pap. INT-323. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 6 p.
- Ohmann, J.L.; McComb, W.C.; Zumravi, A.A. 1994. Snag abundance for primary cavity-nesting birds on nonfederal forest lands in Oregon and Washington. *Wildlife Society Bulletin*. 22: 607-620.
- Ohmann, Janet L.; Bolsinger, Charles L. 1989. Monitoring biodiversity with permanent plots—landscape, stand structure, and understory species [Abstract]. In: Ruggiero, Leonard F. [and others], eds. *Wildlife and vegetation of unmanaged Douglas-fir forests*; 1989 March 29-31; Portland, OR. Gen. Tech. Rep. PNW-285. [Portland, OR]: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 525-526.
- Okoye, Michael Anayo. 1997. Ecological database development and analyses of soil variability in northern New England. Durham, NH: University of New Hampshire. 172 p. Ph.D. dissertation.
- O'Laughlin, J. 1994. Assessing forest health conditions in Idaho with forest inventory data. In: Sampson, R. Neil; Adams, David L.; Maia, J. Enzer, eds. *Assessing forest ecosystem health in the inland West*. Binghamton, NY: Food Products Press: 221-247. [Also available in: *Journal of Sustainable Forestry*. 2: 1-4].
- Olson, R.J.; Emerson, C.J.; Nungesser, M.K. 1980. Geoecology: a county-level environmental database for the conterminous U.S. ORNL/TM-7351. Oak Ridge, TN: Oak Ridge National Laboratory. 350 p.
- Oswald, Daniel D. 1986. Inventories of timber resources in urban and developed rural areas. *Western Journal of Applied Forestry*. 1(4): 129-131.
- Outcalt, Kenneth W. 2000. The longleaf pine ecosystem of the South. *Native Plants Journal*. 1(1): 42-53.
- Pearson, Henry A.; Sternitzke, Herbert S. 1974. Forest-range inventory: a multiple-use survey. *Journal of Range Management*. 27(5): 404-407.
- Pearson, Henry A.; Sternitzke, Herbert S. 1976. Deer browse inventories in the Louisiana Coastal Plain. *Journal of Wildlife Management*. 40(2): 326-329.
- Peterson, D.J.; Resetar, Susan; Brower, Jennifer; Diver, Ronald. 1999. Forest monitoring and remote sensing: a survey of accomplishments and opportunities for the future. MR-1111.0-OSTP. Washington, DC: Rand Corporation, Science and Technology Policy Institute. 99 p. [Prepared for the White House Office of Science and Technology Policy].
- Petteys, Edwin Q.P.; Peter, Salls; Rugg, Raymond; Cole, Thomas G. 1986. Timber volumes in the mangrove forests of Pohnpei, Federated States of Micronesia. *Resour. Bull. PSW-19*. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 2 p.
- Phillips, Donald L.; Brown, Sandra L.; Schroeder, Paul E.; Birdsey, Richard A. 2000. Toward error analysis of large-scale forest carbon budgets. *Global Ecology and Biogeography*. 9(4): 305-313.
- Phillips, Ross A.; Powell, Douglas S. 1985. Timber volume relative to slope. In: *Forest operations in politically and environmentally sensitive areas: Proceedings of the council on forest engineering*. Corvallis, OR: Council on Forest Engineering: 41-45.
- Pirani, Robert; Yaro, Robert D. 1993. Summary technical report. In: Neville, L. Robert; Zipperer, Wayne C., tech. coords. *New York-New Jersey Highlands regional study: analysis of selected resources*. NA-TP-04-93. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry: 82-87.
- Pomeroy, Kenneth Brownridge; Yoho, James G. 1964. North Carolina lands; ownership, use, and management of forest and related lands: land ownership series. Washington, DC: American Forestry Association. 372 p. [Distributed to the trade by the Livingston Publishing Co., Narberth, PA].

- Popham, Thomas W.; Baker, Roger L. 1987. Ocular and densimeter estimates of understory foliar cover in forests of Alabama. Res. Note SO-334. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 4 p.
- Porter, William F.; Mathews, Nancy E.; Doyle, Terence J.; Brooks, Robert T. 1983. The U.S. Forest Service inventory: an approach for assessing wildlife habitat. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15-19; Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry: 628-631.
- Powell, Douglas S. 1982. A solution for resolving conflicts between land use and land cover inventories. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9-14; Orono, ME. SAF 82-02. Bethesda, MD: Society of American Foresters: 665-668.
- Powell, Douglas S.; Faulkner, Joanne L.; Darr, David R. [and others]. 1993. Forest resources of the United States, 1992. Revised. Gen. Tech. Rep. RM-234. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 132 p. + map.
- Prestemon, J.P.; Holmes, T.P. 2000. Timber price dynamics following a natural catastrophe. *American Journal of Agricultural Economics*. 82: 145-160.
- Prestemon, J.P.; Pye, J.M. 2000. A technique for merging areas in Timber Mart-South data. *Southern Journal of Applied Forestry*. 24(4): 219-229.
- Quigley, Thomas M.; Haynes, Richard W.; Graham, Russell T., tech. eds. 1996. Integrated scientific assessment for ecosystem management in the interior Columbia Basin and portions of the Klamath and Great Basins. Gen. Tech. Rep. PNW-GTR-382. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 303 p.
- Raunikaar, R.; Buongiorno, J.; Prestemon, J.P.; Abt, K. Lee. 2000. Financial performance of mixed-age naturally regenerated loblolly-hardwood stands in the South Central United States. *Forest Policy and Economics*. 1(3): 331-346.
- Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. 2001. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17-18; Salt Lake City. Gen. Tech. Rep. SRS-47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 143 p.
- Ripley, Thomas H.; McClure, Joe P. 1963. Deer browse resources of north Georgia. *Resour. Bull. SE-2*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 20 p.
- Rogers, Paul; Atkins, David; Frank, Michelle; Parker, Douglas. 2001. Forest health monitoring in the interior West: a baseline summary of forest health issues, 1996-1999. Gen. Tech. Rep. RMRS-GTR-75. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 40 p. http://www.fs.fed.us/rm/ogden/pubs/pdfs/rmrs_gtr75.pdf. [Date accessed: September].
- Rose, Dietmar W.; McDill, Marc E.; Hoganson, Howard M. 1992. Development of an environmental impact statement of statewide forestry programs: a Minnesota case study. *The Compiler*. 10(4): 18-27.
- Rosson, James F., Jr. 1995. The timberland and woodland resources of central and west Oklahoma, 1989. *Resour. Bull. SO-193*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 35 p.
- Rosson, James F., Jr.; McWilliams, William H.; Frey, Paul D. 1988. Forest resources of Louisiana. *Resour. Bull. SO-130*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 81 p.
- Rudis, Victor A. 1983. Dispersed recreation inventory on commercial timberland. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15-19; Corvallis, OR: Oregon State University, College of Forestry: 214-218.
- Rudis, Victor A. 1986. Emerging patterns in the distribution of roadless forested areas in the Midsouth. In: Kulhavy, David L.; Conner, Richard N., eds. Wilderness and natural areas in the Eastern United States: a management challenge: Symposium proceedings; 1985 May 13-15; Nacogdoches, TX. Nacogdoches, TX: Stephen F. Austin State University, Center for Applied Studies, School of Forestry: 265-270.
- Rudis, Victor A. 1988a. Nontimber values of east Texas timberland. *Resour. Bull. SO-139*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 34 p.
- Rudis, Victor A. 1988b. Nontimber values of Louisiana's timberland. *Resour. Bull. SO-132*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 27 p.
- Rudis, Victor A. 1991. Wildlife habitat, range, recreation, hydrology, and related research using forest inventory and analysis surveys: a 12-year compendium. Gen. Tech. Rep. SO-84. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 61 p.
- Rudis, Victor A. 1993. The multiple resource inventory decision-making process. In: Lund, H. Gyde; Landis, Eric; Atterbury, Toby, eds. Stand inventory technologies '92: Proceedings of the stand inventory technologies: an international multiple resource conference; 1992 September 13-18; Portland, OR. Bethesda, MD: American Society for Photogrammetry and Remote Sensing: 180-192.
- Rudis, Victor A. 1998. Regional forest resource assessment in an ecological framework: the Southern United States. *Natural Areas Journal*. 18(4): 319-332.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30-31; North Little Rock, AR. Gen. Tech. Rep. SRS-41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24-45.

- Rudis, Victor A.; Conner, Roger C.; McWilliams, W.H. [and others]. 1995. The ECOFIA initiative: an ecological approach to forest resource inventory and analysis. Recommendations of the U.S. Department of Agriculture, Forest Service, Ecological Forest Inventory and Analysis (ECOFIA) Steering Group. <http://www.msstate.edu/dept/forestry/ecofia.html>. [Date accessed: August 2001].
- Rudis, Victor A.; Gramann, James H.; Ruddell, Edward J. 1988a. Sampling forest vegetative screening with applications to depth perception and scenic beauty of extensive forested areas. In: The 2d symposium on social science in resource management; 1988 June 6–9; Urbana-Champaign, IL. IES Res. Rep. 11. Urbana-Champaign, IL: University of Illinois: 19–20.
- Rudis, Victor A.; Gramann, James H.; Ruddell, Edward J.; Westphal, Joanne M. 1988b. Forest inventory and management-based visual preference models of southern pine stands. *Forest Science*. 34(4): 846–863.
- Rudis, Victor A.; Rosson, James F., Jr.; Kelly, John F. 1984. Forest resources of Alabama. Resour. Bull. SO–98. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 55 p.
- Saunders, Paul R. 1979. Results of a multiresource inventory: analysis of undeveloped rural recreation sites in South Carolina. In: Frayer, W.E., ed. Forest resource inventories; 1979 July 23–36; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forest and Wood Science. 1: 63–71.
- Scarpa, Riccardo; Buongiorno, Joseph; Hseu, Jiin-Shyang; Abt, Karen Lee. 2000. Assessing the nontimber value of forests: a revealed-preference, hedonic model. *Journal of Forest Economics*. 6(2): 83–107.
- Schmidt, Thomas L. 2000. Current conditions and trends in composition and structure of Midwestern forests. *Transactions of the North American Wildlife and Natural Resources Conference*. 65: 157–170.
- Schmidt, Thomas L.; Hansen, Mark H. 1998. Comparing grazed and ungrazed forests in Kansas. *Northern Journal of Applied Forestry*. 15(4): 216–221.
- Schweitzer, Callie Jo. 2000. Forest statistics for Tennessee, 1999. Resour. Bull. SRS–52. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 78 p.
- Shands, William E. 1985. Nontimber resources: a challenge for forest inventory and analysis. In: Proceedings: national workshop on applications of forest inventory and analysis research to hardwood research issues; 1985 October 29–30; Alexandria, VA. Washington, DC: U.S. Department of Agriculture, Forest Service: 93–98.
- Shifley, Stephen R.; Thompson, Frank R., III; Larsen, David R.; Dijk, William D. 2000. Modeling forest landscape change in the Missouri Ozarks under alternative management practices. *Computers and Electronics in Agriculture*. 27: 7–24.
- Smith, W. Brad. 1999. What should we expect from our national inventory and monitoring program? In: Ek, Alan R.; ZumBahlen, Bruce, comps. Improving forest productivity for timber—a key to sustainability: Conference proceedings; 1998 December 1–3; Duluth, MN. St. Paul, MN: University of Minnesota, Department of Forestry: 265–272. <http://www.cnr.umn.edu/FR/conferenceinfo/proceedings/papers/Smith-Duluth.pdf>. [Date accessed: August 2001].
- Smith, W. Brad; Brand, Gary J. 1983. Allometric biomass equations for 98 species of herbs, shrubs and small trees. Res. Note NC–299. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 8 p.
- Smith, W. Brad; Sheffield, Raymond M. 2001. A brief overview of the forest resources of the United States, 1997. 26 p. http://fia.fs.fed.us/library/1997_RPA_Overview_final.rtf. [Date accessed: August].
- Southern Appalachian Man and the Biosphere. 1996a. The Southern Appalachian assessment summary report. Rep.1 of 5. R8–TP–25. Atlanta: U.S. Department of Agriculture, Forest Service, Southern Region. 118 p.
- Southern Appalachian Man and the Biosphere. 1996b. The Southern Appalachian assessment terrestrial technical report. Rep. 5 of 5. R8–TP–29. Atlanta: U.S. Department of Agriculture, Forest Service, Southern Region. 288 p.
- Southern Research Planning Committee. 1974. Task force for the inventory and appraisal of forest resources in the South 2.01. Southern research planning program research problem area reports: 2.01 inventory and appraisal of forest resources. CN Sd12.s727. [Place of publication unknown]: [Publisher unknown]. 32 p.
- Spencer, John S., Jr.; Hansen, Mark, H.; Jakes, Pamela J. 1986. A method for estimating operability and location of the timber resource. Res. Pap. NC–273. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 52 p.
- Stehman, Stephen V.; Czaplewski, Raymond L.; Nusser, Sarah M. [and others]. 2000. Combining accuracy assessment of land-cover maps with environmental monitoring programs. *Environmental Monitoring and Assessment*. 64(1): 115–126.
- Sternitzke, Herbert S. 1962. Mississippi forest atlas. Small Bus. Manage. Res. Rep. Washington, DC: Small Business Administration. 48 p. [Prepared by the U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station for the Mississippi Industrial and Technological Research Commission].
- Tarbet, Don D.; Cashwell, John H. 1990. Forest information needs of concerned groups in the State of Maine. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. State-of-the-art methodology of forest inventory: Proceedings of a symposium; 1989 July 30–August 5; Syracuse, NY. Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 17–22.

- Teuber, Kurt B. 1987. Use of LANDSAT thematic mapper data for classification of forest lands in northern Louisiana. In: Satellite land remote sensing: current programs and a look to the future: Proceedings of the 11th Pecora symposium; 1987 May 5–7; Sioux Falls, SD. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 451–456.
- Trani, Margaret K.; Brooks, Robert T.; Schmidt, Thomas L. [and others]. 2001. Patterns and trends of early successional forests in the Eastern United States. *Wildlife Society Bulletin*. 29(2): 413–424.
- U.S. Department of Agriculture, Forest Service. 1958. Timber resources for America's future. For. Resour. Rep. 14. Washington, DC: Superintendent of Documents. 713 p.
- U.S. Department of Agriculture, Forest Service. 1973. The outlook for timber in the United States. For. Resour. Rep. 20. Washington, DC: Superintendent of Documents. 374 p.
- U.S. Department of Agriculture, Forest Service. 1977. The Nation's renewable resources—an assessment, 1975. For. Resour. Rep. 21. Washington, DC: U.S. Government Printing Office. 243 p.
- U.S. Department of Agriculture, Forest Service. 1981. An assessment of the forest and range land situation in the United States. For. Resour. Rep. 22. Washington, DC: U.S. Government Printing Office. 352 p.
- U.S. Department of Agriculture, Forest Service. 1982. An analysis of the timber situation in the United States: 1952–2030. For. Resour. Rep. 23. Washington, DC: U.S. Government Printing Office. 499 p.
- U.S. Department of Agriculture, Forest Service. 1989. An analysis of the land base situation in the United States: 1989–2040—a technical document supporting the 1989 U.S. Department of Agriculture, Forest Service, RPA assessment. Gen. Tech. Rep. RM–181. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 77 p.
- U.S. Department of Agriculture, Forest Service. 1990. The 1989 RPA assessment of the forest and range land situation in the United States, 1989. For. Resour. Rep. 26. Washington, DC: U.S. Government Printing Office. 72 p.
- U.S. Department of Agriculture, Forest Service. 1992. Forest Service resource inventories: an overview. Revised. Washington, DC: U.S. Department of Agriculture, Forest Service, Forest Inventory, Economics, and Recreation Research. 39 p.
- U.S. Department of Agriculture, Forest Service. 1999a. National forest inventory and monitoring core field guide: field data collection procedures for all plots. [Various pages]. Vol. 1. http://www.srsfia.usfs.msstate.edu/wo/draft_3_99.htm. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service; National Forest System Eastern and Southern Regions; North Central and Southern Research Stations. 1999b. Ozark-Ouachita Highlands assessment: terrestrial vegetation and wildlife. Rep. 5 of 5. Gen. Tech. Rep. SRS–35. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 201 p.
- U.S. Department of Agriculture, Forest Service. 2001a. 1997 Resources Planning Act assessment: the United States forest resource current situation. <http://fia.fs.fed.us/rpa.htm>. [Date accessed: August].
- U.S. Department of Agriculture, Forest Service. 2001b. U.S. Department of Agriculture, Forest Service, Northeastern Research Station, Forest Inventory and Analysis: field manual. Version 1.5. <http://www.fs.fed.us/ne/fia/datacollection/manual.html>. [Date accessed: August].
- U.S. Department of Agriculture, Forest Service. 2001c. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Interior West Resource Inventory, Monitoring and Evaluation: field manuals. <http://www.fs.fed.us/rm/ogden/manual/manual.html>. [Date accessed: August].
- U.S. Department of Agriculture, Forest Service. 2001d. U.S. Department of Agriculture, Forest Service, Southern Research Station, Forest Inventory and Analysis: field guide. Version 1.55. <http://www.srs.fia.fs.fed.us/fia/manual/manual.htm>. [Date accessed: August].
- Watson, Julia. 1994. Wildlife inventory compendium project [August 1, 1992]. In: Northern forest lands council, ed. Technical appendix: a compendium of technical research and forum proceedings from the northern forest lands council. Concord, NH: Northern Forest Lands Council. 80 p. Sect. 9: misc.
- Weakley, A.S.; Patterson, K.D.; Landaal, S. [and others]. 1998. International classification of ecological communities: terrestrial vegetation of the Southeastern United States. Working draft. Chapel Hill, NC: The Nature Conservancy, Southeast Regional Office; Southern Conservation Science Department, Community Ecology Group. 689 p.
- Weaver, Peter L.; Birdsey, Richard A.; Lugo, A.E. 1987. Soil organic matter in secondary forests of Puerto Rico. *Biotropica*. 19(1): 17–23.
- Webb, Thompson, III. 1974. Corresponding patterns of pollen and vegetation in lower Michigan: a comparison of quantitative data. *Ecology*. 55(1): 17–28.
- Wells, G.R.; Hedlund, Arnold; Earles, J.M. 1974. Assessment of Tennessee timberland: a guide to implementing the productivity approach. Bull. 527. Knoxville, TN: University of Tennessee, Agricultural Experiment Station. 35 p.
- Wiedinmyer, C.; Strange, I.W.; Estes, M. [and others]. 2000. Biogenic hydrocarbon emission estimates for north central Texas. *Atmospheric Environment*. 34: 3419–3435.
- Wikstrom, J.H.; Alston, R.M. 1985. Some basic considerations in forest ecosystem inventory. In: Inventorying and monitoring endangered forests. IUFRO conference, Zurich. Birmensdorf: Switzerland: Eidgenossische Anstalt fuer das forstliche Versuchswesen: 35–39.
- Woudenberg, Sharon W.; Farrenkopf, Thomas O. 1995. The westwide forest inventory database: user's manual. Gen. Tech. Rep. INT–317. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 67 p.

- Wu, Chin-Shien. 1994. Assessing the economic effects of streamside management zones on the forestry sector. Auburn, AL: Auburn University. 165 p. Ph.D. dissertation.
- Xu, Yi-Jun; Pristley, S. 2000. Linking STATSGO and FIA data for spatial analysis of land carbon densities [CD-ROM]. In: SOFOR GIS 2000: third southern forestry GIS conference; 2000 October 10–12; Athens, GA. Athens, GA: University of Georgia, Georgia Center for Continuing Education. 12 p. http://www.soforgis.net/cdrom/pdf/Xu_Pristley.pdf. [Date accessed: August 2002].
- Yarie, John; Mead, Bert R. 1989. Biomass regression equations for determination of vertical structure of major understory species of southeast Alaska. *Northwest Science*. 63(5): 221–231.
- Zhang, Quanfa. 2000. Historical changes in the forests of the Luce District of the Upper Peninsula of Michigan. *The American Midland Naturalist*. 143(1): 94–111.
- Zhu, Zhiliang. 1994. Forest density mapping in the lower 48 States: a regression procedure. Res. Pap. SO–280. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 11 p.
- Zhu, Zhiliang; Evans, David L. 1994. U.S. forest types and predicted percent forest cover from AVHRR data. *Photogrammetric Engineering and Remote Sensing*. 60(5): 525–531.

Appendix

References by Selected Subjects

This section lists the citations of major nontraditional subject areas: air pollution; biomass; dead wood; esthetics; geographic context (GIS and satellite remote sensing); nearby nonforest influences; operability; owner attitudes; range (agroforestry, browse, livestock use, and understory forage); recreation opportunities; tropical inventories; water quality (erosion, hydrology, and soils), vegetative habitat typing; and wildlife. The keyword combinations came from an earlier examination of unique words in titles published between 1979 and 1990. The list of associated citations is representative, because not all documents or their abstracts are electronically indexed, nor are some abstracts or full reports of older publications electronically accessible. Readers may contact the author for lists in subjects other than those included here.

Air pollution: Citations with “air pollution” or “biogenic emissions” in the title, abstract, or annotation

- Birth, Terry L.; Geron, Chris D. 1995. User's guide to the personal computer version of the biogenic emissions inventory system (PC-BEIS). Version 2.0. Research Triangle Park, NC: U.S. Environmental Protection Agency. [Number of pages unknown]. [Version 2.0 is no longer available. Versions 2.3 and higher can be obtained through <http://www.epa.gov/asmdnerl/biogen.html>]. [Date accessed: June 2003].
- Brooks, Robert T. 1989. An analysis of regional forest growth and atmospheric deposition patterns, Pennsylvania (U.S.A.). In: Bucher, Juerg B.; Bucher-Wallin, Inga, eds. Air pollution and forest decline: Proceedings of the 14th international meeting for specialists in air pollution effects on forest ecosystems; 1988 October 2–8; Interlaken, Switzerland. IUFRO P2.05. Birmensdorf, Switzerland: Eidgenoessische Anstalt fuer das forstliche Versuchswesen: 283–288. Vol. 1.
- Brooks, Robert T.; Millers, Imants; Dickson, David R. 1991. Forest health monitoring in the United States: the 1990 experience in New England. In: IUFRO workshop on monitoring air pollution impact on permanent sample plots, data processing and results interpretation; 1991 September 2–6; Prachatice, Czechoslovakia. Prague, Czechoslovakia: Department of Ecological Monitoring of Forestry and Game Management Research Institute: 12–21.
- Eckhoff, Janet Dawn. 2000. Efficacy of forest health monitoring indicators to evince impacts on a chemically manipulated watershed. Orono, ME: University of Maine. 318 p. Ph.D. dissertation.
- Ediriwickrema, Don Jayantha. 1996. Modeling and analysis of AVHRR data for biogenic emission inventory system (BEIS). Raleigh, NC: North Carolina State University. 178 p. Ph.D. dissertation.
- Geron, C.D.; Pierce, T.E.; Guenther, A.B. 1995. Reassessment of biogenic volatile organic compound emissions in the Atlanta area. *Atmospheric Environment*. 29(13): 1569–1578.
- Guenther, A.; Lamb, B.; Westberg, H. 1989. U.S. national biogenic sulfur emissions inventory. In: Saltzman, Eric S.; Cooper, William J., eds. Biogenic sulfur in the environment: Proceedings of a symposium: 194th meeting of the American Chemical Society; 1987 August 30–September 4; New Orleans. Washington, DC: American Chemical Society: 14–30. Chapter 2.
- Hornbeck, J.W.; Smith, R.B.; Federer, C.A. 1986. Growth decline in red spruce and balsam fir relative to natural processes. *Water, Soil, and Air Pollution*. 31: 425–430.
- Kinnee, Ellen; Geron, Chris; Pierce, Thomas. 1997. United States land use inventory for estimating biogenic ozone precursor emissions. *Ecological Applications*. 7(1): 46–58.
- Lamb, B.; Gay, D.; Westberg, H.; Pierce, T. 1993. A biogenic hydrocarbon emission inventory for the U.S.A. using a simple forest canopy model. *Atmospheric Environment*. 27(11): 1673–1690.
- Liu, Chiun-Ming. 1988. A decisionmaking framework for assessing atmospheric deposition impacts on regional forest inventory. Blacksburg, VA: Virginia Polytechnic Institute and State University. 167 p. Ph.D. dissertation.

- Ohmann, Lewis F.; Shifley, Stephen R. 1989. Relations between forest conditions and atmospheric deposition along the northwestern Minnesota-to-southeastern Michigan deposition gradient. In: Noble, Reginald D.; Martin, Juri L.; Jensen, Keith F., eds. Air pollution effects on vegetation including forest ecosystems: Proceedings of the 2^d US-USSR symposium; 1988 September 13–25; Corvallis, OR, Raleigh, NC, and Gatlinburg, TN. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 225–232.
- Powell, Douglas S. 1990. Temporal and spatial variation in tree demography and species composition based on forest inventories of Maine. Durham, NC: Duke University. 267 p. Ph.D. dissertation.
- Steinman, James. 1999. Changes in composition of the mixed mesophytic forest: effects of succession and disturbance. NA-TP-04-99. Morgantown, WV: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry. 44 p.
- Wiedinmyer, C.; Strange, I.W.; Estes, M. [and others]. 2000. Biogenic hydrocarbon emission estimates for north central Texas. *Atmospheric Environment*. 34: 3419–3435.
- Wiedinmyer, Christine; Allen, D.T. 1999. Land use characterization in Texas for use in photochemical models [Abstract]. In: American Geophysical Union fall meeting: program and abstracts; 1999 December 13–17; San Francisco. Washington, DC: American Geophysical Union: A12A-12. <http://www.agu.org/meetings/fm99top.html>. [Date accessed: June 2003].
- Wiedinmyer, Christine; Guenther, Alex; Estes, Mark [and others]. 2001. A land use database and biogenics emissions inventory for the State of Texas. *Atmospheric Environment*: Vol. 35(36): 6465–6477.
- Zeide, Boris. 1992. Reevaluation of forest inventory data from loblolly pine stands in the Georgia Piedmont and Mountain areas. In: Flagler, R.B., ed. The response of southern commercial forests to air pollution. Pittsburgh: Transactions of the Air and Waste Management Association: 17–35.

Biomass: Citations with “biomass” in the title

- Brand, Gary J.; Smith, W. Brad. 1985. Evaluating allometric shrub biomass equations fit to generated data. *Canadian Journal of Botany*. 63(1): 64–67.
- Brown, S.; Schroeder, P.; Birdsey, R. 1997. Aboveground biomass distribution of U.S. Eastern hardwood forests and the use of large trees as an indicator of forest development. *Forest Ecology and Management*. 96(1–2): 37–47.
- Brown, S.L.; Schroeder, P.E. 1999. Spatial patterns of aboveground production and mortality of woody biomass for Eastern U.S. forests. *Ecological Applications*. 9(3): 968–980.
- Brown, Sandra L.; Schroeder, Paul; Kern, Jeffrey S. 1999. Spatial distribution of biomass in forests of the Eastern U.S.A. *Forest Ecology and Management*. 123(1): 81–90.
- Chojnacky, David C. 1984. Volume and biomass for curlleaf cercocarpus in Nevada. Res. Pap. INT-332. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 8 p.
- Cost, Noel D. 1986. Multiresource inventories: woody biomass in North Carolina. Res. Pap. SE-261. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 36 p.
- Cost, Noel D. 1988. Multiresource inventories: woody biomass in Virginia. Res. Pap. SE-269. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 35 p.
- Cost, Noel D.; Howard, James O.; Mead, Bert [and others]. 1990. The forest biomass resource of the United States. Gen. Tech. Rep. WO-57. Washington, DC: U.S. Department of Agriculture, Forest Service. 21 p.
- Cost, Noel D.; McClure, Joe P. 1982. Multiresource inventories—forest biomass in Florida. Res. Pap. SE-235. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 24 p.
- Cost, Noel D.; McClure, Joe P. 1982. Multiresource inventories: techniques for estimating biomass on a statewide basis. Res. Pap. SE-228. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 31 p.
- Cost, Noel D.; McClure, Joe P. 1984. Biomass inventory and assessment in the Southern United States. *Biomass*. 6: 15–24.

- Cost, Noel D.; Tansey, John B. 1985. Multiresource inventories: woody biomass in Georgia. Res. Pap. SE-248. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 32 p.
- Delcourt, Hazel R.; West, Darrell C.; Delcourt, Paul A. 1981. Forests of the Southeastern United States: quantitative maps for aboveground woody biomass, carbon, and dominance of major tree taxa. *Ecology*. 62(4): 879–887.
- Frieswyk, Thomas S.; Malley, Anne M. 1986. Biomass statistics for New Hampshire–1983. Resour. Bull. NE-92. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 85 p.
- Husain, Syed Arif. 1997. Spatial and dynamic analysis of timber and biomass supply in Minnesota. St. Paul, MN: University of Minnesota, Department of Applied Economics. 184 p. Ph.D. dissertation.
- Jenkins, Jennifer C.; Birdsey, Richard A. 2000. Validation databases for simulation models: aboveground biomass and net primary productivity (NPP) estimation using eastwide FIA data. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 515–524.
- Joyce, Linda A.; Mitchell, John E. 1989. Understory cover/biomass relationships in Alabama forest types. *Agroforestry Systems*. 9: 205–210.
- Knight, Herbert A.; McClure, Joe P. 1981. Multiresource inventories: forest biomass in South Carolina. Res. Pap. SE-230. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 22 p.
- McClure, Joe P.; Knight, Herbert A. 1984. Empirical yields of timber and forest biomass in the Southeast. Res. Pap. SE-245. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 75 p.
- Mead, B.R. 1992. Methods for describing and comparing biomass distribution among selected Alaska vegetation types. In: Wood, Geoff; Turner, Brian, eds. Integrating forest information over space and time; 1992 January 13–17; Canberra, Australia. Canberra, Australia: Anutech, Pty. Ltd.: 358–366.
- Mead, Bert; Yarie, John; Herman, David. 1987. Biomass estimates for nontimber vegetation in Tanana River Basin of interior Alaska. In: Wharton, Eric H.; Cunia, Tiberius, comps. Estimating tree biomass regressions and their error: Proceedings of the workshop on tree biomass regression functions and their contribution to the error of forest inventory estimates; 1986 May 26–30; Syracuse, NY. Gen. Tech. Rep. NE-117. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 149–153.
- Mead, Bert R. 1995. Plant biomass in the Tanana River Basin. Res. Pap. PNW-RP-477. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 78 p.
- Mitchell, J.E.; Bartling, P.N.S.; O'Brien, R.A. 1987. Understory cover-biomass relationships in the front range ponderosa pine zone. Res. Note RM-471. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 216–226.
- Rosson, James F., Jr. 1988. Residual woody biomass on harvested timberland in Mississippi. In: Davids, Robert A.; Watson, W.F.; Savelle, I. Winston, eds. Proceedings of the ninth annual southern forest biomass workshop; 1987 June 8–11; Biloxi, MS. Mississippi State, MS: Mississippi State University: 152–162.
- Rosson, James F., Jr. 1989. Potential residual biomass in mature pine stands of the Midsouth, U.S.A. *Biomass*. 20: 145–153.
- Rosson, James F., Jr. 1992. The woody biomass resource of major tree taxa for the Midsouth States. Resour. Bull. SO-166. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 52 p.
- Rosson, James F., Jr. 1993. The woody biomass resource of Alabama, 1990. Resour. Bull. SO-178. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 127 p.
- Rosson, James F., Jr. 1993. The woody biomass resource of Arkansas, 1988. Resour. Bull. SO-179. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 130 p.
- Rosson, James F., Jr. 1993. The woody biomass resource of east Texas, 1992. Resour. Bull. SO-183. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 87 p.

- Rosson, James F., Jr. 1993. The woody biomass resource of Louisiana, 1991. Resour. Bull. SO-181. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 114 p.
- Rosson, James F., Jr. 1993. The woody biomass resource of Tennessee, 1989. Resour. Bull. SO-182. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 129 p.
- Rosson, James F., Jr. 1994. The woody biomass resource of east Oklahoma. Resour. Bull. SO-184. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 76 p.
- Rosson, James F., Jr.; Thomas, Charles E. 1986. The woody biomass resource of Alabama. Res. Pap. SO-228. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 31 p.
- Schroeder, P.; Brown, S.; Mo, J.M. [and others]. 1997. Biomass estimation for temperate broadleaf forests of the United States using inventory data. *Forest Science*. 42(3): 424-434.
- Smith, W. Brad. 1985. Factors and equations to estimate forest biomass in the north central region. Res. Pap. NC-268. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 6 p.
- Smith, W. Brad. 1986. Biomass yields for small trees, shrubs, and herbs in Northern Lake States forests. Res. Pap. NC-277. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 6 p.
- Smith, W. Brad; Brand, Gary J. 1983. Allometric biomass equations for 98 species of herbs, shrubs and small trees. Res. Note NC-299. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 8 p.
- Wharton, Eric H.; Alerich, C.L.; Drake, D.A. 1997. Estimating total forest biomass in New York, 1993. Resour. Bull. NE-139. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 48 p.
- Wharton, Eric H.; Cunia, Tiberius. 1987. Estimating tree biomass regressions and their error: Proceedings of the workshop on tree biomass regression functions and their contribution to the error of forest inventory estimates, 1986 May 26-30; Syracuse, NY. Gen. Tech. Rep. NE-117. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 303 p.
- Wharton, Eric H.; Griffith, Douglas M. 1998. Estimating total forest biomass in Maine, 1995. Resour. Bull. NE-142. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 50 p.
- Wheatcraft, Andrew M.; Lewis, David K. 1986. Forest biomass resources of Oklahoma. Bull. B-781. Stillwater, OK: Oklahoma State University, Agricultural Experiment Station. 45 p.
- Yarie, John; Mead, Bert R. 1982. Aboveground tree biomass on productive forest land in Alaska. Res. Pap. PNW-298. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 16 p.
- Yarie, John; Mead, Bert R. 1988. Twig and foliar biomass estimation equations for major plant series in the Tanana River Basin of interior Alaska. Res. Pap. PNW-401. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 20 p.
- Yarie, John; Mead, Bert R. 1989. Biomass regression equations for determination of vertical structure of major understory species of southeast Alaska. *Northwest Science*. 63(5): 221-231.

Biomass: Citations with “biomass” only in the abstract or annotation.

- Adamus, Paul; Brandt, Karla. 1990. Wooded wetland vegetation. In: Impacts on quality of inland wetlands of the United States: a survey of indicators, techniques, and applications of community level biomonitoring data. Rep. EPA/600/3-90/073. [Location of publisher unknown]: U.S. Environmental Protection Agency. [Number of pages unknown]. Chapter 7. [Reissued 1998 by U.S. Environmental Protection Agency, Office of Wetlands, Oceans and Watersheds and Adamus Resource Assessment, Inc., Corvallis, OR]. <http://www.epa.gov/OWOW/wetlands/wqual/woody.html>. [Date accessed: August 2001].

- Alerich, Carol L. 1996. Results of the 1993 forest inventory: a look at New York's forest resource. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Proceedings of a conference: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 3–11.
- Birth, Terry L.; Geron, Chris D. 1995. User's guide to the personal computer version of the biogenic emissions inventory system (PC-BEIS). Version 2.0. Research Triangle Park, NC: U.S. Environmental Protection Agency. [Number of pages unknown]. [Version 2.0 is no longer available. Versions 2.3 and higher can be obtained through <http://www.epa.gov/asmdnerl/biogen.html>. [Date accessed: June 2003].
- DeBlander, Larry T. 2000. Forest resource of the Lolo National Forest [Montana]. Natl. For. Rep. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/lolo.pdf>. [Date accessed: September 2001].
- DeBlander, Larry T. 2001. Forest resource of the Gallatin National Forest [Montana]. Natl. For. Rep. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/gallatin.pdf>. [Date accessed: September].
- Frescino, Tracey S. 2000. Forest resource of the Bitterroot National Forest [Montana, Idaho]. Natl. For. Rep. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/bitterroot.pdf>. [Date accessed: September 2001].
- Haugen, David E.; Piva, Ronald J.; Kingsley, Neal P.; Harsel, Robert A. 1999. North Dakota's forest resources, 1994. Res. Pap. NC-336. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 101 p.
- Jakes, Pamela J.; Smith, W. Brad. 1982. A second look at North Dakota's timber land. Resour. Bull. NC-58. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 86 p.
- Johnsen, Kurt H.; Wear, D.; Oren, R. [and others]. 2001. Carbon sequestration and southern pine forests. *Journal of Forestry*. 99(4): 14–21.
- Jorgensen, David O. 1997. Analysis of wood availability from forest inventory and analysis data using a geographic information system. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 106 p. M.S. thesis.
- Leatherberry, E.C.; Spencer, J.S., Jr.; Schmidt, T.L.; Carroll, M.R. 1995. An analysis of Minnesota's fifth forest resources inventory. Resour. Bull. NC-165. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 102 p.
- Leatherberry, Earl C.; Piva, Ronald J.; Josten, Gregory J. 2000. South Dakota's forest resources outside the Black Hills National Forest, 1996. Res. Pap. NC-338. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 103 p.
- Lund, H. Gyde, ed. 1998. IUFRO guidelines for designing multipurpose resource inventories. IUFRO World Ser. Vienna, Austria: IUFRO Secretariat. 216 p. Vol. 8.
- Northeastern Forest Experiment Station. 1990. New England's forests [Brochure]. NE-INF-91-90. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 4 p.
- O'Brien, Renee A. 1999. Comprehensive inventory of Utah's forest resources, 1993. RMRS-RB-1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 105 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/utah.pdf>. [Date accessed: August 2001].
- Ohmann, Lewis F.; Grigal, David F.; Shifley, Stephen R.; Berguson, William E. 1994. Vegetative characteristics of five forest types across a Lake States sulfate deposition gradient. Resour. Bull. NC-154. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 29 p.
- Pillsbury, Norman H.; Bolsinger, Charles L. 1983. Inventory of California's hardwood resources. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry: 379–382.

- Rosson, James F., Jr. 1994. *Quercus stellata* growth and stand characteristics in the *Quercus stellata-Quercus marilandica* forest type in the cross timbers region of central Oklahoma. In: Fralish, James H. [and others]. Proceedings of the North American conference on savannas and barrens: living on the edge; 1994 October 15–16; Normal, IL. Chicago: U.S. Environmental Protection Agency, Great Lakes National Program Office: 329–333. <http://www.epa.gov/glnpo/oak/Proceedings/Rosson.html>. [Date accessed: September 2001].
- Schmidt, Thomas L.; Wardle, Tom D. 1998. The forest resources of Nebraska. Res. Pap. NC–334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- Schweitzer, Callie Jo. 2000. Forest statistics for Tennessee, 1999. Resour. Bull. SRS–52. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 78 p.
- Smith, Jonathan Henry. 1992. Utility of a vector geographic information system to model the effects of climate change: an example on New York State’s forests. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 169 p. M.S. thesis.
- Smith, Marie-Louise. 2000. Landscape-scale prediction of forest productivity by hyperspectral remote sensing of canopy nitrogen. Durham, NH: University of New Hampshire. 70 p. Ph.D. dissertation.
- Watts, Stephen Earl. 2001. Determining forest productivity and carbon dynamics in southeastern Ohio from remotely sensed data. Columbus, OH: Ohio State University. 138 p. Ph.D. dissertation.
- Wiedinmyer, Christine; Guenther, Alex; Estes, Mark [and others]. 2001. A land use database and biogenics emissions inventory for the State of Texas. Atmospheric Environment: 6465–6477. Vol. 35(36).
- Wilson, Andrea M. 2001. Forest resource of the Helena National Forest [Montana, Idaho]. Natl. For. Rep. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/helena.pdf>. [Date accessed: September].
- Wilson, Andrea M.; Miles, Patrick D. 2000. Forest resource of the Kootenai National Forest [Montana]. Natl. For. Rep. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/kootenai.pdf>. [Date accessed: September 2001].
- Xu, Yi-Jun; Pristley, S. 2000. Linking STATSGO and FIA data for spatial analysis of land carbon densities [CD-ROM]. In: SOFOR GIS 2000: third southern forestry GIS conference; 2000 October 10–12; Athens, GA.. Athens, GA: University of Georgia, Georgia Center for Continuing Education. 12 p. http://www.soforgis.net/cdrom/pdf/Xu_Pristley.pdf. [Date accessed: August 2001].

Dead wood: Citations with “coarse woody,” “rotten,” “den tree,” “snag,” or “dead” in the title, abstract, or annotation

- Alerich, Carol L. 1996. Results of the 1993 forest inventory: a look at New York’s forest resource. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Proceedings of a conference: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 3–11.
- Allen, Thomas G.; Plantinga, Andrew. 1999. Investigations into the potential of measuring biodiversity in Maine’s forests with forest inventory and analysis (FIA) data. Tech. Bull. 171. Orono, ME: Maine Agricultural Forest Experiment Station, Department of Resource Economics and Policy. 89 p.
- Beardsley, Debby; Warbington, Ralph. 1996. Old growth in northwestern California National Forests. Res. Pap. PNW–RP–491. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 47 p.
- Beck, Thomas W.; Gould, Gordon I., Jr. 1992. Background and the current management situation for the California spotted owl. In: Verner, Jared [and others], tech. coords. The California spotted owl: a technical assessment of its current status. Gen. Tech. Rep. PSW–GTR–133. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 37–54. Chapter 3.

- Brown, S.L.; Schroeder, P.E. 1999. Spatial patterns of aboveground production and mortality of woody biomass for Eastern U.S. forests. *Ecological Applications*. 9(3): 968–980.
- DeBlander, Larry T. 2000. Forest resource of the Lolo National Forest [Montana]. *Natl. For. Rep.* Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/lolo.pdf>. [Date accessed: September 2001].
- DeBlander, Larry T. 2001. Forest resource of the Gallatin National Forest [Montana]. *Natl. For. Rep.* Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/gallatin.pdf>. [Date accessed: September].
- Egan, Andrew; Alerich, Carol. 1998. “Danger trees” in central Appalachian forests of the United States: an assessment of their frequency of occurrence. *Journal of Safety Research*. 29(2): 77–85.
- Frescino, T.S.; Edwards, T.C.; Moisen, G.G. 2001. Modeling spatially explicit forest structural attributes using generalized additive models. *Journal of Vegetation Science*. 12(1): 15–26.
- Frescino, Tracey S. 2000. Forest resource of the Bitterroot National Forest [Montana, Idaho]. *Natl. For. Rep.* Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/bitterroot.pdf>. [Date accessed: September 2001].
- Heath, Linda S.; Chojnacky, David C. 2001. Down dead wood statistics for Maine timberlands, 1995. *Resour. Bull.* NE–150. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 80 p.
- McComb, William C.; Bonney, Stephen A.; Sheffield, Raymond M.; Cost, Noel D. 1986. Den tree characteristics and abundance in Florida and South Carolina. *Journal of Wildlife Management*. 50(10): 584–591.
- McComb, William C.; Bonney, Stephen A.; Sheffield, Raymond M.; Cost, Noel D. 1986. Snag resources in Florida—are they sufficient for average populations of primary cavity-nesters? *Wildlife Society Bulletin*. 14(1): 40–48.
- McMinn, James W.; Hardt, Richard A. 1996. Accumulations of coarse woody debris in southern forests. In: McMinn, James W.; Crossley, D.A., eds. *Proceedings of the workshop on coarse woody debris in southern forests: effects on biodiversity; 1993 October 18–20; Athens, GA.* Gen. Tech. Rep. SE–94. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 1–9.
- Noon, Barry R. 1984. An analysis of the compatibility of forest inventory and analysis data as input to wildlife habitat relationship models. Final report to California Department of Forestry. Arcata, CA: Humboldt State University, Department of Wildlife. 49 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2010. [Date accessed: August 2001].
- Northeastern Forest Experiment Station. 1990. New England’s forests [Brochure]. NE–INF–91–90. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 4 p.
- O’Brien, R.A.; Moisen, G.G. 1992. Expanded applications of large-scale integrated forest inventory data. In: Avers, Peter E., ed. *Taking an ecological approach to management: Proceedings of a national workshop; 1992 April 27–30; Salt Lake City.* WO–WSA–3. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 164.
- O’Brien, Renee A. 1999. Comprehensive inventory of Utah’s forest resources, 1993. RMRS–RB–1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 105 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/utah.pdf>. [Date accessed: August 2001].
- O’Brien, Renee Allen. 1987. Prediction of secondary cavity-nester habitat: a test of the forest survey database. Logan, UT: Utah State University. 52 p. M.S. thesis.
- Ohmann, J.L.; McComb, W.C.; Zumrawi, A.A. 1994. Snag abundance for primary cavity-nesting birds on nonfederal forest lands in Oregon and Washington. *Wildlife Society Bulletin*. 22: 607–620.
- Ohmann, Janet L.; Bolsinger, Charles L. 1989. Monitoring biodiversity with permanent plots—landscape, stand structure, and understory species [Abstract]. In: Ruggiero, Leonard F. [and others], eds. *Wildlife and vegetation of unmanaged Douglas-fir forests.* Gen. Tech. Rep. PNW–285. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 525–526.

- Ohmann, Janet L.; Waddell, Karen L. 2002. Regional patterns of dead wood in forested habitats of Oregon and Washington. In: Proceedings of the symposium on the ecology and management of dead wood in western forests; 1999 November 2–4; Reno, NV. Gen. Tech. Rep. PSW–GTR–181. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 535–560.
- Randolph, KaDonna C. 2000. An evaluation of forest health monitoring analytical techniques and data for two Indiana State parks. West Lafayette, IN: Purdue University. 134 p. M.S. thesis.
- Rudis, Victor A. 1988. Nontimber values of east Texas timberland. Resour. Bull. SO–139. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 34 p.
- Rudis, Victor A. 1988. Nontimber values of Louisiana’s timberland. Resour. Bull. SO–132. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 27 p.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas’ forests. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24–45.
- Spetich, Martin A.; Guldin, James M. 1999. The spatial distribution of dead trees across Arkansas timberlands. In: Haywood, James D., ed. Proceedings of the tenth biennial southern silvicultural research conference; 1999 February 16–18; Shreveport, LA. Gen. Tech. Rep. SRS–30. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 53–57.
- Spetich, Martin A.; Shifley, Stephen R.; Parker, George R. 1999. Regional distribution and dynamics of coarse woody debris in midwestern old-growth forests. *Forest Science*. 45(2): 302–313.
- Steinman, James. 1999. Changes in composition of the mixed mesophytic forest: effects of succession and disturbance. NA–TP–04–99. Morgantown, WV: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry. 44 p.
- Thill, Ronald E.; Tappe, Philip A.; Koerth, Nancy E. 1994. Wildlife habitat conditions in mature pine-hardwood stands in the Ouachita/Ozark National Forest. In: Baker, James B., comp. Proceedings of the symposium on ecosystem management research in the Ouachita Mountains: pretreatment conditions and preliminary findings; 1993 October 26–27; Hot Springs, AR. Gen. Tech. Rep. SO–112. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 126–143.
- Wilson, Andrea M. 2001. Forest resource of the Helena National Forest [Montana, Idaho]. Natl. For. Rep. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/helena.pdf>. [Date accessed: September].
- Wilson, Andrea M.; Miles, Patrick D. 2000. Forest resource of the Kootenai National Forest [Montana]. Natl. For. Rep. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/kootenai.pdf>. [Date accessed: September 2001].

Esthetics: Citations with esthetics (“amenity,” “amenities,” “esthetic,” “scenic,” “beauty,” or “visual penetration”) in the title, abstract, or annotation

- Borges, Jose G.; Hoganson, Howard M. 2000. Structuring a landscape by forestland classification and harvest scheduling spatial constraints. *Forest Ecology and Management*. 130(1–3): 269–275.
- Borges, Jose Guilherme Martins Dias Calvao. 1994. A modeling approach to spatial constraints in forest management. St. Paul, MN: University of Minnesota. 128 p. Ph.D. dissertation.
- Buhyoff, Gregory J.; Hull, R. Bruce, IV; Lien, John N.; Cordell, H. Ken. 1986. Prediction of scenic quality for southern pine stands. *Forest Science*. 32(3): 769–778.
- Cohan, David. 1982. Forest management and timber industry market equilibrium. Stanford, CA: Stanford University. 266 p. Ph.D. dissertation.

- Dennis, Donald Forrest. 1988. An economic analysis of harvest behavior: integrating ownership and forest characteristics. New Haven, CT: Yale University. 152 p. Ph.D. dissertation.
- Freimund, Wayne Alan. 1994. Empirical validation of a forest inventory based aesthetic value model. Madison, WI: University of Wisconsin. 94 p. Ph.D. dissertation.
- Gobster, Paul H.; Schmidt, Thomas L. 2000. The use of amenity indicators in anticipating private forestland parcelization: a look at the Lake States' northwoods. In: DeCoster, Lester A., ed. Proceedings of the forest fragmentation 2000 conference: sustaining private forests in the 21st century; 2000 September 17–20; Annapolis, MD. Alexandria, VA: Sampson Group, Inc.: 170–180.
- Grigal, D.F.; Bates, P.C. 1997. Assessing impacts of forest harvesting—the Minnesota experience. *Biomass and Bioenergy*. 13(4–5): 213–222.
- Knapp, Gunnar Paulsen. 1981. The supply of timber from nonindustrial private forests. New Haven, CT: Yale University. 231 p. Ph.D. dissertation.
- Leatherberry, Earl C.; Piva, Ronald J.; Josten, Gregory J. 2000. South Dakota's forest resources outside the Black Hills National Forest, 1996. Res. Pap. NC–338. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 103 p.
- Lee, Karen J. 1997. Hedonic estimation of NIPF amenity values. In: Green, John L., ed. Redefining roles in forest economics research: Proceedings of the 26th annual southern forest economics workshop; 1996 March 27–29; Gatlinburg, TN. Knoxville, TN: University of Tennessee: 37–44.
- Lee, Karen Jean. 1997. Hedonic estimation of nonindustrial private forest landowner amenity values. Raleigh, NC: North Carolina State University. 80 p. Ph.D. dissertation.
- Morton, Peter A. 1994. Charting a new course: national forests in the Southern Appalachians. The living landscape. Washington, DC: The Wilderness Society. 90 p. + appendix. Vol. 5.
- Ruddell, Edward J.; Gramann, James H.; Rudis, Victor A.; Westphal, Joanne M. 1989. The psychological utility of visual penetration in forest scenic beauty models. *Environment and Behavior*. 21(4): 393–412.
- Rudis, Victor A. 1990. Sampling and modelling visual component dynamics of forested areas. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. State-of-the-art methodology of forest inventory: Proceedings of a symposium; 1989 July 30–August 5; Syracuse, NY. Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 84–85.
- Rudis, Victor A.; Gramann, James H.; Ruddell, Edward J. 1988. Sampling forest vegetative screening with applications to depth perception and scenic beauty of extensive forested areas. In: The second symposium on social science in resource management; 1988 June 6–9; Urbana-Champaign, IL. IES Res. Rep. 11. Urbana-Champaign, IL: University of Illinois: 19–20.
- Rudis, Victor A.; Gramann, James H.; Ruddell, Edward J.; Westphal, Joanne M. 1988. Forest inventory and management-based visual preference models of southern pine stands. *Forest Science*. 34(4): 846–863.
- Scarpa, R.; Buongiorno, J.; Lee, K.J. 1999. Determinants of non-timber values in Wisconsin northern hardwoods. In: Abt, K.L.; Abt, R.C., eds. SOFEW '98: Proceedings of the 1998 southern forest economics workshop; 1998 March 25–27; Williamsburg, VA. Research Triangle Park, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 228–232.
- Scarpa, Riccardo. 1999. Assessing the amenity value of forests, with applications to Wisconsin and Ireland. Madison, WI: University of Wisconsin. 140 p. Ph.D. dissertation.
- Scarpa, Riccardo; Buongiorno, Joseph; Hseu, Jiin-Shyang; Abt, Karen Lee. 2000. Assessing the nontimber value of forests: a revealed-preference, hedonic model. *Journal of Forest Economics*. 6(2): 83–107.
- Schaberg, R.H.; Holmes, T.P.; Lee, K.J.; Abt, R.C. 1999. Ascribing value to ecological process: an economic view of environmental change. *Forest Ecology and Management*. 114: 329–338.

Weiler, Katherine S. 1994. Demographic change and forest resources: implications for the Lake States. West Lafayette, IN: Purdue University. 80 p. M.S. thesis.

Weiler, Katy S.; O'Leary, Joseph T. 1997. Demographic trends and forest resource implications for the Lake States. In: Webster, Henry H.; Vasievich, J. Michael, tech. coords. Lake States regional forest resources assessment: technical papers. Gen. Tech. Rep. NC-189. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 165-178.

Geographic context: Citations with “GIS,” “geographic,” or “spatial” in the title.

Anonymous. 1998. Eastwide forest inventory database: U.S. Department of Agriculture, Forest Service. [Metadata created using Minnesota geographic metadata standards]. <http://lucy.lmic.state.mn.us/metadata/ewdb.html>. [Date accessed: August 2001].

Borges, Jose G.; Hoganson, Howard M. 1999. Assessing the impact of management unit design on forestwide spatial conditions and timber revenues. *Canadian Journal of Forest Research*. 29: 1764-1774.

Borges, Jose G.; Hoganson, Howard M. 2000. Structuring a landscape by forest land classification and harvest scheduling spatial constraints. *Forest Ecology and Management*. 130(1-3): 269-275.

Borges, Jose Guilherme Martins Dias Calvao. 1994. A modeling approach to spatial constraints in forest management. St. Paul, MN: University of Minnesota. 128 p. Ph.D. dissertation.

Born, J. David; Van Hooser, D.D. 1987. Intermountain forest survey remote sensing, and geographic information. In: GIS '87': second annual international conference, exhibits and workshops on geographical information systems; 1987 October 26-30; San Francisco. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 416-422. Vol. 2.

Brown, S.L.; Schroeder, P.E. 1999. Spatial patterns of aboveground production and mortality of woody biomass for Eastern U.S. forests. *Ecological Applications*. 9(3): 968-980.

Brown, Sandra L.; Schroeder, Paul; Kern, Jeffrey S. 1999. Spatial distribution of biomass in forests of the Eastern U.S.A. *Forest Ecology and Management*. 123(1): 81-90.

Chojnacky, David C.; Tymcio, Ronald P. 1987. Conversion of UTM coordinates to geographic coordinates for SAS/Graph software PROC GMAP display. In: Proceedings of the 12th annual SAS users group international conference; 1987 February 8-11; Dallas. Cary, NC: SAS Institute, Inc.: 489-494.

Congalton, Russell G., ed. 1994. Proceedings: international symposium on spatial accuracy of natural resource data bases: unlocking the puzzle; 1994 May 16-20; Williamsburg, VA. Bethesda, MD: American Society for Photogrammetry and Remote Sensing. 271 p.

Cook, Elizabeth A.; Iverson, Louis R.; Graham, Robin L. 1989. Estimating forest productivity with thematic mapper and biogeographical data. *Remote Sensing of Environment*. 28: 131-141.

Czaplewski, Raymond L.; Reich, Robin M.; Bechtold, William A. 1994. Spatial autocorrelation in growth of undisturbed natural pine stands across Georgia. *Forest Science*. 40(2): 314-328.

Fan, Weihong; Randolph, J.C.; Ehman, Jeffrey L. 1998. Regional estimation of nitrogen mineralization in forest ecosystems using geographic information systems. *Ecological Applications*. 8(3): 734-747.

Frescino, T.S.; Edwards, T.C.; Moisen, G.G. 2001. Modeling spatially explicit forest structural attributes using generalized additive models. *Journal of Vegetation Science*. 12(1): 15-26.

Friedman, Steven Kevin. 2001. Landscape scale forest composition and spatial structure: a comparison of the presettlement general land office survey and the 1990 forest inventory in northeastern Minnesota. St. Paul, MN: University of Minnesota. 159 p. Ph.D. dissertation.

Gansner, David A.; King, Susan L.; Arner, Stanford L. [and others]. 1995. Spatial trends in relative stocking point to potential problems in forest health. In: Gottschalk, Kurt W.; Fosbroke, Sandra L.C., eds. Proceedings: 10th central hardwood forest conference; 1995 March 5-8; Morgantown, WV. Gen. Tech. Rep. NE-197. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 401-420.

- Gedney, Donald R.; VanSickle, Charles C. 1979. Geographic context of forestry. In: Duerr, W.A. [and others], eds. Forest resource management: decision-making principles and cases. Philadelphia: W.B. Saunders Co.: 301–318. Chapter 23.
- Grigal, D.F.; McRoberts, R.E.; Ohmann, L.F. 1991. Spatial variation in chemical properties of forest floor and surface mineral soil in the North Central U.S.A. *Soil Science of America Journal*. 151(4): 282–290.
- Grigal, D.F.; Ohmann, L.F. 1989. Spatial patterns in elemental concentrations of the forest floor across the North Central United States. *Journal of Environmental Quality*. 18: 368–373.
- Guenther, A.B. 1997. Seasonal and spatial variations in natural volatile organic compound emissions. *Ecological Applications*. 7(1): 34–45.
- Gumpertz, M.L.; Wu, C.-T.; Pye, J.M. 2000. Logistic regression for southern pine beetle outbreaks with spatial and temporal autocorrelation. *Forest Science*. 46(1): 95–107.
- Gunter, James T.; Hodges, Donald G.; Swalm, Christopher M.; Regens, James L. 1999. Predicting the urbanization of pine and mixed forests in St. Tammany Parish, Louisiana: a GIS application [CD-ROM]. In: 1999 ESRI international user conference; 1999 July 26–30; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. [Number of pages unknown]. <http://gis.esri.com/library/userconf/proc99/proceed/papers/pap190/p190.htm>. [Date accessed: June 2003].
- He, Hong S.; Mladenoff, David J. 1999. Spatially explicit and stochastic simulation of forest-landscape fire disturbance and succession. *Ecology*. 80(1): 81–99.
- He, Hong S.; Mladenoff, David J.; Radeloff, Volker C.; Crow, Thomas R. 1998. The integration of GIS data and classified satellite imagery for regional forest assessment. *Ecological Applications*. 98(4): 1072–1083.
- Hershey, R. Riemann; McWilliams, William H.; Reese, Gordon C. 1998. Utilizing the spatial structure available: creating maps of forest attributes from forest inventory data. In: Proceedings of the first international conference: geospatial information in agriculture and forestry: decision support, technology, and applications; 1998 June 1–3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 64–71. Vol. I.
- Hershey, Rachel Riemann. 1996. Understanding the spatial distribution of tree species in Pennsylvania. In: Mowrer, H. Todd; Czaplowski, Raymond L.; Hamre, R.H., tech. coords. Spatial accuracy assessment in natural resources and environmental sciences: second international symposium; 1996 May 21–23; Fort Collins, CO. Gen. Tech. Rep. RM–GTR–277. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 73–82.
- Hershey, Rachel Riemann. 2000. Modeling the spatial distribution of 10 tree species in Pennsylvania. In: Mower, H. Todd; Congalton, Russell G., eds. Quantifying spatial uncertainty in natural resources: theory and applications for GIS and remote sensing. Chelsea, MI: Ann Arbor Press: 119–135.
- Husain, Syed Arif. 1997. Spatial and dynamic analysis of timber and biomass supply in Minnesota. St. Paul, MN: University of Minnesota, Department of Applied Economics. 184 p. Ph.D. dissertation.
- Iverson, L.R. 1992. Using GIS to analyze Illinois forest resources a key to ecological health of the State. *Bulletin of the Ecological Society of America*. 73(2): 219.
- Iverson, L.R.; Prasad, A.; Scott, C.T. 1996. Preparation of forest inventory and analysis (FIA) and State soil geographic database (STATSGO) data for global change research in the Eastern United States. In: Hom, J.; Birdsey, R.; O'Brian, K, eds. Proceedings: 1995 meeting of the northern global change program. Gen. Tech. Rep. NE–214. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 209–214.
- Iverson, Louis R.; Oliver, Richard L; Tucker, Dennis P. [and others]. 1989. Forest resources of Illinois: an atlas and analysis of spatial and temporal trends. *Illinois Nat. Hist. Surv. Spec. Publ.* 11. Champaign, IL: Illinois Natural History Survey. 181 p.
- Iverson, Louis R.; Risser, Paul G. 1987. Analyzing long-term changes in vegetation with geographic information system and remotely sensed data. *Advances in Space Research*. 7(11): 183–194.
- Jorgensen, David O. 1997. Analysis of wood availability from forest inventory and analysis data using a geographic information system. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 106 p. M.S. thesis.

- Kapple, Douglas Clyde. 1995. Using forest inventory and analysis data to interpret spatial patterns in a forest management scheduling model. St. Paul, MN: University of Minnesota. 123 p. Ph.D. dissertation.
- King, Susan L. 2000. Using spatial statistics to locate trees with high commercial value. In: Vasievich, J. Michael; Fried, Jeremy S.; Leefers, Larry A., eds. Seventh symposium on systems analysis of forest resources; 1997 May 28–31; Traverse City, MI. Gen. Tech. Rep. NC–205. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 42–50.
- Kline, Jeffrey D.; Alig, Ralph J. 2001. A spatial model of land use change for western Oregon and western Washington. PNW–RP–528. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 24 p.
- Kress, Margaret Rose. 1996. The Delta: Lower Mississippi Valley natural resources partnership: geospatial data collection. Misc. Pap. EL–96–4. Vicksburg, MS: U.S. Army Engineer Waterways Experiment Station. 24 p.
- Landscape Dynamics Lab-Fish and Wildlife Research Unit-University of Idaho. 1999. GIS sources on the Internet [Gap analysis data references]. <http://web.archive.org/web/20010808222811/http://ursus.wildlife.uidaho.edu/advgis/gisweb.html>. [Date accessed: June 2003].
- Liu, Rei. 1997. Forest land use assessment with GIS in Virginia [CD-ROM]. In: 1997 ESRI international user conference; 1997 July 8–11; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. [Number of pages unknown]. <http://gis.esri.com/library/userconf/proc97/proc97/to150/pap149/p149.htm>. [Date accessed: June 2003].
- McKnight, Susanna Akiko. 1994. Assessing the impact of data quality on the results of spatial modeling using sensitivity analysis: a case study using Minnesota forest inventory data. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 194 p. Ph.D. dissertation.
- McNulty, S.G.; Vose, J.M.; Swank, W.T. [and others]. 1994. Regional-scale forest ecosystem modeling: database development, model predictions and validation using a geographic information system. *Climate Research*. 4: 223–231.
- McWilliams, W.H.; Hershey, R. Riemann; Arner, S.L. 1997. Modeling spatial patterns of tree mortality in Maine. In: Proceedings of the 1997 ACSM/ASPRS annual convention and exposition; 1997 April 7–10; Seattle. Bethesda, MD: American Society for Photogrammetry and Remote Sensing and American Congress on Surveying and Mapping: 410–420. Vol. 4.
- McWilliams, William H.; Faulkner, Joanne L. 1990. Spatial analysis using a systematic grid of forest inventory plots: selected examples for the South Central United States. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. State-of-the-art methodology of forest inventory: a symposium proceedings; 1989 July 30–August 5; Syracuse, NY. Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 379–383.
- Moeur, M.; Hershey, R. Riemann. 1999. Preserving spatial and attribute correlation in the interpretation of forest inventory data. In: Lowell, Kim; Jatton, Annick, eds. Spatial accuracy assessment: land information uncertainty in natural resources. Chelsea, MI: Ann Arbor Press: 419–429.
- Newton, Carlton M.; Bower, Steven T. 1990. Spatial analysis of forest inventory data. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. State-of-the-art methodology of forest inventory: a symposium proceedings; 1989 July 30–August 5; Syracuse, NY. Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 369–378.
- Ohmann, Janet L.; Spies, Thomas A. 1998. Regional gradient analysis and spatial pattern of woody plant communities of Oregon forests. *Ecological Monographs*. 68(2): 151–182.
- Ohmann, Janet Lynn. 1996. Regional gradient analysis and spatial pattern of woody plant communities in Oregon. Corvallis, OR: Oregon State University. 196 p. Ph.D. dissertation.
- Ohmann, L.F.; Grigal, D.F. 1990. Spatial and temporal patterns of sulfur and nitrogen in wood of trees across the North Central United States. *Canadian Journal of Forest Research*. 20(5): 508–513.
- Parresol, Bernard R.; McCollum, Joseph M. 1997. Characterizing and comparing landscape diversity using GIS and a contagion index. *Journal of Sustainable Forestry*. 5(1–2): 249–261.

- Pillsbury, Norman H.; DeLasaux, Michael J.; Pryor, Robert D.; Bremer, Walter. 1991. Mapping and GIS database development for California's hardwood resources. Contract 8CA63963. Berkeley, CA: California Polytechnic State University, Natural Resources Management Department. 84 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2173. [Date accessed: June 2003].
- Powell, Douglas S. 1990. Temporal and spatial variation in tree demography and species composition based on forest inventories of Maine. Durham, NC: Duke University. 267 p. Ph.D. dissertation.
- Prasad, A.; Iverson, L.R. 1997. Modelling tree distributions in Eastern United States using ArcInfo GIS and Splus statistical package. In: 1997 ESRI international user conference; 1997 July 8–11; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. <http://gis.esri.com/library/userconf/proc97/proc97/to200/pap200/p200.htm>. [Date accessed: June 2003].
- Reed, David; Pregitzer, K.; Pugh, S.; Miles, P. 2001. FIAMODEL: a new link for geographic analyses of inventory data. *Journal of Forestry*. 99(6): 21–24.
- Reed, David; Pugh, Scott; Miles, Patrick; Pregitzer, Kurt. 2001. Analyzing regional FIA data in the ArcView geographic information system. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17–18; Salt Lake City. Gen. Tech. Rep. SRS–47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 3–7.
- Risser, P.G.; Iverson, L.R. 1988. Geographic information systems and natural resource issues at the State level. In: Botkin, Daniel B. [and others], eds. Changing the global environment: perspectives on human involvement. New York: Academic Press, Inc.: 233–240 + color figures 15–1 through 15–5.
- Rudis, Victor A. 1995. Temporal and spatial forest evaluation indices: Southern United States examples [Abstract]. In: EMAP symposium: monitoring, assessment and science policy; 1995 March 7–9; Chapel Hill, NC. Platform Abstr. Chapel Hill, NC: University of North Carolina: 32.
- Rudis, Victor A. 2001. Land use, recreation, and wildlife habitats: GIS applications using FIA plot data. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17–18; Salt Lake City. Gen. Tech. Rep. SRS–47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 129–136.
- Shih, Tian-Ting. 1992. A spatial and ecological decision support system for central upland hardwood management. West Lafayette, IN: Purdue University. 236 p. Ph.D. dissertation.
- Sieg, Gregory Edwin. 1988. Incorporating GIS topographic information in forest inventory estimates. Blacksburg, VA: Virginia Polytechnic Institute and State University. 79 p. M.S. thesis.
- Skally, Chad William. 2000. Integration of forest inventory GIS data in Minnesota. In: 2000 ESRI international user conference; 2000 June 26–30; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. <http://gis.esri.com/library/userconf/proc00/professional/papers/PAP209/p209.htm>. [Date accessed: June 2003].
- Smith, Jonathan Henry. 1992. Utility of a vector geographic information system to model the effects of climate change: an example on New York State's forests. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 169 p. M.S. thesis.
- Spetich, Martin A.; Guldin, James M. 1999. The spatial distribution of dead trees across Arkansas timberlands. In: Haywood, James D., ed. Proceedings of the tenth biennial southern silvicultural research conference; 1999 February 16–18; Shreveport, LA. Gen. Tech. Rep. SRS–30. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 53–57.
- Tosta, Nancy; Marose, Robin. 1987. The distribution of California hardwoods: results of a statewide geographic information system. In: Plumb, Timothy R.; Pillsbury, Norman H., tech. coords. Proceedings of the symposium on multiple-use management of California's hardwood resources; 1986 November 12–14; San Luis Obispo, CA. Gen. Tech. Rep. PSW–100. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 304–308.

- Tredinnick, John. 1995. A spatial equilibrium approach to forecasting State timber supply in the Southern United States. Gainesville, FL: University of Florida. 163 p. M.S. thesis.
- Van Sickle, Charles C.; Powell, Douglas S. 1982. Geographic context of forestry. In: Duerr, William A. [and others]. Forest resource management: decision-making principles and cases. Revised. Corvallis, OR: Oregon State University Bookstores, Inc: 301–318. Chapter 23.
- Xu, Yi-Jun; Pristley, S. 2000. Linking STATSGO and FIA data for spatial analysis of land carbon densities [CD-ROM]. In: SOFOR GIS 2000: third southern forestry GIS conference; 2000 October 10–12; Athens, GA. Athens, GA: University of Georgia, Georgia Center for Continuing Education. 12 p. http://www.soforgis.net/cdrom/pdf/Xu_Pristley.pdf. [Date accessed: August 2001].
- Zhai, Yushun; Munn, Ian A.; Evans, David L. 1998. Using GIS to investigate forest fire occurrence in Mississippi. In: Proceedings of the first international conference: geospatial information in agriculture and forestry: decision support, technology, and applications; 1998 June 1–3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 350–357. Vol. II.

Geographic context: Citations with “GIS,” “geographic,” or “spatial” only in the abstract or annotation.

- Barlow, Stephen A.; Munn, Ian A.; Cleaves, David A.; Evans, David L. 1998. The effect of urban sprawl on timber harvesting: a look at two Southern States. *Journal of Forestry*. 96(12): 10–14.
- Barlow, Stephen Anthony. 1996. The influence of urbanization on timber harvest probability in Mississippi and Alabama. Mississippi State, MS: Mississippi State University. 56 p. M.S. thesis.
- Bell, Kelly, Jr. 1993. A probabilistic evaluation of the harvesting behavior of private timberland owners in eastern Texas. College Station, TX: Texas A&M University. 136 p. Ph.D. dissertation.
- Bragg, D.C. 2001. Potential relative increment (PRI): a new method to empirically derive optimal tree diameter growth. *Ecological Modelling*. 137(1): 77–92.
- Buergi, Matthias; Russell, Emily W.B.; Motzkin, Glenn. 2000. Effects of postsettlement human activities on forest composition in the Northeastern United States: a comparative approach. *Journal of Biogeography*. 27(5): 1123–1138.
- Center for Compatible Economic Development. 2001. The forest bank: a forest conservation program of The Nature Conservancy, Center for Compatible Economic Development. Great Lakes GL985905–01. Chicago: U.S. Environmental Protection Agency, Great Lakes National Program Office. 39 p. <http://www.epa.gov/ecopage/forestbank/fbankrpt.pdf>. [Date accessed: June 2003].
- Conner, R.C.; O’Brien, R.A. 1995. Distribution and volume of larch forests in the Western United States. In: Ecology and management of larch forests—a look ahead: Proceedings of an international symposium; 1992 October 5–9; Whitefish, MT. Gen. Tech. Rep. INT–319. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 147–150.
- Dawson, Chad. 1996. Changes in recreational and open space opportunities. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Proceedings of a conference: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 120–126.
- Ediriwickrema, Don Jayantha. 1996. Modeling and analysis of AVHRR data for biogenic emission inventory system (BEIS). Raleigh, NC: North Carolina State University. 178 p. Ph.D. dissertation.
- Flather, Curtis H.; Hoekstra, Thomas W.; Chalk, David E. [and others]. 1989. Recent historical and projected regional trends of white-tailed deer and wild turkey in the Southern United States. Gen. Tech. Rep. RM–172. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- Franco-Lopez, Hector. 1999. Updating forest monitoring systems estimates. St. Paul, MN: University of Minnesota. 123 p. Ph.D. dissertation.

- Frazer, Rory Fenton. 1993. Rural industrial location models for the wood processing industry in Northeastern United States of America. University Park, PA: Pennsylvania State University. 199 p. Ph.D. dissertation.
- Hansen, Mark; Burk, Thomas, eds. 2000. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 743 p.
- Hershey, Rachel Riemann; Reese, Gordon. 1999. Creating a “first-cut” species distribution map for large areas from forest inventory data. Gen. Tech. Rep. NE–256. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 10 p.
- Iverson, George C.; Hayward, Gregory D.; Titus, Kimberly [and others]. 1996. Conservation assessment for the northern goshawk in southeast Alaska. Gen. Tech. Rep. PNW–GTR–387. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 101 p.
- Iverson, L.R. 1988. Landuse changes in Illinois U.S.A.: the influence of landscape attributes on current and historic land use. *Landscape Ecology*. 2(1): 45–62.
- Iverson, L.R.; Prasad, A.; Schwartz, M.W. 1999. Modeling potential future individual tree-species distributions in the Eastern United States under a climate change scenario: a case study with *Pinus virginiana*. *Ecological Modelling*. 115(1): 77–93.
- Iverson, L.R.; Prasad, A.M. 1998. Predicting abundance of 80 tree species following climate change in the Eastern United States. *Ecological Monographs*. 68: 465–485.
- Iverson, Louis R.; Prasad, Anantha M. 1996. Modeling present and future tree importance values in the Eastern United States [CD-ROM]. In: Third international conference on integrating environmental modeling and GIS; 1996 January 21–25; Santa Fe, NM. Santa Barbara, CA: National Center for Geographic Information and Analysis. [Number of pages unknown]. http://www.ncgia.ucsb.edu/conf/SANTA_FE_CD-ROM/sf_papers/iverson_louis/rta_ncgia.html. [Date accessed: August 2001].
- Jacobs, Dennis M. 2000. February 1994 ice storm: forest resource damage assessment in northern Mississippi. Resour. Bull. SRS–54. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 11 p.
- Jacobs, Dennis M.; Eggen-McIntosh, Susan. 1993. Airborne videography and GPS for assessment of forest damage in southern Louisiana from Hurricane Andrew. In: Proceedings of the IUFRO conference on inventory and management techniques in the context of catastrophic events; 1993 June 21–24; University Park, PA. University Park, PA: The Pennsylvania State University. 12 p. http://www.srs.fs.fed.us/pubs/ja/ja_jacobs001.pdf. [Date accessed: August 2001].
- Kelly, John F. 1993. Hurricane Andrew forest damage assessment. *World Resources Review*. 5(4): 401–408.
- King, S.L. 2000. Sequential Gaussian simulation vs. simulated annealing for locating pockets of high-value commercial trees in Pennsylvania. *Annals of Operations Research*. 95: 177–203.
- Kline, Jeffrey D.; Moses, Alissa; Alig, Ralph J. 2001. Integrating urbanization into landscape-level ecological assessments. *Ecosystems*. 4(1): 3–18.
- Kolbe, A. 1998. A growth model for Wisconsin’s and Michigan’s northern hardwoods and management implications. Madison, WI: University of Wisconsin. 163 p. M.S. thesis.
- Lister, Andrew; Riemann, Rachel; Hoppus, Michael. 2000. Use of regression and geostatistical techniques to predict tree species distributions at regional scales [CD-ROM]. In: Fourth international conference on integrating GIS and environmental modeling (GIS/EM4): problems, prospects and research needs; 2000 September 2–8; Banff, Alberta, Canada. Boulder, CO: University of Colorado. [Number of pages unknown]. <http://www.colorado.edu/research/cires/banff/pubpapers/107/>. [Date accessed: August 2001].
- Londo, H.A.; Glass, P.A.; Evans, D.L. [and others]. 2000. Integration of remote sensing and GPS with traditional forest inventory procedures [CD-ROM]. In: SOFOR GIS 2000: third southern forestry GIS conference; 2000 October 10–12; Athens, GA. Athens, GA: University of Georgia, Georgia Center for Continuing Education. 7 p. <http://www.soforgis.net/cdrom/pdf/londo.pdf>. [Date accessed: August 2001].

- Luxmoore, Robert J.; Hargrove, William W.; Tharp, M. Lynn [and others]. 2000. Signal-transfer modeling for regional assessment of forest responses to environmental changes in the Southeastern United States. *Environmental Modeling and Assessment*. 5: 125–137.
- McNulty, S.G.; Moore, L.R.; Iverson, L.R. [and others]. 2000. Application of linked regional scale growth, biogeography, and economic models for Southeastern United States pine forests. *World Resources Review*. 12(2): 298–320.
- McNulty, Steven G.; Vose, James M.; Swank, Wayne T. 1998. Predictions and projections of pine productivity and hydrology in response to climate change across the Southern United States. In: Mickler, Robert A.; Fox, Susan, eds. *The productivity and sustainability of southern forest ecosystems in a changing environment*. New York: Springer-Verlag: 391–405. Chapter 22.
- McRoberts, Ronald E. 1999. Joint annual forest inventory and monitoring system: the north central perspective. *Journal of Forestry*. 97(12): 27–31.
- McWilliams, William H.; Hershey, Rachel Riemann; Drake, David A.; Alerich, Carol L. 1993. Characterizing forest composition of the Allegheny Mountains using extensive forest inventory data. In: Lund, H. Gyde, ed. *Integrated ecological and resource inventories: Proceedings of a national workshop; 1993 April 12–16; Phoenix, AZ. WO-WSA-4*. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 113–115.
- McWilliams, William H.; Tansey, John B.; Birch, Thomas W.; Hansen, Mark H. 1998. *Taxodium-Nyssa* (cypress-tupelo) forests along the coast of the Southern United States. In: Laderman, Aimlee D., ed. *Coastally restricted forests*. Biol. Resour. Manage. Ser. New York: Oxford University Press: 257–270. Chapter 17.
- Moisen, Gretchen G.; Edwards, Thomas C. 1999. Use of generalized linear models and digital data in a forest inventory of northern Utah. *Journal of Agricultural Biological and Environmental Statistics*. 4(4): 372–390.
- Moisen, Gretchen Gengenbach. 2000. Comparing nonlinear and nonparametric modeling techniques for mapping and stratification in forest inventories of the Interior Western United States of America. Logan, UT: Utah State University. 182 p. Ph.D. dissertation.
- Munn, Ian A.; Cleaves, David. 1999. An analysis of losses to the southern commercial timberland base. In: Abt, K.L.; Abt, R.C., eds. *SOFEW '98: Proceedings of the 1998 southern forest economics workshop; 1998 March 25–27; Williamsburg, VA*. Research Triangle Park, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 198–202.
- Okoye, Michael Anayo. 1997. Ecological database development and analyses of soil variability in northern New England. Durham, NH: University of New Hampshire. 172 p. Ph.D. dissertation.
- Pelkki, Matthew H.; Arthaud, Greg J. 2000. Metadata standards for forestry and natural resources. In: Vasievich, J. Michael; Fried, Jeremy S.; Leefers, Larry A., eds. *Seventh symposium on systems analysis of forest resources; 1997 May 28–31; Traverse City, MI*. Gen. Tech. Rep. NC-205. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 193–197.
- Pugh, Scott A.; Reed, David D.; Pregitzer, Kurt S.; Miles, Patrick D. 2001. FIAMODEL: user's guide [CD-ROM]. Version 3.0. Revised. Houghton, MI: Michigan Technological University, School of Forestry and Wood Products. 46 p. <http://forestry.mtu.edu/data/fiamodel/>. [Date accessed: July 2001].
- Ramirez-Maldonado, Hugo. 1988. On the relevance of geostatistical theory and methods to forest inventory problems. Athens, GA: University of Georgia. 179 p. Ph.D. dissertation.
- Reams, Gregory A.; McCollum, Joseph M. 1999. Predicting the probability of stand disturbance. In: Haywood, James D., ed. *Proceedings of the tenth biennial southern silvicultural research conference; 1999 February 16–18; Shreveport, LA*. Gen. Tech. Rep. SRS-30. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 588–592.
- Riemann, Rachel; Hoppus, Michael; Lister, Andrew. 2000. Using arrays of small ground sample plots to assess the accuracy of Landsat TM-derived forest cover maps. In: Heuvelink, G.B.M.; Lemmens, M.J.P.M., eds. *Accuracy 2000: Proceedings of the fourth international symposium on spatial accuracy assessment in natural resources and environmental sciences; 2000 July 12–14; Amsterdam, Netherlands*. Amsterdam, Netherlands: Delft University Press. [Number of pages unknown].
- Riley, Gretchen. 2000. Evaluation of Landsat TM generated forest-type map for tax appraisal purposes. College Station, TX: Texas A&M University. 33 p. M.S. thesis.

- Rudis, Victor A. 1998. Regional estimation of depreciative uses in forested areas from point samples with [Abstract]. In: Proceedings of the first international conference: geospatial information in agriculture and forestry: decision support, technology, and applications; 1998 June 1–3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 401. Vol. I.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24–45.
- Schaberg, R.H.; Holmes, T.P.; Lee, K.J.; Abt, R.C. 1999. Ascribing value to ecological process: an economic view of environmental change. *Forest Ecology and Management*. 114: 329–338.
- Southern Appalachian Man and the Biosphere. 2001. The Southern Appalachian assessment online database [Database]. http://www.samab.org/data/SAA_data.html. [Date accessed: June 2003].
- Stehman, Stephen V.; Czaplewski, Raymond L.; Nusser, Sarah M. [and others]. 2000. Combining accuracy assessment of land-cover maps with environmental monitoring programs. *Environmental Monitoring and Assessment*. 64(1): 115–126.
- Steiguer, Joseph E.; McNulty, Steven G. 1998. An integrated assessment of climate change on timber markets of the Southern United States. In: Mickler, Robert A.; Fox, Susan, eds. *The productivity and sustainability of southern forest ecosystems in a changing environment*. New York: Springer-Verlag: 809–820. Chapter 44.
- Twedt, Daniel J.; Loesch, Charles R. 1999. Forest area and distribution in the Mississippi Alluvial Valley: implications for breeding bird conservation. *Journal of Biogeography*. 26(6): 1215–1224.
- Van Deusen, Paul C.; Prisley, Stephen P.; Lucier, Alan A. 1999. Adopting an annual inventory system: user perspectives. *Journal of Forestry*. 97(12): 11–14.
- Watts, Stephen Earl. 2001. Determining forest productivity and carbon dynamics in southeastern Ohio from remotely-sensed data. Columbus, OH: Ohio State University. 138 p. Ph.D. dissertation.
- Weiler, Katherine S. 1994. Demographic change and forest resources: implications for the Lake States. West Lafayette, IN: Purdue University. 80 p. M.S. thesis.
- Woodbury, Peter B.; Smith, James E.; Weinstein, David A.; Laurence, John A. 1995. Incorporating uncertainty in regional ecological risk assessments: ozone effects on Alabama forests. *Supplement to the Bulletin of the Ecological Society of America*. 76(3): 404.
- Wu, Chin-Shien. 1994. Assessing the economic effects of streamside management zones on the forestry sector. Auburn, AL: Auburn University. 165 p. Ph.D. dissertation.
- Zeide, Boris. 1992. Has pine growth declined in the Southeastern United States? *Conservation Biology*. 6: 185–195.
- Zeide, Boris. 1994. Big projects, big problems. *Environmental Monitoring and Assessment*. 33(2): 115–133.
- Zhai, Yushin. 1999. An analysis of forest fires in the South-Central United States. Mississippi State, MS: Mississippi State University. 47 p. M.S. thesis.
- Zhang, Quanfa. 1998. The impacts of natural disturbance and human activities on a forested landscape in the eastern Upper Peninsula of Michigan. Houghton, MI: Michigan Technological University. 126 p. Ph.D. dissertation.

Geographic context: Citations with “Landsat,” “satellite,” “remote sensing,” or “AVHRR” in the title

- Birdsey, Richard A. 1984. Forest area estimates from Landsat MSS and forest inventory plot data. Res. Pap. SO–211. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 7 p.
- Born, J. David. 1987. Comparing LANDSAT thematic mapper imagery with alternative data sources for woodland inventory of the Prescott National Forest. In: *Remote sensing for resource inventory, planning, and monitoring: second Forest Service remote sensing applications conference*; 1988 April 11–15; Slidell, LA. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 177–185.

- Born, J. David; Pearlberg, C. 1987. Forest inventory and LANDSAT MSS vegetation mapping for Arizona. In: Symposium on strategies for classification and management of native vegetation for food production in arid zones; 1987 October 12–16; Tucson, AZ. Gen. Tech. Rep. RM-150. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 53–58.
- Born, J. David; Van Hooser, D.D. 1987. Intermountain forest survey remote sensing and geographic information. In: GIS '87: second annual international conference, exhibits, and workshops on geographical information systems; 1987 October 26–30; San Francisco. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 416–422. Vol. 2.
- Cooke, William Henry, III. 1997. A remote sensing methodology for testing the applicability and implementation of landscape partitioning systems with advanced very high resolution radiometer satellite data. Mississippi State, MS: Mississippi State University. 89 p. Ph.D. dissertation.
- Cooke, William H., III; Hartsell, Andrew J. 2000. Landsat TM classifications for SAFIS using FIA field plots. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17–18; Salt Lake City. Gen. Tech. Rep. SRS-47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 15–18.
- Cooke, William H., III; Hartsell, Andrew J. 2001. Wall-to-wall Landsat TM classifications for Georgia in support of SAFIS using FIA field plots for training and verification. In: remote sensing and geospatial technologies for the new millennium: Proceedings of the 8th Forest Service remote sensing applications conference. Bethesda, MD: American Society for Photogrammetry and Remote Sensing. [Number of pages unknown].
- Czaplewski, Raymond L. 1999. Multistage remote sensing toward an annual national inventory. *Journal of Forestry*. 97(12): 44–48.
- Ediriwickrema, Don Jayantha. 1996. Modeling and analysis of AVHRR data for biogenic emission inventory system (BEIS). Raleigh, NC: North Carolina State University. 178 p. Ph.D. dissertation.
- He, Hong S.; Mladenoff, David J.; Radeloff, Volker C.; Crow, Thomas R. 1998. The integration of GIS data and classified satellite imagery for regional forest assessment. *Ecological Applications*. 9(4): 1072–1083.
- Iverson, L.R.; Cook, E.A.; Graham, R.L. 1989. A technique for extrapolating and validating forest cover across large regions: calibrating AVHRR data with TM data. *International Journal of Remote Sensing*. 10(11): 1805–1812.
- Iverson, L.R.; Graham, R.L.; Cook, E.A. 1989. Applications of satellite remote sensing to forested ecosystems. *Landscape Ecology*. 3(2): 131–143.
- Iverson, Louis R.; Cook, Elizabeth A.; Graham, Robin L. 1990. Estimating forest cover over Southeastern United States using TM-calibrated AVHRR data. In: Lund, H. Gyde; Preto, Giovanni, tech. coords. Global natural resource monitoring and assessments: preparing for the 21st century: Proceedings of the international conference and workshop; 1989 September 24–30; Venice, Italy. Bethesda, MD: American Society for Photogrammetry and Remote Sensing: 1252–1262.
- Londo, H.A.; Glass, P.A.; Evans, D.L. [and others]. 2000. Integration of remote sensing and GPS with traditional forest inventory procedures [CD-ROM]. In: SOFOR GIS 2000: third southern forestry GIS conference; 2000 October 10–12; Athens, GA. Athens, GA: University of Georgia, Georgia Center for Continuing Education. 7 p. <http://www.soforgis.net/cdrom/pdf/londo.pdf>. [Date accessed: August 2001].
- Moisen, Gretchen G.; Cutler, D. Richard; Edwards, T.C. 1996. Generalized linear mixed models for analyzing error in a satellite-based vegetation map of Utah. In: Mowrer, H. Todd; Czaplewski, Raymond L.; Hamre, R.H., tech. coords. Spatial accuracy assessment in natural resources and environmental sciences: second international symposium; 1996 May 21–23; Fort Collins, CO. Gen. Tech. Rep. RM-GTR-277. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 459–466.
- Moisen, Gretchen G.; Cutler, D. Richard; Edwards, Thomas C. 2000. Generalized linear mixed models for analyzing error in a satellite-based vegetation map of Utah. In: Mowrer, H. Todd; Congalton, Russell G., eds. Quantifying spatial uncertainty in natural resources: theory and applications for GIS and remote sensing. Chelsea, MI: Sleeping Bear Press: 37–43.
- Peterson, D.J.; Resetar, Susan; Brower, Jennifer; Diver, Ronald. 1999. Forest monitoring and remote sensing: a survey of accomplishments and opportunities for the future. MR-1111.0-OSTP. Washington, DC: Rand Corporation, Science and Technology Policy Institute. 99 p.

- Ramsey, E.W.; Chappell, D.K.; Jacobs, D.M. [and others]. 1998. Resource management of forested wetlands: hurricane impact and recovery mapped by combining Landsat TM and NOAA AVHRR data. *Photogrammetric Engineering and Remote Sensing*. 64(7): 733–738.
- Riemann, Rachel; Hoppus, Michael; Lister, Andrew. 2000. Using arrays of small ground sample plots to assess the accuracy of Landsat TM-derived forest cover maps. In: Heuvelink, G.B.M.; Lemmens, M.J.P.M., eds. *Accuracy 2000: Proceedings of the fourth international symposium on spatial accuracy assessment in natural resources and environmental sciences*; 2000 July 12–14; Amsterdam, Netherlands. Amsterdam, Netherlands: Delft University Press. [Number of pages unknown]. <http://www.gis.wau.nl/Accuracy2000/proceedings.htm>. [Date accessed: August 2001].
- Riley, Gretchen. 2000. Evaluation of Landsat TM generated forest-type map for tax appraisal purposes. College Station, TX: Texas A&M University. 33 p. M.S. thesis.
- Schreuder, H.T.; LaBau, V.J.; Hazard, J.W. 1995. The Alaska four-phase forest inventory sampling design using remote sensing and ground sampling. *Photogrammetric Engineering and Remote Sensing*. 61(3): 291–297.
- Smith, Marie-Louise. 2000. Landscape-scale prediction of forest productivity by hyperspectral remote sensing of canopy nitrogen. Durham, NH: University of New Hampshire. 70 p. Ph.D. dissertation.
- Teuber, Kurt B. 1987. Use of LANDSAT thematic mapper data for classification of forest lands in northern Louisiana. In: *Satellite land remote sensing: current programs and a look to the future: Proceedings of the 11th Pecora symposium*; 1987 May 5–7; Sioux Falls, SD. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 451–456.
- Teuber, Kurt B. 1988. Applications of remote sensing technology at the Southern Forest Experiment Station. In: *Proceedings: resource technology 88: international symposium on advanced technology in natural resource management*; 1988 June 20–23; Fort Collins, CO. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 255–256.
- Teuber, Kurt B. 1988. Large-scale forest area estimation using advanced very high resolution radiometer (AVHRR) data. In: *Remote sensing for resource inventory, planning, and monitoring: second Forest Service remote sensing applications conference*; 1988 April 11–15; Slidell, LA. Falls Church, VA: American Society of Photogrammetry and Remote Sensing: 145–152.
- Teuber, Kurt B. 1990. Remote sensing techniques for updating forest inventories. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. *State-of-the-art methodology of forest inventory: Proceedings of a symposium*; 1989 July 30–August 5; Syracuse, NY. Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 436–441.
- Teuber, Kurt B. 1990. Use of AVHRR imagery for large-scale forest inventories. In: Jackson, Ben D., ed. *Special issue: the international forested wetlands resource: identification and inventory: Proceedings of the international conference*; 1988 September 19–22; Baton Rouge, LA. *Forest Ecology and Management*. 33/34(1–4): 621–631.
- Turner, David P.; Koerper, Greg; Gucinski, Hermann [and others]. 1993. Monitoring global change: comparison of forest cover estimates using remote sensing and inventory approaches. *Environmental Monitoring and Assessment*. 26: 295–305.
- Wayman, Jared Paul. 2000. Landsat TM-based forest area estimation using iterative guided spectral class rejection. Blacksburg, VA: Virginia Polytechnic Institute and State University. 69 p. M.S. thesis. <http://scholar.lib.vt.edu/theses/available/etd-05262000-13410035/unrestricted/WaymanETD.pdf>. [Date accessed: September 2001].
- Winterberger, Kenneth C. 1984. LANDSAT data and aerial photographs used in a multiphase sample of vegetation and related resources in interior Alaska. In: LaBau, Vernon J.; Kerr, Calvin L., eds. *Inventorying forest and other vegetation of the high latitude and high altitude regions: Proceedings of an international symposium*; 1984 July 23–26; Fairbanks, AK. SAF 84–11. Bethesda, MD: Society of American Foresters: 157–163.
- Winterberger, Kenneth C.; LaBau, Vernon J. 1988. Remote sensing inventory applications in applied vegetation inventories—the Alaska experience. In: *Remote sensing for resource inventory, planning and monitoring: second Forest Service remote sensing applications conference*; 1988 April 11–15; Slidell, LA. Falls Church, VA: American Society of Photogrammetry and Remote Sensing: 163–171.
- Zhu, Zhiliang. 1992. Advanced very high resolution radiometer data to update forest area change for Midsouth States. Res. Pap. SO–270. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 11 p.

Zhu, Zhiliang; Evans, David L. 1994. U.S. forest types and predicted percent forest cover from AVHRR data. *Photogrammetric Engineering and Remote Sensing*. 60(5): 525–531.

Geographic context: Citations with “Landsat,” “satellite,” “remote sensing,” or “AVHRR” only in the abstract or annotation.

- Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. 1999. North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources: Proceedings; 1998 November 2–6; Guadalajara, Mexico. RMRS–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 533 p.
- Arney, Ken S. 1995. Forests of the South. [Location of publisher unknown]: Southern Forest Based Economic Development Council. 24 p.
- Birdsey, Richard Alan. 1989. A dynamic matrix model for updating forest resource inventories. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 276 p. Ph.D. dissertation.
- Bowker, Bob; Jacobson, Theresa. 1995. 1995 Louisiana black bear recovery plan. Jackson, MS: U.S. Department of the Interior, Fish and Wildlife Service. 52 p. [Also available from: Fish and Wildlife Reference Service, 5430 Grosvenor Lane, Suite 110, Bethesda, MD 20814].
- Chojnacky, David C. 1998. Double sampling for stratification: a forest inventory application in the interior West. Res. Pap. RM–7. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 15 p.
- Coops, N.C.; Waring, R.H. 2001. Assessing forest growth across southwestern Oregon under a range of current and future global change scenarios using a process model, 3–PG. *Global Change Biology*. 7(1): 15–29.
- Ediriwickrema, Don Jayantha. 1996. Modeling and analysis of AVHRR data for biogenic emission inventory system (BEIS). Raleigh, NC: North Carolina State University. 178 p. Ph.D. dissertation.
- Franco-Lopez, Hector. 1999. Updating forest monitoring systems estimates. St. Paul, MN: University of Minnesota. 123 p. Ph.D. dissertation.
- Frescino, T.S.; Edwards, T.C.; Moisen, G.G. 2001. Modeling spatially explicit forest structural attributes using generalized additive models. *Journal of Vegetation Science*. 12(1): 15–26.
- Gunter, James T.; Hodges, Donald G.; Swalm, Christopher M.; Regens, James L. 1999. Predicting the urbanization of pine and mixed forests in St. Tammany Parish, Louisiana: a GIS application [CD-ROM]. In: 1999 ESRI international user conference; 1999 July 26–30; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. [Number of pages unknown]. <http://gis.esri.com/library/userconf/proc99/proceed/papers/pap190/p190.htm>. [Date accessed: June 2003].
- Hansen, Mark; Burk, Thomas, eds. 2000. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 743 p.
- He, Hong S.; Mladenoff, David J.; Radeloff, Volker C.; Crow, Thomas R. 1998. The integration of GIS data and classified satellite imagery for regional forest assessment. *Ecological Applications*. 9(4): 1072–1083.
- Hershey, Rachel Riemann. 2000. Modeling the spatial distribution of ten tree species in Pennsylvania. In: Mowrer, H. Todd; Congalton, Russell G., eds. Quantifying spatial uncertainty in natural resources: theory and applications for GIS and remote sensing. Chelsea, MI: Sleeping Bear Press: 119–135.
- King, S.L. 2000. Sequential Gaussian simulation vs. simulated annealing for locating pockets of high-value commercial trees in Pennsylvania. *Annals of Operations Research*. 95: 177–203.
- King, Susan L.; Lister, Andrew J.; Hoppus, Michael. 2000. A comparison of kriging and cokriging for mapping forest volume in Connecticut [CD-ROM]. In: SOFOR GIS 2000: third southern forestry GIS conference; 2000 October 10–12; Athens, GA. Athens, GA: University of Georgia, Georgia Center for Continuing Education. 20 p. http://www.soforgis.net/cdrom/pdf/king_final.pdf. [Date accessed: August 20, 2001].

- Lister, Andrew; Riemann, Rachel; Hoppus, Michael. 2000. Use of regression and geostatistical techniques to predict tree species distributions at regional scales [CD-ROM]. In: Fourth international conference on integrating GIS and environmental modeling (GIS/EM4): problems, prospects and research needs; 2000 September 2–8; Banff, Alberta, Canada. Boulder, CO: University of Colorado. [Number of pages unknown]. <http://www.colorado.edu/research/cires/banff/pubpapers/107/>. [Date accessed: June 2003].
- Londo, H.A.; Glass, P.A.; Evans, D.L. [and others]. 2000. Integration of remote sensing and GPS with traditional forest inventory procedures [CD-ROM]. In: SOFOR GIS 2000: Third southern forestry GIS conference; 2000 October 10–12; Athens, GA. Athens, GA: University of Georgia, Georgia Center for Continuing Education: 7 p. <http://www.soforgis.net/cdrom/pdf/londo.pdf>. [Date accessed: August 2001].
- Lund, H. Gyde; Rudis, Victor A.; Stolte, Kenneth W. 1998. Plots, pixels, and partnerships: prospects for mapping, monitoring and modeling biodiversity. In: Dallmeier, F.; Comiskey, J.A., eds. Forest biodiversity research, monitoring and modeling: conceptual background and Old World case studies. Man and the Biosphere Ser. Paris, France: UNESCO; Pearl River, NY: Parthenon Publishing Group: 79–100. Chapter 5. Vol. 20.
- McRoberts, Ronald E. 1999. Joint annual forest inventory and monitoring system: the north-central perspective. *Journal of Forestry*. 97(12): 27–31.
- McRoberts, Ronald E.; Hansen, Mark H. 1999. Annual forest inventories for the north-central region of the United States. *Journal of Agricultural Biological and Environmental Statistics*. 4(4): 361–371. [Special issue: Olson, A.R.; Smith, E.P., eds. Sampling over time: environmental monitoring surveys over time; 1998 April 20–22; Seattle].
- McRoberts, Ronald E.; Reams, Gregory A.; Van Deusen, Paul C. 2000. Proceedings of the first annual forest inventory and analysis symposium; 1999 November 2–3; San Antonio, TX. Gen. Tech. Rep. NC–213. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 57 p.
- Mladenoff, David J.; He, Hong S. 1999. Design, behavior and application of LANDIS, an object-oriented model of forest landscape disturbance and succession. In: Mladenoff, David J.; Baker, William L., eds. Spatial modeling of forest landscape change: approaches and applications. Cambridge, United Kingdom: Cambridge University Press: 125–162.
- Moisen, Gretchen G.; Edwards, Thomas C. 1999. Use of generalized linear models and digital data in a forest inventory of northern Utah. *Journal of Agricultural Biological and Environmental Statistics*. 4(4): 372–390.
- Moisen, Gretchen Gengenbach. 2000. Comparing nonlinear and nonparametric modeling techniques for mapping and stratification in forest inventories of the Interior Western United States of America. Logan, UT: Utah State University. 182 p. Ph.D. dissertation.
- Olsen, Anthony R.; Schreuder, H.T. 1997. Perspectives on large-scale natural resource surveys when cause-effect is a potential issue. *Environmental and Ecological Statistics*. 4(2): 167–180.
- Owens, Karen Elizabeth. 2001. Development and analysis of current and presettlement forest cover mapping methods for the eastern Upper Peninsula of Michigan, Luce District. Houghton, MI: Michigan Technological University. 215 p. Ph.D. dissertation.
- Radeloff, Volker C.; Mladenoff, David J.; He, Hong S.; Boyce, Mark S. 1999. Forest landscape change in the northwestern Wisconsin Pine Barrens from pre-European settlement to the present. *Canadian Journal of Forest Research*. 29(11): 1649–1659.
- Schreuder, H.T.; LaBau, V.J.; Hazard, J.W. 1995. The Alaska four-phase forest inventory sampling design using remote sensing and ground sampling. *Photogrammetric Engineering and Remote Sensing*. 61(3): 291–297.
- Twedt, Daniel J.; Loesch, Charles R. 1999. Forest area and distribution in the Mississippi Alluvial Valley: implications for breeding bird conservation. *Journal of Biogeography*. 26(6): 1215–1224.
- van Hees, Willem W.S. 1999. Vegetation resources inventory of southwest Alaska: development and application of an innovative, extensive sampling design. Res. Pap. PNW–RP–507. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 51 p.
- Wendt, Daniel G. 1999. Relating landscape indices of forest fragmentation to large scale forest assessment data. St. Cloud, MN: St. Cloud State University. 77 p. M.S. thesis.

Wu, Chin-Shien. 1994. Assessing the economic effects of streamside management zones on the forestry sector. Auburn, AL: Auburn University. 165 p. Ph.D. dissertation.

Zhang, Quanfa. 1998. The impacts of natural disturbance and human activities on a forested landscape in the eastern Upper Peninsula of Michigan. Houghton, MI: Michigan Technological University. 126 p. Ph.D. dissertation.

Nearby nonforest influences: Citations with nearby nonforest influences (“operability,” “proximity,” “road,” “urban,” or “water”) in the title

Barlow, Stephen A.; Munn, Ian A.; Cleaves, David A.; Evans, David L. 1998. The effect of urban sprawl on timber harvesting: a look at two Southern States. *Journal of Forestry*. 96(12): 10–14.

Barlow, Stephen A.; Munn, Ian A.; Cleaves, David A.; Moulton, Robert. 1996. Urbanization and timber harvest probability in Mississippi and Alabama. In: Greene, John L., ed. *Redefining roles in forest economics research: Proceedings of the 26th annual southern forest economics workshop; 1996 March 27–29; Gatlinburg, TN. Knoxville, TN: University of Tennessee: 311–318. <http://sofew.cfr.msstate.edu/papers/9738barlow.pdf>. [Date accessed: June 2003].*

Barlow, Stephen Anthony. 1996. The influence of urbanization on timber harvest probability in Mississippi and Alabama. Mississippi State, MS: Mississippi State University. 56 p. M.S. thesis.

Beforet, W.A.; Luloff, A.E.; Morrone, M. 1987. Rural land use and demographic change in a rapidly urbanizing environment. *Landscape and Urban Planning*. 16: 345–356.

Birch, Thomas W.; Hershey, Rachel R.; Kern, Philip. 1997. Identifying forest lands in urban areas in the central hardwood region. In: Pallardy, Stephen G. [and others], eds. *Proceedings: 11th central hardwood forest conference; 1997 March 23–26; Columbia, MO. Gen. Tech. Rep. NC–188. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 98–116.*

Czaplewski, Raymond L.; Cost, Noel D.; Bernu, Gregory J.; Moore, Richard A. 1986. Interpreting physiography, slope, aspect, operability, and accessibility of forest plots using large-, medium-, and small-scale aerial photography in South Carolina. In: 1986 ASPRS-ACSM fall convention—ASPRS technical papers; 1986 September 28–October 3; Anchorage, AK. Falls Church, VA: American Society of Photogrammetry and Remote Sensing: 309–321.

DeForest, C.E.; Harris, T.G., Jr.; Cabbage, F.W.; Carlton, S.C. 1990. Timberland “erosion”: urbanization and the loss of timberland. In: *Proceedings of the Society of American Foresters national convention; 1990 July 29–August 1; Washington, DC. Bethesda, MD: Society of American Foresters: 569–570.*

DeForest, C.E.; Harris, T.G., Jr.; Cabbage, F.W.; Nelson, A.C. 1991. Timberland downtown? Southern forest resources along the urban-rural continuum. In: Mengel, Dennis L.; Tew, D. Thompson, eds. *Ecological land classification: applications to identify the productive potential of southern forests: Proceedings of a symposium; 1991 January 7–9; Charlotte, NC. Gen. Tech. Rep. SE–68. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station: 137–138.*

Dwyer, John F.; Nowak, David J.; Noble, Mary Heather; Sissinni, Susan M. 2000. Connecting people with ecosystems in the 21st century: an assessment of our Nation’s urban forests. Gen. Tech. Rep. PNW–GTR–490. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 483 p.

Gunter, James T.; Hodges, Donald G.; Swalm, Christopher M.; Regens, James L. 1999. Predicting the urbanization of pine and mixed forests in St. Tammany Parish, Louisiana: a GIS application [CD-ROM]. In: 1999 ESRI international user conference; 1999 July 26–30; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. [Number of pages unknown]. <http://gis.esri.com/library/userconf/proc99/proceed/papers/pap190/p190.htm>. [Date accessed: June 2003].

Harris, T.G., Jr.; DeForest, C.E.; Cabbage, F.W. 1992. Georgia’s urban forests: effects of urbanization and rising land prices on timberland investments and timber supply. Final project report. Athens, GA: University of Georgia; Georgia Forest Conservation Commission. 81 p.

- Harris, Tom; DeForest, Christopher. 1994. Policy implications of timberland loss, fragmentation, and urbanization in Georgia and the Southeast. In: Wear, David N.; Talmon, Judy, eds. Policy and forestry: design, evaluation, and spillovers: Proceedings of the 1993 southern forest economics workshop; 1993 April 21–23; Durham, NC. Durham, NC: Duke University, School of the Environment: 79–87.
- Healy, Robert G. 1984. Forests in an urban civilization: land use, land markets, ownership, and recent trends. In: Bradley, Gordon A., ed. Land use and forest resources in a changing environment: the urban/forest interface: Proceedings of the national symposium on the urban/forest interface; 1982 October 27–29; Seattle. Seattle: University of Washington Press: 17–35.
- Hershey, Rachel Riemann; Birch, Thomas. 1996. Method for identifying urban forest from forest inventory and analysis data. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 59–71.
- Jaakko Poetry Consulting, Inc. 1992. Water quality and fisheries: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poetry Consulting, Inc. 320 p. <http://www.iic.state.mn.us/download/geis/water/watermain.htm>. [Date accessed: June 2003]
- Joyce, Linda A.; Flather, Curtis H.; Flebbe, Patricia A. [and others]. 1990. Integrating forage, wildlife, water, and fish projections with timber projections at the regional level: a case study in the Southern United States. *Environmental Management*. 14(4): 489–500.
- Kline, Jeffrey D.; Azuma, David L.; Moses, Alissa; Alig, Ralph J. 2000. Urbanization impacts on private forest conditions in western Oregon. In: DeCoster, Lester A., ed. Proceedings of the forest fragmentation 2000 conference: sustaining private forests in the 21st century; 2000 September 17–20; Annapolis, MD. Alexandria, VA: Sampson Group, Inc.: 135–139.
- Kline, Jeffrey D.; Moses, Alissa; Alig, Ralph J. 2001. Integrating urbanization into landscape-level ecological assessments. *Ecosystems*. 4(1): 3–18.
- Miller, Edwin L.; Liechty, Hal O. 2001. Forest inventory and analysis: what it tells us about water quality in Arkansas. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 71–78.
- Oswald, Daniel D. 1986. Inventories of timber resources in urban and developed rural areas. *Western Journal of Applied Forestry*. 1(4): 129–131.
- Riemann, Rachel; Tillman, Kathy. 1999. FIA photointerpretation in southern New England: a tool to determine forest fragmentation and proximity to human development. Res. Pap. NE–709. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 12 p.
- Rudis, Victor A. 1986. Emerging patterns in the distribution of roadless forested areas in the Midsouth. In: Kulhavy, David L.; Conner, Richard N., eds. Wilderness and natural areas in the Eastern United States: a management challenge: Symposium proceedings; 1985 May 13–15; Nacogdoches, TX. Nacogdoches, TX: Stephen F. Austin State University, Center for Applied Studies, School of Forestry: 265–270.
- Rudis, Victor A. 1990. A database to assess the water, range, wildlife habitat, and biophysical recreation values and uses of forests in the United States. In: Gramann, James H., comp. Proceedings: the third symposium on social science in resource management; 1990 May 16–19; College Station, TX. College Station, TX: Texas A&M University: 107–108.
- Spencer, John S., Jr. 1987. A method for estimating operability and location of the timber resource. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villareal-Canton, Raul, eds. Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 377–380.
- Spencer, John S., Jr.; Hansen, Mark H.; Jakes, Pamela J. 1986. A method for estimating operability and location of the timber resource. Res. Pap. NC–273. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 52 p.

Ursic, Stan. 1987. The South's fourth forest: regional water response to timber management. Supplementary analyses. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.

Nearby nonforest influences: Citations with nearby nonforest influences (“operability,” “proximity,” “road,” “urban,” or “water”) only in the abstract or annotation

Ahn, SoEun; Plantinga, Andrew J.; Alig, Ralph J. 2001. Historical trends and projections of land use for the South-Central United States. Res. Pap. PNW–RP–530. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 20 p.

Alig, Ralph J. 1984. Forest acreage trends in the Southeast: econometric analysis and policy simulations. Corvallis, OR: Oregon State University. 156 p. Ph.D. dissertation.

Bechtold, William A.; Sheffield, Raymond M. 1991. Hardwood timber supplies in the United States. TAPPI Journal. 74(5): 111–116.

Berguson, W.E.; Grigal, D.F.; Bates, P.C. 1994. Relative stocking index—a proposed index of site quality. Canadian Journal of Forest Research. 24(7): 1330–1336.

Bones, James T. 1978. The forest resources of West Virginia. Resour. Bull. NE–56. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 105 p.

Bones, James T. 1993. A blueprint for forest resources inventories in the United States. In: Nyyssönen, Aarne; Poso, Simo; Rautala, Johanna, eds. Proceedings of Ilvessalo symposium on national forest inventories. Res. Pap. 444. Helsinki, Finland: Finnish Forest Research Institute: 32–40.

Boone, D. Daniel; Aplet, Gregory H. 1994. Sustaining biodiversity in the Southern Appalachians. The living landscape. Washington, DC: The Wilderness Society. 76 p. + appendices. Vol. 4.

Bowker, Bob; Jacobson, Theresa. 1995. 1995 Louisiana black bear recovery plan. Jackson, MS: U.S. Department of the Interior, Fish and Wildlife Service. 52 p. [Also available from: Fish and Wildlife Reference Service, 5430 Grosvenor Lane, Suite 110, Bethesda, MD 20814].

Cole, Thomas G.; Falanruw, Marjorie C.; MacLean, Colin D. [and others]. 1987. Vegetation survey of the Republic of Palau. Resour. Bull. PSW–22. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 13 p. + 17 maps.

Cole, Thomas G.; Whitesell, Craig D.; Whistler, W. Arthur [and others]. 1988. Vegetation survey and forest inventory, American Samoa. Resour. Bull. PSW–25. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 14 p. + 4 maps.

Dana, Samuel Trask; Allison, John H.; Cunningham, Russell N. 1960. Minnesota lands: ownership, use, and management of forest and related lands. Washington, DC: The American Forestry Association; Narberth, PA: Livingston Publishing Company. 463 p.

Dawson, Chad. 1996. Changes in recreational and open space opportunities. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 120–126.

Faulkner, Joanne Lenahan. 1994. Hardwood timber in Mississippi: recent trends in the resource and its use. Mississippi State, MS: Mississippi State University. 129 p. M.S. thesis.

Fletcher, Curtis H.; Hoekstra, Thomas W.; Chalk, David E. [and others]. 1989. Recent historical and projected regional trends of white-tailed deer and wild turkey in the Southern United States. Gen. Tech. Rep. RM–172. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.

Freimund, Wayne Alan. 1994. Empirical validation of a forest inventory based aesthetic value model. Madison, WI: University of Wisconsin. 94 p. Ph.D. dissertation.

- Frelich, Lee E. 1995. Old forest in the Lake States today and before European settlement. *Natural Areas Journal*. 15(2): 157–167.
- Geron, C.D.; Pierce, T.E.; Guenther, A.B. 1995. Reassessment of biogenic volatile organic compound emissions in the Atlanta area. *Atmospheric Environment*. 29(13): 1569–1578.
- Graber, Jean W.; Graber, Richard R. 1976. Environmental evaluations using birds and their habitats. *Biol. Notes* 97. Urbana, IL: Illinois Natural History Survey. 40 p.
- Haugen, David E.; Piva, Ronald J.; Kingsley, Neal P.; Harsel, Robert A. 1999. North Dakota's forest resources, 1994. Res. Pap. NC–336. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 101 p.
- Husain, Syed Arif. 1997. Spatial and dynamic analysis of timber and biomass supply in Minnesota. St. Paul, MN: University of Minnesota, Department of Applied Economics. 184 p. Ph.D. dissertation.
- Iverson, L.R. 1988. Land-use changes in Illinois U.S.A.: the influence of landscape attributes on current and historic land use. *Landscape Ecology*. 2(1): 45–62.
- Jakes, Pamela J.; Smith, W. Brad. 1982. A second look at North Dakota's timber land. Resour. Bull. NC–58. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 86 p.
- Kline, Jeffrey D.; Alig, Ralph J. 1997. The impact of Oregon's land use planning program on forest and agricultural land retention. In: Proceedings of the 31st annual Pacific Northwest regional economic conference: regions in transition; 1997 April 24–26; Spokane, WA. Spokane, WA: Washington State University, College of Agriculture and Home Economics. 5 p. <http://web.archive.org/web/20000424044700/http://coopext.cahe.wsu.edu/~pnrec97/kline2.htm>. [Date accessed: June 2003].
- Kline, Jeffrey D.; Alig, Ralph J. 1999. Does land use planning slow the conversion of forest and farm lands? *Growth and Change*. 30(1): 3–22.
- Koch, Les; Rogers, Paul; Frank, Michelle [and others]. 2001. Wyoming forest health report: a baseline assessment, 1995–1998. [Place of publication unknown]: U.S. Department of Agriculture, Forest Service; Wyoming State Forestry Division. [Number of pages unknown].
- Krupa, K.S.; Daugherty, A.B. 1990. Major land uses: 1945–1987. *Electronic Data Prod.* 89003. Washington, DC: U.S. Department of Agriculture, Economic Research Service. [Number of pages unknown]. <http://www.ers.usda.gov/data/sdp/view.asp?f=land/89003/>. [Date accessed: August 22, 2001].
- Leatherberry, Earl C.; Piva, Ronald J.; Josten, Gregory J. 2000. South Dakota's forest resources outside the Black Hills National Forest, 1996. Res. Pap. NC–338. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 103 p.
- Lister, Andrew; Riemann, Rachel; Hoppus, Michael. 2000. Use of regression and geostatistical techniques to predict tree species distributions at regional scales [CD-ROM]. In: Fourth international conference on integrating GIS and environmental modeling (GIS/EM4): problems, prospects and research needs; 2000 September 2–8; Banff, Alberta, Canada. Boulder, CO: University of Colorado. [Number of pages unknown]. <http://www.colorado.edu/research/cires/banff/pubpapers/107/>. [Date accessed: June 2003].
- Liu, Rei. 1997. Forest land use assessment with GIS in Virginia [CD-ROM]. In: 1997 ESRI international user conference; 1999 July 26–30; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. [Number of pages unknown]. <http://gis.esri.com/library/userconf/proc97/proc97/to150/pap149/p149.htm>. [Date accessed: June 2003].
- Lord, Roger G. 2000. Annual forest inventory: an industry perspective. In: McRoberts, Ronald E.; Reams, Gregory A.; Van Deusen, Paul C., eds. Proceedings of the first annual forest inventory and analysis symposium; 1999 November 2–3; San Antonio, TX. Gen. Tech. Rep. NC–213. San Antonio, TX: U.S. Department of Agriculture, Forest Service, North Central Research Station: 49–54.
- Lueck, Dean; Michael, Jeffrey A. 2000. Preemptive habitat destruction under the Endangered Species Act. In: Effectiveness of resource and environmental regulation; 2000 June 11–13; La Jolla, CA. Berkeley, CA: Association of Environmental and Resource Economists Workshop 2000. 54 p. <http://are.berkeley.edu/~peter/AERE%20Papers/lueck.pdf>. [Date accessed: August 2001].

- Lund, H. Gyde, ed. 1998. IUFRO guidelines for designing multipurpose resource inventories. IUFRO World Ser. Vienna, Austria: IUFRO Secretariat. 216 p. Vol. 8.
- MacLean, Colin D. 1990. Changes in area and ownership of timberland in western Oregon: 1961–86. Resour. Bull. PNW–RB–170. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 13 p.
- Mauldin, Thomas E.; Plantinga, Andrew; Alig, Ralph J. 1999. Land use in the Lake States region: an analysis of past trends and projections of future changes. Res. Pap. PNW–RP–519. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 24 p.
- May, Dennis M.; LeDoux, Chris B. 1992. Assessing timber availability in upland hardwood forests. Southern Journal of Applied Forestry. 16(2): 82–88.
- McNulty, S.G.; Vose, J.M.; Swank, W.T. [and others]. 1994. Regional-scale forest ecosystem modeling: database development, model predictions and validation using a geographic information system. Climate Research. 4: 223–231.
- McNulty, Steven G.; Vose, James M.; Swank, Wayne T. 1998. Predictions and projections of pine productivity and hydrology in response to climate change across the Southern United States. In: Mickler, Robert A.; Fox, Susan, eds. The productivity and sustainability of southern forest ecosystems in a changing environment. New York: Springer-Verlag: 391–405. Chapter 22.
- Michael, Jeffrey Alan. 1999. The Endangered Species Act and private landowner incentives. Raleigh, NC: North Carolina State University. 129 p. Ph.D. dissertation.
- Moisen, Gretchen G.; Cutler, D. Richard; Edwards, Thomas C. 2000. Generalized linear mixed models for analyzing error in a satellite-based vegetation map of Utah. In: Mowrer, H. Todd; Congalton, Russell G., eds. Quantifying spatial uncertainty in natural resources: theory and applications for GIS and remote sensing. Chelsea, MI: Sleeping Bear Press: 37–43.
- Morse, Rachel L. 1999. An intensification of the forest health monitoring program: a pilot study in two Indiana State parks. West Lafayette, IN: Purdue University. 120 p. M.S. thesis.
- Munn, Ian A.; Cleaves, David. 1999. An analysis of losses to the southern commercial timberland base. In: Abt, K.L.; Abt, R.C., eds. SOFEW '98: Proceedings of the 1998 southern forest economics workshop; 1998 March 25–27; Williamsburg, VA. Research Triangle Park, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 198–202.
- Noon, Barry R. 1984. An analysis of the compatibility of forest inventory and analysis data as input to wildlife habitat relationship models. Arcata, CA: Humboldt State University, Department of Wildlife; California Department of Forestry; final report. 49 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2010. [Date accessed: August 2001].
- O'Brien, Renee A. 1999. Comprehensive inventory of Utah's forest resources, 1993. RMRS–RB–1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 105 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/utah.pdf>. [Date accessed: August 2001].
- Parks, Peter John. 1986. The influence of economic and demographic factors on forest land use decisions. Berkeley, CA: University of California. 96 p. Ph.D. dissertation.
- Pillsbury, Norman H.; Bolsinger, Charles L. 1983. Inventory of California's hardwood resources. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry: 379–382.
- Pillsbury, Norman H.; DeLasaux, Michael J.; Pryor, Robert D.; Bremer, Walter. 1991. Mapping and GIS database development for California's hardwood resources. Contract 8CA63963. Berkeley, CA: California Polytechnic State University, Natural Resources Management Department. 84 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2173. [Date accessed: June 2003].
- Plantinga, Andrew; Mauldin, Thomas; Alig, Ralph J. 1999. Land use in Maine: determinants of past trends and projections of future changes. Res. Pap. PNW–RP–511. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 20 p.

- Powell, Douglas S.; Considine, Thomas J., Jr. 1982. An analysis of Pennsylvania's forest resources. Resour. Bull. NE-69. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 97 p.
- Powell, Douglas S.; Kingsley, Neal P. 1980. The forest resources of Maryland. Resour. Bull. NE-61. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 103 p. + map.
- Riemann, Rachel; Tillman, Kathy. 1999. FIA photointerpretation in southern New England: a tool to determine forest fragmentation and proximity to human development. Res. Pap. NE-709. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 12 p. <http://www.fs.fed.us/ne/home/publications/rpne709.pdf>. [Date accessed: September 2001].
- Rudis, Victor A. 1988. Nontimber values of east Texas timberland. Resour. Bull. SO-139. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 34 p.
- Rudis, Victor A. 1988. Nontimber values of Louisiana's timberland. Resour. Bull. SO-132. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 27 p.
- Rudis, Victor A. 1998. Regional estimation of depreciative uses in forested areas from point samples with geostatistics [Abstract]. In: Proceedings of the first international conference: geospatial information in agriculture and forestry: decision support, technology, and applications; 1998 June 1-3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 401. Vol. 1.
- Rudis, Victor A. 2001. Composition, potential old growth, fragmentation and ownership of Mississippi Alluvial Valley bottomland hardwoods: a regional assessment of historic change. In: Hamel, Paul B.; Foti, Thomas L., tech. eds. Bottomland hardwoods of the Mississippi Alluvial Valley: characteristics and management of natural function, structure, and composition: Proceedings of a symposium held during the natural areas conference; 1995 October 28; Fayetteville, AR. Gen. Tech. Rep. SRS-42. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 28-48.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30-31; North Little Rock, AR. Gen. Tech. Rep. SRS-41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24-45.
- Schmidt, Thomas L.; Raile, Gerhard K. 1999. Forest fragmentation in the Lake States. In: Proceedings of the Society of American Foresters national convention; 1998 September 19-23; Traverse City, MI. SAF-99-01. Bethesda, MD: Society of American Foresters: 107-115.
- Schmidt, Thomas L.; Wardle, Tom D. 1998. The forest resources of Nebraska. Res. Pap. NC-334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- Schultz, Robert P. 1997. Loblolly pine: the ecology and culture of loblolly pine (*Pinus taeda* L.). Agric. Handb. 713. Washington, DC: U.S. Department of Agriculture, Forest Service. 11 chapters + appendix. [FIA data used in chapter 1: 1-16 (Introduction: FIA statistics on the status of the resource); chapter 9: 1-36 (Multiple-use management of loblolly pine forest resources: FIA statistics on road proximity, slope, and associated recreational activities from 3 States with published data); chapter 10: 1-57 (Protection: FIA statistics on damage to loblolly pine trees across the South); chapter 11: 1-50 (Growth and yield: FIA statistics on growth, yield, and site index)].
- Sheffield, Raymond M. 1981. Multiresource inventories: techniques for evaluation of nongame bird habitat. Res. Pap. SE-218. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 28 p.
- Sheffield, Raymond Marshall. 1978. Techniques for using regional multiresource inventory data to evaluate nongame bird habitat. Raleigh, NC: North Carolina State University. 76 p. M.F. report.
- Wear, David N.; Liu, Rei; Foreman, J.M.; Sheffield, Raymond M. 1999. The effects of population growth on timber management and inventories in Virginia. Forest Ecology and Management. 118: 107-115.
- Zeide, Boris. 1994. Big projects, big problems. Environmental Monitoring and Assessment. 33(2): 115-133.

Zheng, Daolan; Alig, Ralph J. 1999. Changes in the non-Federal land base involving forestry in western Oregon, 1961–94. Res. Pap. RP–PNW–518. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 22 p.

Owner attitudes: Citations with “owner” in the title.

Alig, Ralph J. 1985. Modeling acreage changes in forest ownerships and cover types in the Southeast. Res. Pap. RM–260. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 14 p.

Alig, Ralph J.; Hohenstein, William G.; Murray, Brian C.; Haight, Robert G. 1990. Changes in area of timberland in the United States, 1952–2040, by ownership, forest type, region, and State. Gen. Tech. Rep. SE–64. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 34 p.

Alig, Ralph J.; Knight, Herbert A.; Birdsey, Richard A. 1986. Recent area changes in southern forest ownerships and cover types. Res. Pap. SE–260. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 10 p. Baird, Andrew W.; Doolittle, Larry; Burroughs, Robert G. 1986. Harvesting decisions of nonindustrial owners in Mississippi. Sociology Res. Rep. Ser. 86–2. Mississippi State, MS: Mississippi State University. 6 p.

Beardsley, Debby; Bolsinger, Charles L.; Warbington, Ralph. 1999. Old-growth forests in the Sierra Nevada: by type in 1945 and 1993 and ownership in 1993. Res. Pap. PNW–RP–516. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 46 p.

Bell, Kelly, Jr. 1993. A probabilistic evaluation of the harvesting behavior of private timberland owners in eastern Texas. College Station, TX: Texas A&M University. 136 p. Ph.D. dissertation.

Binkley, Clark Shepard. 1979. Timber supply from private nonindustrial forests: an economic analysis of landowner behavior. New Haven, CT: Yale University. 127 p. Ph.D. dissertation.

Binkley, Clark Shepard. 1981. Timber supply from private nonindustrial forests: a microeconomic analysis of landowner behavior. Bull. 92. New Haven, CT: Yale University, School of Forestry and Environmental Studies. 97 p.

Birch, T.W. 1986. Communicating with nonindustrial private forestland owners. *Journal of Forestry*. 84(12): 25–33.

Birch, Thomas W. 1982. The forestlandowners of Ohio. *Resour. Bull. NE–74*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 84 p.

Birch, Thomas W. 1983. The forestlandowners of New York. *Resour. Bull. NE–78*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 80 p.

Birch, Thomas W. 1983. Northeastern woodland ownership study—the second time around. In: Bell, John F.; Atterbury, Toby, eds. *Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR*. Corvallis, OR: Oregon State University, College of Forestry: 62–65.

Birch, Thomas W. 1992. Land ownership and harvesting trends in Eastern [U.S.] forests. In: *The future of multiple use forestry in Eastern [U.S.] hardwood forests; Proceedings of the 20th annual hardwood symposium; 1992 June 1–3; Cashiers, NC*. Memphis, TN: National Hardwood Lumber Association: 143–157.

Birch, Thomas W. 1996. Private forestlandowners of the Northern United States, 1994. *Resour. Bull. NE–136*. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 293 p.

Birch, Thomas W. 1996. Private forestlandowners of the United States. *Resour. Bull. NE–134*. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 183 p.

Birch, Thomas W. 1996. Private ownership trends in New York. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. *Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY*. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 14–21.

Birch, Thomas W. 1997. Eastern forestland owners: who’s buying what and why? *Transactions of the North American Wildlife and Natural Resources Conference*. 62: 289–301.

- Birch, Thomas W. 1997. Private forestlandowners of the Southern United States, 1994. Resour. Bull. NE-138. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 249 p.
- Birch, Thomas W. 1997. Private forestlandowners of the Western United States, 1994. Resour. Bull. NE-137. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 249 p.
- Birch, Thomas W. 1997. Private forest owners of the central hardwood forest. In: Pallardy, Stephen G. [and others]. Proceedings: 11th central hardwood forest conference; 1997 March 23-26; Columbia, MO. Gen. Tech. Rep. NC-188. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 88-97.
- Birch, Thomas W.; Dennis, Donald F. 1980. The forestlandowners of Pennsylvania. Resour. Bull. NE-66. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 90 p.
- Birch, Thomas W.; Hodge, Sandra S.; Thompson, Michael T. 1998. Characterizing Virginia's private forest owners and their forest lands. Res. Pap. NE-707. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 10 p.
- Birch, Thomas W.; Kingsley, Neal P. 1978. The forestlandowners of West Virginia. Resour. Bull. NE-58. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 76 p.
- Birch, Thomas W.; Powell, Douglas S. 1978. The forestlandowners of Kentucky. Resour. Bull. NE-54. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 101 p.
- Birch, Thomas W.; Pywell, Nancy A. 1986. Communicating with nonindustrial private forestlandowners: getting programs on target. Res. Pap. NE-593. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 11 p.
- Birch, Thomas W.; Stelter, Cecile M. 1994. Trends in owners attitudes. In: Finely, James C.; Jones, Stephen B., eds. Penn's Woods—change and challenge: Proceedings of the 1993 Penn State forest resources conference; 1993 April 1-2; State College, PA. State College, PA: The Pennsylvania State University: 50-60.
- Bliss, John C.; Sisock, Mary L.; Birch, Thomas W. 1998. Ownership matters: forestland concentration in rural Alabama. *Society and Natural Resources*. 11(4): 401-410.
- Bolsinger, Charles L. 1989. Shrubs of California's chaparral, timberland, and woodland: area, ownership, and stand characteristics. Resour. Bull. PNW-160. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 50 p.
- Brooks, Robert T.; Birch, Thomas W. 1988. Changes in New England forests and forest owners: implications for wildlife habitat resources and management. *Transactions of the North American Wildlife and Natural Resources Conference*. 53: 78-87.
- Carpenter, Eugene M. 1986. Ownership change and timber supply on nonindustrial private forest land. Res. Pap. NC-265. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 14 p.
- Carpenter, Eugene M.; Hansen, Mark H. 1985. The private forest landowners of Michigan. Resour. Bull. NC-93. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 55 p.
- Carpenter, Eugene M.; Hansen, Mark H.; St. John, Dennis M. 1986. The private forest landowners of Minnesota-1982. Resour. Bull. NC-95. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 55 p.
- Carter, Douglas R.; Newman, David H.; Moss, Charles. 1997. The relative efficiency of NIPF and industry timberland ownerships in the Southern U.S. In: Greene, John L., ed. Redefining rates in forest economics research: Proceedings of the 26th annual southern forest economics workshop; 1996 March 27-29; Gatlinburg, TN. Knoxville, TN: University of Tennessee: 359-368.
- Dana, Samuel Trask; Allison, John H.; Cunningham, Russell N. 1960. Minnesota lands: ownership, use, and management of forest and related lands. Washington, DC: The American Forestry Association; Narberth, PA: Livingston Publishing Company. 463 p.

- Dana, Samuel Trask; Krueger, Myron. 1958. California lands: ownership, use, and management. Land Ownership Ser. Washington, DC: The American Forestry Association. 308 p.
- Dennis, Donald F. 1989. An economic analysis of harvest behavior: integrating forest and ownership characteristics. *Forest Science*. 35(4): 1088–1104.
- Dennis, Donald Forrest. 1988. An economic analysis of harvest behavior: integrating ownership and forest characteristics. New Haven, CT: Yale University. 152 p. Ph.D. dissertation.
- Donovan, David D. 1987. The nonindustrial private forest landowners of Oklahoma: State statistics and implications for forestry. For. Ext. Rep. 1. Stillwater, OK: Oklahoma State University, Cooperative Extension Service. 15 p.
- Fortmann, Louise; Huntsinger, Lynn. 1985. California's oak lands: owners, use, and management. Berkeley, CA: University of California, Department of Forestry and Resource Management. 78 p.
- Fortmann, Louise; Huntsinger, Lynn. 1987. Managing California's oak woodlands: a sociological study of owners. In: Plumb, Timothy R.; Pillsbury, Norman H., tech. coords. Proceedings of the symposium on multiple-use management of California's hardwood resources; 1986 November 12–14; San Luis Obispo, CA. Gen. Tech. Rep. PSW-100. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 379–384.
- Gedney, Donald R. 1981. Change in area and ownership of private timberland in western Oregon between 1961–62 and 1973–76. Resour. Bull. PNW-RB-92. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 8 p.
- Gedney, Donald R. 1983. Diverse owners of nonindustrial private timberland in western Oregon. *Journal of Forestry*. 81(11): 727–729.
- Harper, Stephen C.; Falk, Laura L.; Rankin, Edward W. 1990. The northern forest lands study of New England and New York: a report to the Congress of the United States on the recent changes in landownership and land use in the northern forest of Maine, New Hampshire, New York, and Vermont. Rutland, VT: U.S. Department of Agriculture, Forest Service; Governors' Task Force on Northern Forest Lands. 206 p. + 1 folded leaf of plates.
- Healy, Robert G. 1984. Forests in an urban civilization: land use, land markets, ownership, and recent trends. In: Bradley, Gordon A., ed. Land use and forest resources in a changing environment: the urban/forest interface: Proceedings of the national symposium on the urban/forest interface; 1982 October 27–29; Seattle. Seattle: University of Washington Press: 17–35.
- Hodge, Sandra S.; Birch, Thomas W. 1996. Virginia NIPF landowners survey, 1991 and 1994 [Abstract]. In: Baughman, Melvin J., ed. Proceedings of symposium on nonindustrial private forest: learning from the past, prospects for the future; 1996 February 21–24; Washington, DC. St. Paul, MN: University of Minnesota, Minnesota Extension Service: 454.
- Howard, Theodore; Lutz, J. 1989. Land use and forest ownership changes in the Northeast. For. Resour. Ms. 426. Durham, NH: University of New Hampshire, Department of Forest Resources. [Number of pages unknown].
- Huntsinger, L.; Buttolph, L.; Hopkinson, P. 1997. Changes in ownership, use, and management of California's hardwood rangelands, 1985–1992. *Journal of Range Management*. 50: 423–430.
- Huntsinger, Lynn; Fortmann, Louise P. 1990. California's privately owned oak woodlands: owners, use, and management. *Journal of Range Management*. 43(2): 147–152.
- Jakes, Pamela J.; Vasilevsky, Alexander. 1980. Minnesota land ownership trends, 1962–1977. Resour. Bull. NC-255. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 4 p.
- Jones, Stephen B. 1994. Who are these NIPF owners and what do they know about silver culture? In: Wolcott, Michael P., coord. Opportunities for the hardwood industry to address environmental challenges; Proceedings of the 22nd annual hardwood symposium; 1994 May 12–15; Cashiers, NC. Memphis, TN: National Hardwood Lumber Association: 37–52.
- Kingsley, Neal P. 1975. The forestlandowners of New Jersey. Resour. Bull. NE-39. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 24 p.
- Kingsley, Neal P. 1976. The forestlandowners of southern New England. Resour. Bull. NE-41. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 27 p.

- Kingsley, Neal P. 1979. How important is timber production to small owners? *Forest Farmer*. June: 8–9, 14–15.
- Kingsley, Neal P.; Birch, Thomas W. 1977. The forestlandowners of New Hampshire and Vermont. *Resour. Bull. NE-51*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 47 p.
- Kingsley, Neal P.; Birch, Thomas W. 1980. The forestlandowners of Maryland. *Resour. Bull. NE-63*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 78 p.
- Kingsley, Neal P.; Finley, James C. 1975. The forestlandowners of Delaware. *Resour. Bull. NE-38*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 78 p.
- Leatherberry, E.C. 1999. Trends in forest ownership fragmentation in the Lake States, 1980s–1990s. In: *Proceedings of the 1998 Society of American Foresters national convention; 1998 September 19–23; Traverse City, MI. SAF-99-01*. Bethesda, MD: Society of American Foresters: 116–122.
- Leatherberry, Earl C. 1998. Distrust of loggers could adversely affect timber supply: what alienates landowners and what to do about it. *The Timber Producer*. (8): 44, 46, 49.
- Leatherberry, Earl C. 2001. Private timberland owners of Wisconsin, 1997. *Res. Pap. NC-339*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 84 p.
- Leatherberry, Earl C. 2001. A profile of Wisconsin's private forest landowners. *Woodland Management*. 22(1): 16–18.
- Leatherberry, Earl C.; Kingsley, Neal P.; Birch, Thomas W. 1998. Private timberland owners of Michigan, 1994. *Res. Bull. NC-191*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 84 p.
- Lee, Karen Jean. 1997. Hedonic estimation of nonindustrial private forest landowner amenity values. Raleigh, NC: North Carolina State University. 80 p. Ph.D. dissertation.
- Luzadis, Valerie A. 1996. Landowner attitudes, property rights, and institutional change. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. *Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY: State University of New York, College of Environmental Sciences and Forestry: 72–77*.
- MacLean, Colin D. 1990. Changes in area and ownership of timberland in western Oregon: 1961–86. *Resour. Bull. PNW-RB-170*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 13 p.
- McWilliams, William H.; Doolittle, Larry; Lord, Roger G. 1989. Nonindustrial private forest landowners of the Texas pineywoods. *Texas Forestry News*. 67(4): 7–11.
- Michael, Jeffrey Alan. 1999. The Endangered Species Act and private landowner incentives. Raleigh, NC: North Carolina State University. 129 p. Ph.D. dissertation.
- Moulton, Robert J.; Birch, Thomas. 1996. Western forest landowners: a profile. *National Woodlands*. 19: 14–16.
- Moulton, Robert J.; Birch, Thomas W. 1995. Southern private forest landowners: a profile. *Forest Farmer*. 54(5): 44–46.
- Moyer, D. David; Daugherty, Arthur B. 1976. Landownership in the Northeast U.S.: a sourcebook. *AGERS-2*. Washington, DC: U.S. Department of Agriculture, Economic Research Service. 192 p.
- Newman, David H.; Wear, David N. 1993. Production economics of private forestry—a comparison of industrial and nonindustrial forest owners. *American Journal of Agricultural Economics*. 75(3): 674–684.
- Plantinga, Andrew J. 1988. The determinants of changes in nonindustrial private forest landowners. Madison, WI: University of Wisconsin. 60 p. M.S. thesis.
- Plantinga, Andrew J.; Buongiorno, Joseph; Alig, Ralph. 1990. Determinants of changes in non-industrial private timberland ownership in the United States. *Journal of World Forest Research Management*. 5: 29–46.
- Pomeroy, Kenneth Brownridge; Yoho, James G. 1964. North Carolina lands; ownership, use, and management of forest and related lands. *Land Ownership Ser.* Washington, DC: American Forestry Association; Narberth, PA: Livingston Publishing Co. 372 p.

- Roberts, John C.; Tlusty, Wayne G.; Jordahl, Harold C., Jr. 1986. The Wisconsin private non-industrial woodland owner: a profile. Occas. Pap. Ser. Pap. 19. Madison, WI: University of Wisconsin Cooperative Extension Service. 128 p. + appendices.
- Romm, Jeff; Tuazon, Raul; Washburn, Courtland. 1987. Relating forestry investment to the characteristics of nonindustrial private forestland owners in northern California. *Forest Science*. 33(1): 197–209.
- Romm, Jeff; Washburn, Courtland; Tuazon, Raul; Bendix, Judy. 1985. Forest owners and the State: California policy for growing forests on non-industrial land. Berkeley, CA: University of California at Berkeley, Department of Forestry and Resource Management. 325 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2007. [Date accessed: August 2001].
- Rosson, James F., Jr.; Doolittle, Larry. 1987. Profiles of Midsouth nonindustrial private forests and owners. *Resour. Bull. SO-125*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 39 p.
- Rudis, Victor A. 1992. Agroforestry's regional importance: forest resources and owner characteristics associated with livestock grazing in the South Central United States. In: *The fourth North American symposium on society and resource management: book of abstracts; 1992 May 17–20; Madison, WI*. Madison, WI: University of Wisconsin, College of Agriculture and Life Sciences: 127–128.
- Rudis, Victor A. 2001. Composition, potential old growth, fragmentation and ownership of Mississippi Alluvial Valley bottomland hardwoods: a regional assessment of historic change. In: Hamel, Paul B.; Foti, Thomas L., tech. eds. *Bottomland hardwoods of the Mississippi Alluvial Valley: characteristics and management of natural function, structure, and composition: Proceedings of a symposium held during the natural areas conference; 1995 October 28; Fayetteville, AR*. Gen. Tech. Rep. SRS-42. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 28–48.
- Stier, Jeffrey C.; Kim, Kwang-Koo; Marcouiller, David W. 1999. Forest productivity and land ownership in the U.S. Lake States. *Canadian Journal of Forest Research*. 29(11): 1736–1742.
- Tarrant, R.F.; Ewing, R.A.; Gedney, Donald R. 1978. Forest survey and the nonindustrial private ownerships. *Journal of Forestry*. 76(8): 470–472.
- Thompson, Michael T. 1997. A forested tract-size profile of South Carolina's NIPF landowners. Res. Pap. SRS-2. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 9 p.
- Thompson, Michael T. 1999. A forested tract-size profile of Florida's NIPF landowners. Res. Pap. SRS-15. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 10 p.
- Thompson, Michael T.; Johnson, Tony G. 1996. A forested tract-size profile of Virginia's NIPF landowners. Res. Pap. SRS-1. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 8 p.
- Wall, Brian R. 1981. Trends in commercial timberland area in the United States by State and ownership, 1952–77, with projections to 2030. Gen. Tech. Rep. WO-31. Washington, DC: U.S. Department of Agriculture, Forest Service. 28 p.
- Wallace, T. Dudley; Newman, David H. 1986. Measurement of ownership effects on forest productivity in North Carolina from 1974 to 1984. *Canadian Journal of Forest Research*. 16(4): 733–738.
- Widmann, Richard H.; Birch, Thomas W. 1988. Forestlandowners of Vermont—1983. *Resour. Bull. NE-102*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 89 p.
- Zipperer, Wayne C.; Birch, Thomas W. 1993. Forestland ownership patterns. In: Neville, L. Robert; Zipperer, Wayne C., tech. coords. *New York-New Jersey Highlands regional study: analysis of selected resources. NA-TP-04-93*. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry: 67–70.

Owner attitudes: Citations with “owner” only in the abstract or annotation

- Abt, R.C.; Cabbage, F.W.; Lee, K.J.; Munn, I.A. 1998. Timber supply: Mississippi and the South. *Tree Talk* (Jackson, MS). Winter: 15–20.
- Abt, Robert C.; Cabbage, Frederick W.; Pacheco, Gerardo. 2000. Southern forest resource assessment using the subregional timber supply (SRTS) model. *Forest Products Journal*. 50(4): 25–33.

- Ahn, SoEun; Plantinga, Andrew J.; Alig, Ralph J. 2001. Historical trends and projections of land use for the South-Central United States. Res. Pap. PNW-RP-530. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 20 p.
- Alig, Ralph J. 1984. Forest acreage trends in the Southeast: econometric analysis and policy simulations. Corvallis, OR: Oregon State University. 156 p. Ph.D. dissertation.
- Alig, Ralph J.; Adams, Darius M.; Chmelik, John T.; Bettinger, Pete. 1999. Private forest investment and long-run sustainable harvest volumes. *New Forests*. 17(1-3): 307-327.
- Alig, Ralph J.; Howard, Theodore; Buongiorno, Joseph. 1987. Effects of demographic and economic factors on forest area change: North and South comparison. In: Proceedings of the 1987 joint meeting of the southern forest economics workers and the Midwest forest economists: the blue and the gray; 1987 April 8-10; Asheville, NC. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station: 155-162.
- Alig, Ralph J.; Lee, Karen J.; Moulton, Robert J. 1990. Likelihood of timber management on nonindustrial private forests: evidence from research studies. Gen. Tech. Rep. SE-60. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 17 p.
- Alig, Ralph J.; White, Fred C.; Murray, Brian C. 1988. Economic factors influencing land use changes in the South-Central United States. Res. Pap. SE-272. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 23 p.
- Alig, Ralph J.; Zheng, Daolan; Spies, Thomas A.; Butler, Brett J. 2000. Forest cover dynamics in the Pacific Northwest west side: regional trends and projections. Res. Pap. PNW-RP-522. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 22 p.
- Allen, Barbara H.; Evett, Rand R.; Holzman, Barbara A.; Martin, Ayn J. 1989. Rangeland cover type descriptions for California hardwood rangelands. California Dep. For. and Fire Prot. Contract 8CA63912. Berkeley, CA: University of California, Department of Forestry and Resource Management. 326 p.
- Arney, Ken S. 1995. Forests of the South. [Location of publisher unknown]: Southern Forest Based Economic Development Council. 24 p.
- Beck, Thomas W.; Gould, Gordon I., Jr. 1992. Background and the current management situation for the California spotted owl. In: Verner, Jared [and others], tech. coords. The California spotted owl: a technical assessment of its current status. Gen. Tech. Rep. PSW-GTR-133. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 37-54. Chapter 3.
- Binkley, Clark S. 1983. Private forestland use: status, projections, and policy implications. In: Royer, Jack P.; Risbrudt, Christopher D., eds. Nonindustrial private forests: a review of economic and policy studies: Symposium proceedings; 1983 April 19-20; Durham, NC. Durham, NC: Duke University, School of Forestry and Environmental Studies: 51-70.
- Birch, Thomas W. 1996. Forest land parcelization and fragmentation. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13-14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 98-110.
- Birdsey, Richard A.; Weaver, Peter L. 1982. The forest resources of Puerto Rico. Resour. Bull. SO-85. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 59 p.
- Bolsinger, Charles L.; Waddell, Karen L. 1993. Area of old-growth forests in California, Oregon, and Washington. Resour. Bull. PNW-RB-197. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 26 p.
- Bones, James T. 1978. The forest resources of West Virginia. Resour. Bull. NE-56. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 105 p.
- Boone, D. Daniel; Aplet, Gregory H. 1994. Sustaining biodiversity in the Southern Appalachians. The living landscape. Washington, DC: The Wilderness Society. 76 p. + appendices. Vol. 4.

- Bowker, Bob; Jacobson, Theresa. 1995. 1995 Louisiana black bear recovery plan. Jackson, MS: U.S. Department of the Interior, Fish and Wildlife Service. 52 p. [Also available from: Fish and Wildlife Reference Service, 5430 Grosvenor Lane, Suite 110, Bethesda, MD 20814].
- Brooks, David James. 1984. Nonindustrial forests, public policy and long-term timber supply in the South. Corvallis, OR: Oregon State University. 110 p. Ph.D. dissertation.
- Brooks, Robert T.; Birch, Thomas W. 1986. Opportunities and constraints for wildlife habitat management on private forests of the Northeast. *Northern Journal of Applied Forestry*. 3: 109–113.
- Brown, Mark J. 1999. Florida's forests, 1995. *Resour. Bull. SRS-48*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 83 p.
- Brown, Mark J.; O'Brien, Renee A. 1997. Forest resource statistics for northern Utah, 1993. *Resour. Bull. INT-RB-91*. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 53 p.
- Buck, Michael G.; Branam, Jeanine M.; Stormont, William T. 1988. The multiresource forest inventory for Kauai, Hawaii. *Resour. Bull. PNW-RB-156*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 35 p.
- Buck, Michael G.; Branam, Jeanine M.; Stormont, William T.; Costales, Patrick G. 1988. The multiresource forest inventory for Oahu, Hawaii. *Resour. Bull. PNW-RB-155*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 35 p.
- Buck, Michael G.; Costales, Patrick G.; McDuffie, Katharine. 1986. Multiresource forest statistics for Molokai, Hawaii. *Resour. Bull. PNW-136*. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 18 p.
- Cherry, Heidi Ruth. 1998. Projecting Michigan's aspen timber resource. East Lansing, MI: Michigan State University. 87 p. M.S. thesis.
- Clements, Stephen E. 1987. A timber supply analysis for southwest Virginia. Blacksburg, VA: Virginia Polytechnic Institute and State University. 147 p. Ph.D. dissertation.
- Conner, R.C.; O'Brien, R.A. 1995. Distribution and volume of larch forests in the Western United States. In: Ecology and management of larch forests—a look ahead: Proceedings of an international symposium; 1992 October 5–9; Whitefish, MT. *Gen. Tech. Rep. INT-319*. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 147–150.
- Cabbage, F.W.; Pye, J.M.; Holmes, T.P.; Wagner, J.E. 2000. An economic evaluation of fusiform rust protection research. *Southern Journal of Applied Forestry*. 24(2): 77–85.
- Dawson, Chad. 1996. Changes in recreational and open space opportunities. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 120–126.
- Dawson, Chad P.; Grudens, Ken; Gould, Diana. 1993. Recreation and open space. In: Neville, L. Robert; Zipperer, Wayne C., tech. coords. New York-New Jersey Highlands regional study: analysis of selected resources. NA-TP-04-93. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry: 54–66.
- DeBald, Paul S. 1982. Small-farm woodlands: other forest interests for small-scale agriculture. In: Kerr, Howard W.; Knutson, Lloyd, eds. Research for small farms: Proceedings of the special symposium; 1981 November 15–18; Beltsville, MD. Misc. Publ. 1422. Beltsville, MD: U.S. Department of Agriculture, Agricultural Research Service: 245–251.
- DeCoster, Lester A., ed. 2000. Proceedings of the forest fragmentation 2000 conference: sustaining private forests in the 21st century; 2000 September 17–20; Annapolis, MD. Alexandria, VA: Sampson Group, Inc. 382 p. <http://www.sampsongroup.com>. [Date accessed: August 2001].

- DeForest, C.E.; Harris, T.G., Jr.; Cabbage, F.W.; Carlton, S.C. 1990. Timberland “erosion”: urbanization and the loss of timberland. In: Proceedings of the Society of American Foresters national convention; 1990 July 29–August 1; Washington, DC. Bethesda, MD: Society of American Foresters: 569–570.
- Dennis, Donald F. 1990. Factors influencing posting of private nonindustrial forests in the Northeast. In: More, Thomas A. [and others]: Proceedings of the 1990 Northeastern recreation research symposium; 1990 February 25–28; Saratoga Springs, NY. Gen. Tech. Rep. NE–145. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 191–194.
- Dennis, Donald F. 1990. Factors influencing recreational use of private woodland. Res. Note NE–341. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 3 p.
- Dubois, Mark R.; Straka, Thomas J.; Doolittle, Larry. 1991. Forestry and Mississippi’s forest resources—their economic importance. Bull. 971. Mississippi State, MS: Mississippi Agriculture and Forestry Experiment Station. 41 p.
- Earles, J.M. 1973. Forest area statistics for Midsouth counties. Resour. Bull. SO–40. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 64 p.
- Ek, Alan R.; ZumBahlen, Bruce, comps. 1999. Improving forest productivity for timber—a key to sustainability: Conference proceedings; 1998 December 1–3; Duluth, MN. St. Paul, MN: University of Minnesota, Department of Forestry. 334 p. http://www.cnr.umn.edu/FR/conferenceinfo/proceedings/improving_forest_productivity/index.html. [Date accessed: August 2001].
- Flather, Curtis H.; Hoekstra, Thomas W.; Chalk, David E. [and others]. 1989. Recent historical and projected regional trends of white-tailed deer and wild turkey in the Southern United States. Gen. Tech. Rep. RM–172. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- Fortmann, Louise. 1990. The role of professional norms and beliefs in the agency-client relations of natural resource bureaucracies. *Natural Resources Journal*. 30(2): 361–380.
- Frayser, W.E., ed. 1979. Forest resource inventories: Proceedings of a workshop; 1979 July 23–26; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forest and Wood Sciences: 1–513, Vol 1; 514–1037, Vol. 2.
- Gansner, David A.; Birch, Thomas W.; Arner, Stanford L.; Zarnoch, Stanley J. 1990. Cutting disturbance on New England timberlands. *Northern Journal of Applied Forestry*. 7(3): 118–120.
- Grigal, D.F.; Bates, P.C. 1997. Assessing impacts of forest harvesting—the Minnesota experience. *Biomass and Bioenergy*. 13(4–5): 213–222.
- Habitat Plan Conservation Committee. 1992. Administrative draft: northern spotted owl habitat conservation plan for private forestlands in California. [Location of publisher unknown]: California Board of Forestry. 259 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2014. [Date accessed: September 2001].
- Harris, Tom; DeForest, Christopher. 1994. Policy implications of timberland loss, fragmentation, and urbanization in Georgia and the Southeast. In: Wear, David N.; Talmon, Judy, eds. Policy and forestry: design, evaluation, and spillovers; Proceedings of the 1993 southern forest economics workshop; 1993 April 21–23; Durham, NC. Durham, NC: Duke University, School of the Environment: 79–87.
- Haugen, David E.; Piva, Ronald J.; Kingsley, Neal P.; Harsel, Robert A. 1999. North Dakota’s forest resources, 1994. Res. Pap. NC–336. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 101 p.
- Hotvedt, James E.; Thomas, Charles E. 1986. Impacts of changes in the commercial forest land base on the long-term timber supply potential in Louisiana. Res. Pap. SO–230. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 18 p.
- Jaakko Poeyry Consulting, Inc. 1992. Economics and management issues: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 199 p. <http://www.iic.state.mn.us/download/geis/soils/forsoil.pdf>. [Date accessed: June 2003].

- Jaakko Poyry Consulting, Inc. 1992. Public forestry organizations and policies: a background paper for a generic environmental impact statement study on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poyry Consulting, Inc. 137 p. <http://www.iic.state.mn.us/download/geis/puborg/puborg.pdf>. [Date accessed: June 2003].
- Jakes, Pamela J.; Smith, W. Brad. 1982. A second look at North Dakota's timber land. Resour. Bull. NC-58. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 86 p.
- Kelly, John F. 1989. USFS survey provides a picture of Mississippi's changing forests. *Tree Talk* (Jackson, MS). 12(2): 24, 26-30.
- Kingsley, Neal P. 1988. Role of the wildlife manager in nonindustrial private forest management. *Transactions of the North American Wildlife and Natural Resources Conference*. 53: 33-40.
- Kline, Jeffrey D.; Alig, Ralph J. 1999. Does land use planning slow the conversion of forest and farm lands? *Growth and Change*. 30(1): 3-22.
- Knapp, Gunnar Paulsen. 1981. The supply of timber from nonindustrial private forests. New Haven, CT: Yale University. 231 p. Ph.D. dissertation.
- Lake States Forestry Alliance. 1995. Forest resource trends and opportunities in the Lake States: a continuing resources renaissance. Hayward, WI: Lake States Forestry Alliance, Inc. 39 p.
- Leatherman, J.C.; Marcouiller, D.W. 1996. Income distribution characteristics of rural economic sectors: implications for local development policy. *Growth and Change*. 27(4): 434-459.
- Leatherman, J.C.; Marcouiller, D.W. 1996. Persistent poverty and natural resource dependence: rural development policy analysis that incorporates income distribution. *Journal of Regional Analysis and Policy*. 28(2): 73-93.
- Leatherman, J.C.; Marcouiller, D.W. 1999. Study area specification in forestry economic impact analysis: modifying county-level secondary data. *Northern Journal of Applied Forestry*. 16(3): 129-136.
- Lueck, Dean; Michael, Jeffrey A. 2000. Preemptive habitat destruction under the Endangered Species Act. In: Effectiveness of resource and environmental regulation; 2000 June 11-13; La Jolla, CA. Berkeley, CA: Association of Environmental and Resource Economists Workshop 2000. 54 p. <http://are.berkeley.edu/~peter/AERE%20Papers/lueck.pdf>. [Date accessed: August 2001].
- Marcouiller, D.W.; Lewis, D.K. 1994. Development and use of a supply-determined social accounting matrix to evaluate economic impacts of forest productivity on distribution of regional factor income. In: Wear, David N.; Talmon, Judy, eds. *Policy and forestry: design, evaluation, and spillovers: Proceedings of the 1993 southern forest economics workshop; 1993 April 21-23; Durham, NC*. Durham, NC: Duke University, School of the Environment: 238-247.
- Marcouiller, David W.; Lewis, David K.; Schreiner, Dean F. 1996. Timber production factor shares by forest tenancy group. *Land Economics*. 72(3): 358-369.
- Marcouiller, David W.; Schreiner, Dean F.; Lewis, David K. 1995. Distributive economic impacts of intensive timber production. *Forest Science*. 41(1): 122-139.
- Marcouiller, David W.; Schreiner, Dean F.; Lewis, David K. 1996. The impact of forest land use on regional value added. *Review of Regional Studies*. 26(2): 211-233.
- Marcouiller, David W.; Stier, Jeffrey C. 1997. Income distribution and alternative forest management regimes: a case study from the U.S. Lake States. In: *Policies, institutions and means for sustainable forestry development: Proceedings of the 11th world forestry congress; 1997 October 13-22; Antalya, Turkey*. Tech. Rep. Ankara, Turkey: UN-FAO and IUFRO. 11 p.
- Marcouiller, David W.; Stier, Jeffrey C. 2000. Modeling the regional economic aspects of forest management alternatives. In: Vasievich, J. Michael; Fried, Jeremy S.; Leefers, Larry A., eds. *Seventh symposium on systems analysis of forest resources; 1997 May 28-31; Traverse City, MI*. Gen. Tech. Rep. NC-205. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 411-420.
- Marcouiller, David William. 1992. Development and use of a supply-determined social accounting matrix to evaluate economic impacts of forest productivity on distribution of regional factor income. Stillwater, OK: Oklahoma State University. 284 p. Ph.D. dissertation.

- McDill, Marc E.; Tucker, Denis. 1997. Projecting the industrial and nonindustrial timber resources of Louisiana with STRIPS. In: Kluender, Richard A.; Corrigan, Marc M.; Smith, Nancy B., eds. Valuing nontimber forest resources: timber primacy is passe': Proceedings of the 1997 southern forest economics workers meeting; 1997 March 19–21; Little Rock, AR. Monticello, AR: University of Arkansas, Arkansas Forest Resources Center: 114–119.
- McGinnis, Wendy J.; Phillips, Richard H.; Connaughton, Kent P. 1996. County portraits of Oregon and northern California. Gen. Tech. Rep. PNW–GTR–377. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 315 p.
- McGinnis, Wendy J.; Phillips, Richard H.; Raettig, Terry L.; Connaughton, Kent P. 1997. County portraits of Washington State. Gen. Tech. Rep. PNW–GTR–400. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 262 p.
- McGuire, Michael Noel. 2000. Measuring the perception of scarcity of the veneer log resource in the Lake States: Illinois and Indiana. East Lansing, MI: Michigan State University. 145 p. M.S. thesis.
- McMinn, James W.; Hardt, Richard A. 1996. Accumulations of coarse woody debris in southern forests. In: McMinn, James W.; Crossley, D.A., eds. Proceedings of the workshop on coarse woody debris in southern forests: effects on biodiversity; 1993 October 18–20; Athens, GA. Gen. Tech. Rep. SE–94. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 1–9.
- McWilliams, W.H. 1990. Harvest activity and residual pine stocking on private lands of six South-Central coastal States, U.S.A. Southern Journal of Applied Forestry. 14(2): 50–63.
- McWilliams, William H.; Arner, Stanford L.; Birch, Thomas W.; Widmann, Richard H. 1996. Cutting activities in New York forest. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 33–40.
- Miles, Patrick D.; Brand, Gary J.; Alerich, Carol L. [and others]. 2001. The forest inventory and analysis database: database description and users manual. Version 1.0. Gen. Tech. Rep. NC–218. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 130 p.
- Moffat, Steverson O.; Cabbage, Frederick W.; Cascio, Anthony J.; Sheffield, Raymond M. 1999. The future of forest management on NIPF lands in the South: results of an expert opinion survey. In: Abt, K.L.; Abt, R.C., eds. SOFEW '98: Proceedings of the 1998 southern forest economics workshop; 1998 March 25–27; Williamsburg, VA. Research Triangle Park, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 17–24.
- Murphy, Dennis Leland. 1981. A decision support system approach to timber harvest scheduling. St. Paul, MN: University of Minnesota. 200 p. Ph.D. dissertation.
- O'Brien, Renee A. 1999. Comprehensive inventory of Utah's forest resources, 1993. RMRS–RB–1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 105 p.
- Olsen, Anthony R.; Schreuder, H.T. 1997. Perspectives on large-scale natural resource surveys when cause-effect is a potential issue. Environmental and Ecological Statistics. 4(2): 167–180.
- Outcalt, Kenneth W. 2000. Occurrence of fire in longleaf pine stands in the Southeastern United States. In: Moser, W. Keith; Moser, Cynthia E., eds. Fire and forest ecology: innovative silviculture and vegetation management. Tall Timbers Fire Ecology Conference Proceedings 21. Tallahassee, FL: Tall Timbers Research Station: 178–182.
- Outcalt, Kenneth W.; Sheffield, Raymond M. 1996. The longleaf pine forest: trends and current conditions. Resour. Bull. SRS–9. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 23 p.
- Pacheco Lopez, Gerardo. 1996. Empirical modeling of timber supply in the United States. Raleigh, NC: North Carolina State University. 215 p. Ph.D. dissertation.
- Parks, Peter John. 1986. The influence of economic and demographic factors on forest land use decisions. Berkeley, CA: University of California. 96 p. Ph.D. dissertation.

- Plantinga, Andrew; Buongiorno, Joseph; Alig, Ralph J.; Spencer, John S., Jr. 1989. Timberland area change in the Lake States: past trends, causes, and projections. Res. Pap. NC-287. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 17 p.
- Plantinga, Andrew; Mauldin, Thomas; Alig, Ralph J. 1999. Land use in Maine: determinants of past trends and projections of future changes. Res. Pap. PNW-RP-511. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 20 p.
- Potter-Witter, Karen; Leefers, Larry A.; Vasievich, J. Michael. 2000. Lake States timber supply and analysis model: LASTISA. In: Vasievich, J. Michael; Fried, Jeremy S.; Leefers, Larry A., eds. Seventh symposium on systems analysis of forest resources; 1997 May 28-31; Traverse City, MI. Gen. Tech. Rep. NC-205. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 404-410.
- Prestemon, J.P.; Wear, D.N. 2000. Linking harvest choices to timber supply. *Forest Science*. 46(3): 377-389.
- Prestemon, Jeffrey P.; Wear, David N. 1999. Inventory effects on aggregate timber supply. In: Abt, K.L.; Abt, R.C., eds. SOFEW '98: Proceedings of the 1998 southern forest economics workshop; 1998 March 25-27; Williamsburg, VA. Research Triangle Park, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 26-32.
- Pugh, Scott A.; Reed, David D.; Pregitzer, Kurt S.; Miles, Patrick D. 2001. FIAMODEL: user's guide [CD-ROM]. Version 3.0. Revised. Houghton, MI: Michigan Technological University, School of Forestry and Wood Products. 46 p.
- Quigley, Thomas M.; Haynes, Richard W.; Graham, Russell T., tech. eds. 1996. Integrated scientific assessment for ecosystem management in the Interior Columbia Basin and portions of the Klamath and Great Basins. Gen. Tech. Rep. PNW-GTR-382. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 303 p.
- Reams, Gregory A.; McCollum, Joseph M. 1999. Predicting the probability of stand disturbance. In: Haywood, James D., ed. Proceedings of the tenth biennial southern silvicultural research conference; 1999 February 16-18; Shreveport, LA. Gen. Tech. Rep. SRS-30. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 588-592.
- Resh, Sigrid. 1994. Assessing the availability of timberland for harvest in the Lake States. East Lansing, MI: Michigan State University. 201 p. M.S. thesis.
- Rosson, James Forrest, Jr. 1999. An analysis of the temporal dynamics in tree species diversity for major tree taxa of two States in the Midsouth, United States of America. Knoxville, TN: University of Tennessee. 226 p. Ph.D. dissertation.
- Rudis, Victor A. 1992. Agroforestry in the South Central U.S.: regional distribution and forest resource characteristics. In: Proceedings of the 56th annual meeting of the Mississippi Academy of Sciences; 1992 February 13-14; Biloxi, MS. *Journal of the Mississippi Academy of Sciences*. 37: 27.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30-31; North Little Rock, AR. Gen. Tech. Rep. SRS-41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24-45.
- Scarpa, Riccardo. 1999. Assessing the amenity value of forests, with applications to Wisconsin and Ireland. Madison, WI: University of Wisconsin. 140 p. Ph.D. dissertation.
- Schaberg, R.H.; Holmes, T.P.; Lee, K.J.; Abt, R.C. 1999. Ascribing value to ecological process: an economic view of environmental change. *Forest Ecology and Management*. 114: 329-338.
- Schmidt, Thomas L. 1999. Comparing potential with realized productivity: developing a management strategy. In: Ek, Alan R.; ZumBahlen, Bruce, comps. Improving forest productivity for timber—a key to sustainability: Proceedings of a conference; 1998 December 1-3; Duluth, MN. St. Paul, MN: University of Minnesota, Department of Forestry: 49-56.
- Schmidt, Thomas L.; Raile, Gerhard K. 1999. Forest fragmentation in the Lake States. In: Proceedings of the Society of American Foresters national convention; 1998 September 19-23; Traverse City, MI. SAF-99-01. Bethesda, MD: Society of American Foresters: 107-115.
- Schmidt, Thomas L.; Spencer, John S., Jr.; Hansen, Mark H. 1996. Old and potential old forest in the Lake States, U.S.A. *Forest Ecology and Management*. 86: 81-96.

- Schweitzer, Callie Jo. 2000. Forest statistics for Tennessee, 1999. Resour. Bull. SRS-52. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 78 p.
- Sheffield, Raymond M. 1981. Multiresource inventories: techniques for evaluation of nongame bird habitat. Res. Pap. SE-218. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 28 p.
- Sheffield, Raymond M.; Birch, Thomas W.; McWilliams, William H.; Tansey, John B. 1998. *Chamaecyparis thyoides* (Atlantic white cedar) in the United States: extent and characterization using broad-scale inventory data. In: Laderman, Aimlee D., ed. Coastally restricted forests. New York: Oxford University Press: 111-123.
- Sheffield, Raymond M.; Dickson, James G. 1998. The South's forestland—on the hot seat to provide more. Transactions of the North American Wildlife and Natural Resources Conference. 63: 316-331.
- Sheffield, Raymond Marshall. 1978. Techniques for using regional multiresource inventory data to evaluate nongame bird habitat. Raleigh, NC: North Carolina State University. 76 p. M.F. report..
- Shih, Tiang-Tin. 1998. The land base of California's forests. Sacramento, CA: California Department of Forestry and Fire Protection, Fire and Resource Assessment Program. 18 p. http://frap.cdf.ca.gov/projects/forest_extent/forest_extent.pdf. [Date accessed: August 24, 2001].
- Spencer, John S., Jr.; Jakes, Pamela J. 1980. Iowa forest resources 1974. Resour. Bull. NC-52. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 90 p.+ map.
- Stone, Robert N.; McKeever, David B. 1983. Estimating timber production for U.S. farm and other private forests. In: Royer, Jack P.; Risbrudt, Christopher D., eds. Nonindustrial private forests: a review of economic and policy studies: Proceedings of a symposium; 1983 April 19-20; Durham, NC. Durham, NC: Duke University, School of Forestry and Environmental Studies: 37-50.
- Straka, Thomas James. 1981. A long-run timber output projection model for the nonindustrial private forest sector. Blacksburg, VA: Virginia Polytechnic Institute and State University. 181 p. Ph.D. dissertation.
- Tormoehlen, Barbara; Gallion, Joey; Schmidt, Thomas L. 2000. Forests of Indiana: a 1998 overview. NA-TP-03-00. St. Paul, MN: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry. 18 p. <http://www.na.fs.fed.us/spfo/pubs/misc/in98forests/webversion/index.htm#Table>. [Date accessed: June 2003].
- Tuazon, Raul Naranja. 1992. An econometric analysis of nonindustrial timber supply: implications of demographic change. Berkeley, CA: University of California. 105 p. Ph.D. dissertation.
- Turner, David P.; Koerper, Greg J.; Harmon, Mark E.; Lee, Jeffrey J. 1995. A carbon budget for forests of the conterminous United States. Ecological Applications. 5(2): 421-436.
- U.S. Department of Agriculture, Forest Service. 1999. Ozark-Ouachita Highlands assessment: social and economic conditions. Rep. 4 of 5. Gen. Tech. Rep. SRS-34. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 299 p.
- Wall, Brian R. 1978. Timber resources of the Sacramento area, California, 1972. Resour. Bull. PNW-73. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 62 p.
- Williams, Michael S.; Schreuder, Hans T.; Czaplowski, Raymond L. 2001. Accuracy and efficiency of area classifications based on tree tally. Canadian Journal of Forest Research. 31(3): 556-560.
- Williams, Richard Alan. 1990. Determining the availability of hardwood timber on non-industrial private forest land in southeast Texas. College Station, TX: Texas A&M University. 212 p. Ph.D. dissertation.
- Zheng, Daolan; Alig, Ralph J. 1999. Changes in the non-Federal land base involving forestry in western Oregon, 1961-94. Res. Pap. RP-PNW-518. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 22 p.

Range: Citations with range (“agroforest,” “browse,” “forage,” “grazed,” “grazing,” “livestock,” or “rangeland”) in the title.

- Allen, Barbara H.; Evett, Rand R.; Holzman, Barbara A.; Martin, Ayn J. 1989. Rangeland cover type descriptions for California hardwood rangelands. California Dep. For. and Fire Prot. Contract 8CA63912. Berkeley, CA: University of California, Department of Forestry and Resource Management. 326 p.
- Barnes, Robert Brooks. 1975. A quantitative evaluation of winter deer browse in southern New Hampshire forests. Durham, NH: University of New Hampshire. 96 p. M.S. thesis.
- Bartolome, James R.; Huntsinger, Lynn. 1986. Forest grazing in California’s western Sierra Nevada: a report to the California Department of Forestry and Fire Protection. Contract 8CA63850. Berkeley, CA: University of California, Department of Forestry and Resource Management. 148 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2084. [Date accessed: August 2001].
- Czaplewski, Raymond L.; Cost, Noel D. 1985. Photointerpretation of wildlife, recreation, and livestock-grazing variables on one-acre forest plots in South Carolina. In: Oderwald, Richard G.; Burkhart, Harold E.; Burk, Thomas E., eds. Use of auxiliary information in natural resource inventories: Proceedings; 1985 October 1–2; Blacksburg, VA. SAF 86–01. Blacksburg, VA: Virginia Polytechnic Institute and State University, School of Forestry and Wildlife Resources: 24–37.
- Ewing, Robert A.; Tosta, Nancy; Tuazon, Raul [and others]. 1988. California’s forests and rangelands: growing conflict over changing uses. Sacramento, CA: California Department of Forestry and Fire Protection, Forest and Rangeland Resources Assessment Program (FRRAP). 348 p. + appendices. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=1756. [Date accessed: August 2001].
- Huntsinger, L.; Buttolph, L.; Hopkinson, P. 1997. Changes in ownership, use, and management of California’s hardwood rangelands, 1985–1992. *Journal of Range Management*. 50: 423–430.
- Huntsinger, Lynn; Hopkinson, P. 1996. Sustaining rangeland landscapes: a social and ecological process. *Journal of Range Management*. 49: 167–173.
- Joyce, Linda A. 1988. Regional forage model. In: Gelinas, R.; Bond, D.; Smit, B., eds. Perspectives on land modelling: Proceedings of a workshop; 1986 November 17–20; Toronto, Canada. Montreal, Canada: Polyscience Publications Inc: 17–26.
- Joyce, Linda A. 1989. An analysis of the range forage situation in the United States: 1989–2040. Gen. Tech. Rep. RM–180. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 137 p.
- Joyce, Linda A.; Flather, Curtis H.; Flebbe, Patricia A. [and others]. 1990. Integrating forage, wildlife, water, and fish projections with timber projections at the regional level: a case study in the Southern United States. *Environmental Management*. 14(4): 489–500.
- Mitchell, John E. 2000. Rangeland resource trends in the United States: a technical document supporting the 2000 U.S. Department of Agriculture, Forest Service, RPA assessment. Gen. Tech. Rep. RMRS–GTR–68. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 84 p.
- Pearson, Henry A.; Sternitzke, Herbert S. 1976. Deer browse inventories in the Louisiana Coastal Plain. *Journal of Wildlife Management*. 40(2): 326–329.
- Ripley, Thomas H.; McClure, Joe P. 1963. Deer browse resources of north Georgia. *Resour. Bull.* SE–2. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 20 p.
- Rudis, Victor A. 1992. Agroforestry in the South-Central U.S.: regional distribution and forest resource characteristics. In: Proceedings of the 56th annual meeting of the Mississippi Academy of Sciences; 1992 February 13–14; Biloxi, MS. *Journal of the Mississippi Academy of Sciences*. 37: 27.

- Rudis, Victor A. 1992. Agroforestry's regional importance: forest resources and owner characteristics associated with livestock grazing in the South-Central United States [Abstract]. In: The fourth North American symposium on society and resource management: book of abstracts; 1992 May 17–20; Madison, WI. Madison, WI: University of Wisconsin, College of Agriculture and Life Sciences: 127–128.
- Schmidt, Thomas L.; Hansen, Mark H. 1998. Comparing grazed and ungrazed forests in Kansas. *Northern Journal of Applied Forestry*. 15(4): 216–221.
- Shands, William E., ed. 1981. A citizen's guide to the Forest and Rangeland Renewable Resources Planning Act: U.S. Department of Agriculture, Forest Service, and The Conservation Foundation. FS-365. Washington, DC: U.S. Government Printing Office. 200 p. + appendices.
- Sternitzke, Herbert S. 1976. Grazing potential of Louisiana pine forest-ranges. Res. Note SO-203. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 2 p.
- Wikstrom, John H.; Hoekstra, Thomas W. 1981. The analytical basis for integrated forest and rangeland ecosystem inventory. In: Arid land resource inventories: developing cost-efficient methods: Proceedings of an international workshop; 1980 November 30–December 6; La Paz, Mexico. Gen. Tech. Rep. WO-28. Washington, DC: U.S. Department of Agriculture, Forest Service: 56–61.
- Range:** Citations with “agroforest,” “browse,” “forage,” “grazed,” “grazing,” “livestock,” or “rangeland” only in the abstract or annotation
- Bolsinger, Charles L. 1988. The hardwoods of California's timberlands, woodlands, and savannas. *Resour. Bull. PNW-148*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 50 p.
- Cole, Thomas G.; Falanruw, Marjorie C.; MacLean, Colin D. [and others]. 1987. Vegetation survey of the Republic of Palau. *Resour. Bull. PSW-22*. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 13 p. + 17 maps.
- Cole, Thomas G.; Whitesell, Craig D.; Whistler, W. Arthur [and others]. 1988. Vegetation survey and forest inventory, American Samoa. *Resour. Bull. PSW-25*. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 14 p. + 4 maps.
- Dissmeyer, George E.; Cost, Noel D. 1984. Multiresource inventories: watershed condition of commercial forest land in South Carolina. Res. Pap. SE-247. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 26 p.
- Falanruw, Marjorie C.; Cole, Thomas G.; Ambacher, Alan H. 1989. Vegetation survey of Rota, Tinian, and Saipan, Commonwealth of the Northern Mariana Islands. *Resour. Bull. PSW-27*. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 11 p. + 13 maps.
- Falanruw, Marjorie C.; Cole, Thomas G.; Ambacher, Alan H. [and others]. 1987. Vegetation survey of Moen, Dublon, Fefan and Eten, State of Truk, Federated States of Micronesia. *Resour. Bull. PSW-20*. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 6 p. + maps.
- Falanruw, Marjorie C.; Whitesell, Craig D.; Cole, Thomas G. [and others]. 1987. Vegetation survey of Yap, Federated State of Micronesia. *Resour. Bull. PSW-21*. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p. + maps.
- Flather, Curtis H.; Hoekstra, Thomas W.; Chalk, David E. [and others]. 1989. Recent historical and projected regional trends of white-tailed deer and wild turkey in the Southern United States. Gen. Tech. Rep. RM-172. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- Lund, H. Gyde; Iremonger, Susan. 2000. Omissions, commissions, and decisions: the need for integrated resource assessments. *Forest Ecology and Management*. 128(1–2): 3–10.

- MacLean, Colin D.; Cole, Thomas G.; Whitesell, Craig D. [and others]. 1986. Vegetation survey of Pohnpei, Federated State of Micronesia. Resour. Bull. PSW-18. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p. + maps.
- MacLean, Colin D.; Cole, Thomas G.; Whitesell, Craig D.; McDuffie, Katherine E. 1988. Timber resources of Babelthuap, Republic of Palau. Resour. Bull. PSW-23. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.
- MacLean, Colin D.; Whitesell, Craig D.; Cole, Thomas G.; McDuffie, Katherine E. 1988. Timber resources of Kosrae, Pohnpei, Truk, and Yap, Federated States of Micronesia. Resour. Bull. PSW-24. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.
- Muick, Pamela C.; Bartolome, James R. 1987. An assessment of natural regeneration of oaks in California. Final report to California Department of Forestry. Berkeley, CA: University of California. 129 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2012. [Date accessed: August 2001].
- Rudis, Victor A. 1988. Nontimber values of east Texas timberland. Resour. Bull. SO-139. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 34 p.
- Rudis, Victor A. 1995. Regional forest fragmentation effects on bottomland hardwood community types and resource values. *Landscape Ecology*. 10(5): 291-307.
- Rudis, Victor A. 1998. Regional estimation of depreciative uses in forested areas from point samples with geostatistics [Abstract]. In: Proceedings of the first international conference: geospatial information in agriculture and forestry: decision support, technology, and applications; 1998 June 1-3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 401. Vol. I.
- Rudis, Victor A. 1998. Regional forest resource assessment in an ecological framework: the Southern United States. *Natural Areas Journal*. 18(4): 319-332.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. Arkansas forests: a conference on the results of the recent forest survey of Arkansas: Proceedings of the symposium. 1997 May 30-31; North Little Rock, AR. Gen. Tech. Rep. SRS-41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24-45.
- Schweitzer, Callie Jo. 2000. Forest statistics for Tennessee, 1999. Resour. Bull. SRS-52. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 78 p.
- Standiford, Richard B. 1997. Growth of blue oak on California's hardwood rangelands [rangelands]. In: Pillsbury, Norman H.; Verner, Jared; Tietje, William D., tech. coords. Oak woodlands: ecology, management, and urban interface issues: Proceedings of a symposium; 1996 March 19-22; San Luis Obispo, CA. Gen. Tech. Rep. PSW-GTR-160. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 169-181.
- Vasievich, J. Michael; Hobrla, Sharon L. 1997. Tree species diversity in Lake State hardwood forests. In: Webster, Henry H.; Vasievich, J. Michael, tech. coords. Lake States regional forest resources assessment: technical papers. Gen. Tech. Rep. NC-189. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 108-112.
- Whitesell, Craig D.; MacLean, Colin D.; Falanruw, Marjorie C. [and others]. 1986. Vegetation survey of Kosrae, Federated State of Micronesia. Resour. Bull. PSW-17. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.

Recreation opportunity and remote and roadless areas: Citations with “recreation,” “road,” or “remote forest” in the title

- Anderson, D.H.; Freimund, W.A.; Pitt, D.G. 1992. Developing a recreation resource inventory model (RRIM) for forest planning and management. In: Sievanen, T., ed. Nordic outdoor recreation: international comparative studies: Proceedings of the workshop; 1992 September 9-10; Siuntio, Finland. Res. Pap. 439. Helsinki, Finland: Finnish Forest Research Institute: 72-88.

- Czaplewski, Raymond L.; Cost, Noel D. 1985. Photointerpretation of wildlife, recreation, and livestock-grazing variables on one-acre forest plots in South Carolina. In: Oderwald, Richard G.; Burkhart, Harold E.; Burk, Thomas E., eds. Use of auxiliary information in natural resource inventories: Proceedings; 1985 October 1–2; Blacksburg, VA. SAF 86–01. Blacksburg, VA: Society of American Foresters; Virginia Polytechnic Institute and State University, School of Forestry and Wildlife Resources: 24–37.
- Dawson, Chad. 1996. Changes in recreational and open space opportunities. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 120–126.
- Dawson, Chad P.; Grudens, Ken; Gould, Diana. 1993. Recreation and open space. In: Neville, L. Robert; Zipperer, Wayne C., tech. coords. New York-New Jersey Highlands regional study: analysis of selected resources. NA–TP–04–93. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry: 54–66.
- Dawson, Chad P.; Zipperer, Wayne C. 1992. Impacts of land use changes on recreation and open space in the New York-New Jersey Highlands region. In: Chavez, D.J., tech. coord. Proceedings of the symposium on social aspects and recreational research; 1992 February 19–22; Ontario, Canada. Gen. Tech. Rep. PSW–GTR–132. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 67–68.
- Dennis, Donald F. 1990. Factors influencing recreational use of private woodland. Res. Note NE–341. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 3 p.
- Freimund, W.A.; Anderson, D.H.; Pitt, D.G. 1996. Developing a recreation and aesthetic inventory framework for forest planning and management. *Natural Areas Journal*. 16(2): 108–117.
- Jaakko Poeyry Consulting, Inc. 1993. Recreation and aesthetic resources: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 138 p. + appendices. <http://www.iic.state.mn.us/download/geis/rec/rec.pdf>. [Date accessed: June 2003].
- Johnson, Rebecca L.; Bacon, Warren; White, Kenneth; Eixenberger, Don. 1988. Assessment of Oregon’s forest-related recreation. In: Lettman, Gary J., tech. ed. Assessment of Oregon’s forests: a collection of papers published by the Oregon State Department of Forestry. Salem, OR: Oregon State Department of Forestry, Forest Resources Planning Section: 1–16.
- Rudis, Victor A. 1983. Dispersed recreation inventory on commercial timberland. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry: 214–218.
- Rudis, Victor A. 1985. Timber surveys: potential for dispersed recreation resource assessments. In: Anderson, L.M., ed. 6th annual southeastern recreation research conference; 1984 August 16–17; Asheville, NC. Athens, GA: University of Georgia, Institute for Behavioral Research: 51–58.
- Rudis, Victor A. 1986. Emerging patterns in the distribution of roadless forested areas in the Midsouth. In: Kulhavy, David L.; Conner, Richard N., eds. Wilderness and natural areas in the Eastern United States: a management challenge: Proceeding of a symposium; 1985 May 13–15; Nacogdoches, TX. Nacogdoches, TX: Stephen F. Austin State University, Center for Applied Studies, School of Forestry: 265–270.
- Rudis, Victor A. 1987. Recreational use of forested areas by Alabama residents. Res. Pap. SO–237. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 37 p.
- Rudis, Victor A. 1990. A data base to assess the water, range, wildlife habitat, and biophysical recreation values and uses of forests in the United States. In: Gramann, James H., comp. Proceedings: the 3rd symposium on social science in resource management; 1990 May 16–19; College Station, TX. College Station, TX: Texas A&M University: 107–108.
- Rudis, Victor A. 1991. A recreation and landscape perspective of Alabama’s changing forest environment: the human character of forests. In: Jones, R.H., ed. Proceedings: Alabama’s forest resources: past, present and future; 1991 May 29–30; Auburn University, AL. Auburn, AL: Auburn University School of Forestry, Alabama Cooperative Extension Service: 93–114.

- Rudis, Victor A. 1991. Wildlife habitat, range, recreation, hydrology, and related research using forest inventory and analysis surveys: a 12-year compendium. Gen. Tech. Rep. SO-84. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 61 p.
- Rudis, Victor A. 2001. Land use, recreation, and wildlife habitats: GIS applications using FIA plot data. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17-18; Salt Lake City. Gen. Tech. Rep. SRS-47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 129-136.
- Rudis, Victor A.; Tansey, John B. 1995. Regional assessment of remote forests and black bear habitat from forest resource surveys. *Journal of Wildlife Management*. 59(1): 170-180.
- Saunders, Paul R. 1979. Results of a multiresource inventory: analysis of undeveloped rural recreation sites in South Carolina. In: Frayer, W.E., ed. Forest resource inventories; 1979 July 23-36; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forest and Wood Science. 1: 63-71.
- Saunders, Paul R. 1980. Analysis of U.S. Forest Service inventory data of the nondeveloped recreation resources in South Carolina: Southern Coastal Plain. Res. Rep. 18. Clemson, SC: Clemson University, Department of Recreation and Park Administration. 101 p.
- Saunders, Paul R. 1980. Analysis of U.S. Forest Service inventory data of the nondeveloped rural recreation resources in South Carolina: Northern Coastal Plain. Res. Rep. 17. Clemson, SC: Clemson University, Department of Recreation and Park Administration. 101 p.
- Saunders, Paul R. 1980. Characteristics of dispersed recreation from multiresource inventory plots in South Carolina. RPA 1980-7. Clemson, SC: Clemson University, Department of Recreation Resources. 15 p.
- Saunders, Paul R.; Stachoviak, William V.; Howard, Gordon E. 1979. Inventory of nondeveloped, rural recreation resources in South Carolina. Res. Rep. 12. Clemson, SC: Clemson University, Department of Recreation and Park Administration. 132 p.
- Saunders, Paul Richard. 1981. Application of multiresource data to recreation planning: Nantahala and Pisgah National Forests, North Carolina. Res. Rep. 29. Clemson, SC: Clemson University, Department of Recreation and Park Administration. 17 p.

Recreation opportunity and remote and roadless areas: Citations with “recreation,” “road,” or “remote forest” only in the abstract or annotation.

- Arney, Ken S. 1995. Forests of the South. [Place of publication unknown]: Southern Forest Based Economic Development Council. 24 p.
- Barlow, Stephen A.; Munn, Ian A.; Cleaves, David A.; Evans, David L. 1998. The effect of urban sprawl on timber harvesting: a look at two Southern States. *Journal of Forestry*. 96(12): 10-14.
- Barlow, Stephen Anthony. 1996. The influence of urbanization on timber harvest probability in Mississippi and Alabama. Mississippi State, MS: Mississippi State University. 56 p. M.S. thesis.
- Bechtold, William A.; Sheffield, Raymond M. 1991. Hardwood timber supplies in the United States. *TAPPI Journal*. 74(5): 111-116.
- Birdsey, Richard A.; Weaver, Peter L. 1982. The forest resources of Puerto Rico. Resour. Bull. SO-85. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 59 p.
- Bones, James T. 1978. The forest resources of West Virginia. Resour. Bull. NE-56. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 105 p.
- Boone, D. Daniel; Aplet, Gregory H. 1994. Sustaining biodiversity in the Southern Appalachians. The living landscape. Washington, DC: The Wilderness Society 76 p. + appendices. Vol. 4.
- Borges, Jose Guilherme Martins Dias Calvao. 1994. A modeling approach to spatial constraints in forest management. St. Paul, MN: University of Minnesota. 128 p. Ph.D. dissertation.

- Bowker, Bob; Jacobson, Theresa. 1995. 1995 Louisiana black bear recovery plan. Jackson, MS: U.S. Department of the Interior, Fish and Wildlife Service. 52 p. [Also available from: Fish and Wildlife Reference Service, 5430 Grosvenor Lane, Suite 110, Bethesda, MD 20814].
- Dissmeyer, George E.; Cost, Noel D. 1984. Multiresource inventories: watershed condition of commercial forest land in South Carolina. Res. Pap. SE-247. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 26 p.
- Faulkner, Joanne Lenahan. 1994. Hardwood timber in Mississippi: recent trends in the resource and its use. Mississippi State, MS: Mississippi State University. 129 p. M.S. thesis.
- Gunter, James T.; Hodges, Donald G.; Swalm, Christopher M.; Regens, James L. 1999. Predicting the urbanization of pine and mixed forests in St. Tammany Parish, Louisiana: a GIS application [CD-ROM]. In: 1999 ESRI international user conference; 1999 July 26-30; San Diego. Redlands, CA: Environmental Systems Research Institute, Inc. [Number of pages unknown]. <http://gis.esri.com/library/userconf/proc99/proceed/papers/pap190/p190.htm>. [Date accessed: June 2003].
- Haugen, David E.; Piva, Ronald J.; Kingsley, Neal P.; Harsel, Robert A. 1999. North Dakota's forest resources, 1994. Res. Pap. NC-336. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 101 p.
- Husain, Syed Arif. 1997. Spatial and dynamic analysis of timber and biomass supply in Minnesota. St. Paul, MN: University of Minnesota, Department of Applied Economics. 184 p. Ph.D. dissertation.
- Jaakko Poeyry Consulting, Inc. 1992. Water quality and fisheries: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 320 p. <http://www.iic.state.mn.us/download/geis/water/watermain.htm>. [Date accessed: June 2003].
- Jakes, Pamela J.; Smith, W. Brad. 1982. A second look at North Dakota's timber land. Resour. Bull. NC-58. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 86 p.
- Kline, Jeffrey D.; Alig, Ralph J. 1997. The impact of Oregon's land use planning program on forest and agricultural land retention. In: Proceedings of the thirty-first annual Pacific Northwest regional economic conference: regions in transition; 1997 April 24-26; Spokane, WA. Spokane, WA: Washington State University, College of Agriculture and Home Economics. 5 p. <http://coopext.cahe.wsu.edu/~pnrec97/kline2.htm>. [Date accessed: August 2001].
- Kline, Jeffrey D.; Moses, Alissa; Alig, Ralph J. 2001. Integrating urbanization into landscape-level ecological assessments. *Ecosystems*. 4(1): 3-18.
- Lake States Forestry Alliance. 1995. Forest resource trends and opportunities in the Lake States: a continuing resources renaissance. Hayward, WI: Lake States Forestry Alliance, Inc. 39 p.
- Leatherberry, E.C.; Spencer, J.S., Jr.; Schmidt, T.L.; Carroll, M.R. 1995. An analysis of Minnesota's fifth forest resources inventory. Resour. Bull. NC-165. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 102 p.
- Leatherberry, Earl C. 2001. A profile of Wisconsin's private forest landowners. *Woodland Management*. 22(1): 16-18.
- Leatherberry, Earl C.; Piva, Ronald J.; Josten, Gregory J. 2000. South Dakota's forest resources outside the Black Hills National Forest, 1996. Res. Pap. NC-338. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 103 p.
- Lister, Andrew; Riemann, Rachel; Hoppus, Michael. 2000. Use of regression and geostatistical techniques to predict tree species distributions at regional scales [CD-ROM]. In: 4th international conference on integrating GIS and environmental modeling (GIS/EM4): problems, prospects and research needs; 2000 September 2-8; Banff, Alberta, Canada. Boulder, CO: University of Colorado. [Number of pages unknown]. <http://www.colorado.edu/research/cires/banff/pubpapers/107/>. [Date accessed: June 2003].
- MacLean, Colin D. 1990. Changes in area and ownership of timberland in western Oregon: 1961-86. Resour. Bull. PNW-RB-170. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 13 p.
- May, Dennis M.; LeDoux, Chris B. 1992. Assessing timber availability in upland hardwood forests. *Southern Journal of Applied Forestry*. 16(2): 82-88.

- Moisen, Gretchen G.; Cutler, D. Richard; Edwards, Thomas C. 2000. Generalized linear mixed models for analyzing error in a satellite-based vegetation map of Utah. In: Mowrer, H. Todd; Congalton, Russell G., eds. Quantifying spatial uncertainty in natural resources: theory and applications for GIS and remote sensing. Chelsea, MI: Sleeping Bear Press: 37–43.
- Morton, Peter A. 1994. Charting a new course: national forests in the Southern Appalachians. The living landscape. Washington, DC: The Wilderness Society. 90 p. + appendix. Vol. 5.
- O'Brien, Renee A. 1999. Comprehensive inventory of Utah's forest resources, 1993. RMRS–RB–1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 105 p.
- Pillsbury, Norman H.; DeLasaux, Michael J.; Pryor, Robert D.; Bremer, Walter. 1991. Mapping and GIS database development for California's hardwood resources. Contract 8CA63963. Berkeley, CA: California Polytechnic State University, Natural Resources Management Department. 84 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2173. [Date accessed: June 2003].
- Powell, Douglas S.; Considine, Thomas J., Jr. 1982. An analysis of Pennsylvania's forest resources. Resour. Bull. NE–69. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 97 p.
- Powell, Douglas S.; Kingsley, Neal P. 1980. The forest resources of Maryland. Resour. Bull. NE–61. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 103 p. + map.
- Rudis, Victor A. 1988. Nontimber values of east Texas timberland. Resour. Bull. SO–139. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 34 p.
- Rudis, Victor A. 1988. Nontimber values of Louisiana's timberland. Resour. Bull. SO–132. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 27 p.
- Rudis, Victor A. 1998. Regional estimation of depreciative uses in forested areas from point samples with geostatistics [Abstract]. In: Proceedings of the first international conference: geospatial information in agriculture and forestry: decision support, technology, and applications; 1998 June 1–3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 401. Vol. I.
- Rudis, Victor A. 1998. Regional forest resource assessment in an ecological framework: the Southern United States. Natural Areas Journal. 18(4): 319–332.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24–45.
- Scarpa, Riccardo. 1999. Assessing the amenity value of forests, with applications to Wisconsin and Ireland. Madison, WI: University of Wisconsin. 140 p. Ph.D. dissertation.
- Schmidt, Thomas L.; Raile, Gerhard K. 1999. Forest fragmentation in the Lake States. In: Proceedings of the Society of American Foresters national convention; 1998 September 19–23; Traverse City, MI. SAF–99–01. Bethesda, MD: Society of American Foresters: 107–115.
- Schmidt, Thomas L.; Spencer, John S., Jr.; Hansen, Mark H. 1996. Old and potential old forest in the Lake States, USA. Forest Ecology and Management. 86: 81–96.
- Schmidt, Thomas L.; Wardle, Tom D. 1998. The forest resources of Nebraska. Res. Pap. NC–334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- Schultz, Robert P. 1997. Loblolly pine: the ecology and culture of loblolly pine (*Pinus taeda* L.). Agric. Handb. 713. Washington, DC: U.S. Department of Agriculture, Forest Service. 11 chapters + appendix. [FIA data used in chapter 1: 1–16 (Introduction: FIA statistics on the status of the resource); chapter 9: 1–36 (Multiple-use management of loblolly pine forest resources: FIA statistics on road proximity, slope, and associated recreational activities from 3 States with published data); chapter 10: 1–57 (Protection: FIA statistics on damage to loblolly pine trees across the South); chapter 11: 1–50 (Growth and yield: FIA statistics on growth, yield, and site index)].
- U.S. Environmental Protection Agency. 2000. Metals and pH TMDLs for the Elk River watershed, West Virginia. Section 4: technical approach. Philadelphia: U.S. Environmental Protection Agency, Region 3. [Number of pages unknown].

U.S. Environmental Protection Agency. 2000. Metals TMDLs for Little Kanawha River watershed, West Virginia. Philadelphia: U.S. Environmental Protection Agency, Region 3. [Number of pages unknown].

Zeide, Boris. 1994. Big projects, big problems. *Environmental Monitoring and Assessment*. 33(2): 115–133.

Tropical inventories: Citations with “tropics” in the title

Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. 1999. North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 533 p.

Anderson, Robert L.; Birdsey, Richard A.; Barry, Patrick J. 1982. Incidence of damage and cull in Puerto Rico’s timber resource, 1980. Resour. Bull. SO–88. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 13 p.

Birdsey, Richard A. 1983. Plot configurations for monitoring secondary forest regeneration in Puerto Rico. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry: 383–385.

Birdsey, Richard A.; Jimenez, Diego. 1985. The forests of Toro Negro. Res. Pap. SO–222. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 29 p.

Birdsey, Richard A.; Weaver, Peter L. 1982. The forest resources of Puerto Rico. Resour. Bull. SO–85. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 59 p.

Birdsey, Richard A.; Weaver, Peter L. 1983. Puerto Rico’s timberland. *Journal of Forestry*. 81(10): 671–672, 699.

Birdsey, Richard A.; Weaver, Peter L.; Nicholls, Calvin F. 1986. The forest resources of St. Vincent, West Indies. Res. Pap. SO–229. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 25 p.

Bolsinger, Charles L. 2000. Forest inventory information needs assessment for the territory of Guam, Republic of the Marshall Islands, and the State of Hawaii, with emphasis on the island of Maui: final report. Portland, OR: David Evans and Associates, Inc. 102 p. http://www.fs.fed.us/pnw/fia/pdf/pi/forest_inventory_information_needs_assessmentsfor_pi.pdf. [Date accessed: June 2003].

Buck, Michael G. 1987. Multi-resource forest inventories in the State of Hawaii. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 184–189.

Buck, Michael G.; Branam, Jeanine M.; Stormont, William T. 1988. The multiresource forest inventory for Kauai, Hawaii. Resour. Bull. PNW–RB–156. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 35 p.

Buck, Michael G.; Branam, Jeanine M.; Stormont, William T.; Costales, Patrick G. 1988. The multiresource forest inventory for Oahu, Hawaii. Resour. Bull. PNW–RB–155. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 35 p.

Cole, Thomas G.; Falanruw, Marjorie C.; MacLean, Colin D. [and others]. 1987. Vegetation survey of the Republic of Palau. Resour. Bull. PSW–22. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 13 p. + 17 maps.

Cole, Thomas G.; Whitesell, Craig D.; Whistler, W. Arthur [and others]. 1988. Vegetation survey and forest inventory, American Samoa. Resour. Bull. PSW–25. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 14 p. + 4 maps.

Falanruw, Marjorie C. 1989. Vegetation of Asuncion: a volcanic Northern Mariana Island. Resour. Bull. PSW–28. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 11 p.

- Falanruw, Marjorie C. 1992. Culture and resource management: factors affecting forests. In: Conrad, C. Eugene; Newell, Leonard A., tech. coords. Proceedings of the session on tropical forestry for people of the Pacific; 1991 May 27–28; Honolulu. Gen. Tech. Rep. PSW–GTR–129. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 31–36.
- Falanruw, Marjorie C.; Cole, Thomas G.; Ambacher, Alan H. 1989. Vegetation survey of Rota, Tinian, and Saipan, Commonwealth of the Northern Mariana Islands. Resour. Bull. PSW–27. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 11 p. + 13 maps.
- Falanruw, Marjorie C.; Cole, Thomas G.; Ambacher, Alan H. [and others]. 1987. Vegetation survey of Moen, Dublon, Fefan and Eten, State of Truk, Federated States of Micronesia. Resour. Bull. PSW–20. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 6 p. + maps.
- Falanruw, Marjorie C.; Whitesell, Craig D.; Cole, Thomas G. [and others]. 1987. Vegetation survey of Yap, Federated State of Micronesia. Resour. Bull. PSW–21. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p. + maps.
- Franco, Peter A.; Weaver, Peter L.; Eggen-McIntosh, Susan. 1997. Forest resources of Puerto Rico, 1990. Resour. Bull. SRS–22. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 45 p.
- Jacobi, James D. 1978. Vegetation map of the Kauai Forest Reserve and adjacent lands, Island of Hawaii. Resour. Bull. PSW–16. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 1 p. + map.
- MacLean, Colin D.; Cole, Thomas G.; Whitesell, Craig D. [and others]. 1986. Vegetation survey of Pohnpei, Federated State of Micronesia. Resour. Bull. PSW–18. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p. + maps.
- MacLean, Colin D.; Cole, Thomas G.; Whitesell, Craig D.; McDuffie, Katherine E. 1988. Timber resources of Babelthuap, Republic of Palau. Resour. Bull. PSW–23. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.
- MacLean, Colin D.; Whitesell, Craig D.; Cole, Thomas G.; McDuffie, Katherine E. 1988. Timber resources of Kosrae, Pohnpei, Truk, and Yap, Federated States of Micronesia. Resour. Bull. PSW–24. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.
- Metcalf, Melvin E.; Nelson, Robert E.; Petteys, Edwin Q.P.; Berger, John M. 1978. Hawaii's timber resources, 1970. Resour. Bull. PSW–15. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 20 p. [Traditional timber resource assessment, but in the tropics].
- Petteys, Edwin Q.P.; Peter, Salls; Rugg, Raymond; Cole, Thomas G. 1986. Timber volumes in the mangrove forests of Pohnpei, Federated State of Micronesia. Resour. Bull. PSW–19. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 2 p.
- Weaver, Peter L.; Birdsey, Richard A. 1986. Tree succession and management opportunities in coffee shade stands. *Turrialba*. 36(1): 47–58.
- Weaver, Peter L.; Birdsey, Richard A. 1990. Growth of secondary forest in Puerto Rico between 1980 and 1985. *Turrialba*. 40(1): 12–22.
- Weaver, Peter L.; Birdsey, Richard A.; Lugo, A.E. 1987. Soil organic matter in secondary forests of Puerto Rico. *Biotropica*. 19(1): 17–23.
- Whitesell, Craig D.; MacLean, Colin D.; Falanruw, Marjorie C. [and others]. 1986. Vegetation survey of Kosrae, Federated State of Micronesia. Resour. Bull. PSW–17. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.

Water quality: Citations with “soil” in the title

- David, Mark B.; Grigal, David F.; Ohmann, Lewis F.; Gertner, George Z. 1988. Sulfur, carbon, and nitrogen relationships in forest soils across the northern Great Lake States as affected by atmospheric deposition and vegetation. *Canadian Journal of Forest Research*. 18: 1386–1391.
- Dissmeyer, George E. 1979. Analysis of soils and hydrological data taken by renewable resources evaluation in South Carolina. In: Frayer, W.E., ed. *Forest resource inventories: Proceedings; 1979 July 23–26; Fort Collins, CO*. Fort Collins, CO: Colorado State University, Department of Forestry and Wood Sciences. 1: 38–47.
- Ferwerda, J.A. 1982. Cooperative effort of the U.S. Forest Service and the Soil Conservation Service inventory of natural resources in Maine, 1980–1982. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. *In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME*. SAF 82–02. Bethesda, MD: Society of American Foresters: 603–606.
- Grigal, D.F.; Brovold, S.; Nord, W.S.; Ohmann, L.F. 1989. Bulk density of surface soils and peat in the North Central United States. *Canadian Journal of Soil Science*. 69: 895–900.
- Grigal, D.F.; McRoberts, R.E.; Ohmann, L.F. 1991. Spatial variation in chemical properties of forest floor and surface mineral soil in the North Central USA. *Soil Science of America Journal*. 151(4): 282–290.
- Iverson, L.R.; Prasad, A.; Scott, C.T. 1996. Preparation of forest inventory and analysis (FIA) and State soil geographic data base (STATSGO) data for global change research in the Eastern United States. In: Hom, J.; Birdsey, R.; O’Brian, K, ed. *Proceedings, 1995 meeting of the northern global change program; 1995 March 14–16; Pittsburgh, PA*. Gen. Tech. Rep. NE–214. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 209–214.
- Jaakko Poeyry Consulting, Inc. 1992. *Forest soils: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota*. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 199 p. <http://www.iic.state.mn.us/download/geis/soils/forsoil.pdf>. [Date accessed: June 2003].
- Ohmann, Lewis F.; Grigal, David F. 1991. Properties of soils and tree wood tissue across a Lake States sulfate deposition gradient. *Resour. Bull. NC–130*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 65 p.
- Okoye, Michael Anayo. 1997. *Ecological database development and analyses of soil variability in northern New England*. Durham, NH: University of New Hampshire. 172 p. Ph.D. dissertation.
- Snyder, Dale E. 1982. Soil measurements for multiresource inventories. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. *In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME*. SAF 82–02. Bethesda, MD: Society of American Foresters: 333–338.
- van Hees, Willem W.S. 1984. Growth rate of western and mountain hemlock on four soil ecosystems in the Petersburg/Wrangell area of southeast Alaska. In: LaBau, Vernon J.; Kerr, Calvin L., eds. *Inventorying forest and other vegetation of the high latitude and high altitude regions: Proceedings of an international symposium; 1984 July 23–26; Fairbanks, AK*. SAF 84–11. Bethesda, MD: Society of American Foresters: 225–229.
- van Hees, Willem W.S. 1988. An approach to soil productivity assessment in southeast Alaska. In: Slaughter, Charles W.; Gasbarro, Tony, eds. *Proceedings of the Alaska forest soil productivity workshop; 1987 April 28–30; Anchorage, AK*. Gen. Tech. Rep. PNW–219. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 81–83.
- van Hees, Willem W.S. 1988. Simulated applications of empirical timber productivity equations for forest soils in southeastern Alaska. In: Ek, Alan R.; Shifley, Stephen R.; Burk, Thomas E., eds. *Forest growth modelling and prediction: Proceedings of the IUFRO conference; 1987 August 23–27; Minneapolis*. SAF 87–12. Gen. Tech. Rep. NC–120. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 2: 921–927.
- Weaver, Peter L.; Birdsey, Richard A.; Lugo, A.E. 1987. Soil organic matter in secondary forests of Puerto Rico. *Biotropica*. 19(1): 17–23.

Water quality: Citations with “soil” only in the abstract or annotation.

- Adamus, Paul; Brandt, Karla. 1990. Wooded wetland vegetation. In: Impacts on quality of inland wetlands of the United States: a survey of indicators, techniques, and applications of community level biomonitoring data. Rep. EPA/600/3-90/073. [Place of publication unknown]: U.S. Environmental Protection Agency. [Number of pages unknown]. Chapter 7. [Reissued in 1998 by U.S. Environmental Protection Agency, Office of Wetlands, Oceans and Watersheds; Adamus Resource Assessment, Inc., Corvallis, OR]. <http://www.epa.gov/OWOW/wetlands/wqual/woody.html>. [Date accessed: August 2001].
- Baker, Robert D. 1982. Sampling and mapping for use-value taxation—a Texas example. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME. SAF 82-02. Bethesda, MD: Society of American Foresters: 805–810.
- Berguson, W.E.; Grigal, D.F.; Bates, P.C. 1994. Relative stocking index—a proposed index of site quality. Canadian Journal of Forest Research. 24(7): 1330–1336.
- Birdsey, Richard A.; Weaver, Peter L. 1982. The forest resources of Puerto Rico. Resour. Bull. SO-85. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 59 p.
- Birth, Terry L.; Geron, Chris D. 1995. User's guide to the personal computer version of the biogenic emissions inventory system (PC-BEIS). Version 2.0. Research Triangle Park, NC: U.S. Environmental Protection Agency. [Number of pages unknown]. [Version 2.0 is no longer available. Versions 2.3 and higher can be obtained through <http://www.epa.gov/asmdnerl/biogen.html>]. [Date accessed: June 2003].
- Bishop, Larry M.; Redmond, Clair H. 1997. The Y-LT revisited: looking back after 10 years. In: Kluender, Richard A.; Corrigan, Marc M.; Smith, Nancy B., eds. Valuing non-timber forest resources: timber primacy is passe': Proceedings of the 1997 southern forest economics workers meeting; 1997 March 19–21; Little Rock, AR. Monticello, AR: Arkansas Forest Resources Center; University of Arkansas: 101–107.
- Brooks, Robert Thomas. 1984. An analysis of the use of national land use inventories for regional avian habitat assessments. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 186 p. Ph.D. dissertation.
- Brown, S.L.; Schroeder, P.E. 1999. Spatial patterns of aboveground production and mortality of woody biomass for Eastern U.S. forests. Ecological Applications. 9(3): 968–980.
- Cole, Thomas G.; Falanruw, Marjorie C.; MacLean, Colin D. [and others]. 1987. Vegetation survey of the Republic of Palau. Resour. Bull. PSW-22. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 13 p. + 17 maps.
- Coops, N.C.; Waring, R.H. 2001. Assessing forest growth across southwestern Oregon under a range of current and future global change scenarios using a process model, 3-PG. Global Change Biology. 7(1): 15–29.
- Cabbage, Frederick W.; Flather, Curtis H. 1993. Distribution and trends in southern forested wetlands. In: Brissette, John C., ed. Proceedings of the seventh biennial southern silvicultural research conference; 1992 November 17–19; Mobile, AL. Gen. Tech. Rep. SO-93. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 13–19.
- David, Mark B.; Gertner, George Z.; Grigal, David F.; Ohmann, Lewis F. 1989. Sulfur accumulation and atmospherically deposited sulfate in the Lake States. Res. Pap. NC-290. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 7 p.
- Eckhoff, Janet Dawn. 2000. Efficacy of forest health monitoring indicators to evince impacts on a chemically manipulated watershed. Orono, ME: University of Maine. 318 p. Ph.D. dissertation.
- Falanruw, Marjorie C.; Cole, Thomas G.; Ambacher, Alan H. 1989. Vegetation survey of Rota, Tinian, and Saipan, Commonwealth of the Northern Mariana Islands. Resour. Bull. PSW-27. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 11 p. + 13 maps.
- Falanruw, Marjorie C.; Cole, Thomas G.; Ambacher, Alan H. [and others]. 1987. Vegetation survey of Moen, Dublon, Fefan and Eten, State of Truk, Federated States of Micronesia. Resour. Bull. PSW-20. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 6 p. + maps.

- Falanruw, Marjorie C.; Whitesell, Craig D.; Cole, Thomas G. [and others]. 1987. Vegetation survey of Yap, Federated State of Micronesia. Resour. Bull. PSW-21. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p. + maps.
- Fan, Weihong; Randolph, J.C.; Ehman, Jeffrey L. 1998. Regional estimation of nitrogen mineralization in forest ecosystems using geographic information systems. *Ecological Applications*. 8(3): 734-747.
- Forest Resources Plan Steering Committee. 1996. New Hampshire forest resource plan. Manchester, NH: New Hampshire Department of Resources and Economic Development, Division of Forests and Lands. 111 p. <http://ceinfo.unh.edu/forestry/documents/NHFRP01>. [Date accessed: June 2003].
- Freyer, W.E., ed. 1979. Forest resource inventories. In: Proceedings, workshop; 1979 July 23-26; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forest and Wood Sciences :1-513, Vol. 1; 514-1037, Vol. 2.
- Frelich, Lee E. 1995. Old forest in the Lake States today and before European settlement. *Natural Areas Journal*. 15(2): 157-167.
- Friedman, Steven Kevin. 2001. Landscape scale forest composition and spatial structure: a comparison of the presettlement general land office survey and the 1990 forest inventory in northeastern Minnesota. St. Paul, MN: University of Minnesota. 159 p. Ph.D. dissertation.
- Garrison, George A.; Bjugstad, Ardell J.; Duncan, Don A. [and others]. 1977. Vegetation and environmental features of forest and range ecosystems. *Agric. Handb.* 475. Washington, DC: U.S. Department of Agriculture, Forest Service. 68 p.
- Grigal, D.F.; Bates, P.C. 1997. Assessing impacts of forest harvesting—the Minnesota experience. *Biomass and Bioenergy*. 13(4-5): 213-222.
- Grigal, D.F.; Ohmann, L.F. 1992. Carbon storage in upland forests of the Lake States. *Soil Science of America Journal*. 56: 935-943.
- Gutzweiler, Kevin J.; Strauss, Charles H.; Kinsley, Kevin R. [and others]. 1982. Relationships between land use and woodcock habitat in Pennsylvania, with guidelines for rangewide research. In: Dwyer, Thomas J.; Storm, Gerald L., tech. coords. Woodcock ecology and management: papers from the 7th woodcock symposium; 1980 October 28-30; University Park, PA. *Wildl. Res. Rep.* 14. Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service: 86-96.
- Heath, L.S.; Birdsey, R.A. 1993. Carbon trends of productive temperate forests of the coterminous United States. *Water, Air, and Soil Pollution*. 70(1-4): 279-293.
- Hornbeck, J.W.; Smith, R.B.; Federer, C.A. 1986. Growth decline in red spruce and balsam fir relative to natural processes. *Water, Soil, and Air Pollution*. 31: 425-430.
- House, Carol C.; Goebel, J. Jeffery; Schreuder, Hans T. [and others]. 1998. Prototyping a vision for inter-agency terrestrial inventory and monitoring: a statistical perspective. *Environmental Monitoring and Assessment*. 51(1-2): 451-463.
- Iverson, L.R. 1988. Land-use changes in Illinois USA: the influence of landscape attributes on current and historic land use. *Landscape Ecology*. 2(1): 45-62.
- Iverson, L.R.; Prasad, A.; Schwartz, M.W. 1999. Modeling potential future individual tree-species distributions in the Eastern United States under a climate change scenario: a case study with *Pinus virginiana*. *Ecological Modelling*. 115(1): 77-93.
- Iverson, L.R.; Prasad, A.M. 1998. Predicting abundance of 80 tree species following climate change in the Eastern United States. *Ecological Monographs*. 68: 465-485.
- Iverson, Louis R.; Prasad, Anantha M. 1996. Modeling present and future tree importance values in the Eastern United States [CD-ROM]. In: Third international conference on integrating environmental modeling and GIS; 1996 January 21-25; Santa Fe, NM. Santa Barbara, CA: National Center for Geographic Information and Analysis. [Number of pages unknown]. http://www.ncgia.ucsb.edu/conf/SANTA_FE_CD-ROM/sf_papers/iverson_louis/rta_ncgia.html. [Date accessed: August 2001].
- Jaakko Poeyry Consulting, Inc. 1992. Economics and management issues: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 199 p. <http://www.iic.state.mn.us/download/geis/soils/forsoil.pdf>. [Date accessed: June 2003].

- Leatherberry, Earl C.; Piva, Ronald J.; Josten, Gregory J. 2000. South Dakota's forest resources outside the Black Hills National Forest, 1996. Res. Pap. NC-338. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 103 p.
- Leatherberry, Earl C.; Schmidt, Thomas L.; Strickler, John K.; Aslin, Raymond G. 1999. An analysis of forest resources of Kansas. Res. Pap. NC-334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- MacLean, Colin D.; Cole, Thomas G.; Whitesell, Craig D. [and others]. 1986. Vegetation survey of Pohnpei, Federated State of Micronesia. Resour. Bull. PSW-18. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p. + maps.
- McNulty, S.G.; Moore, L.R.; Iverson, L.R. [and others]. 2000. Application of linked regional scale growth, biogeography, and economic models for Southeastern United States pine forests. *World Resources Review*. 12(2): 298-320.
- McNulty, S.G.; Vose, J.M.; Swank, W.T. [and others]. 1994. Regional-scale forest ecosystem modeling: database development, model predictions and validation using a geographic information system. *Climate Research*. 4: 223-231.
- McNulty, Steven G.; Vose, James M.; Swank, Wayne T. 1998. Predictions and projections of pine productivity and hydrology in response to climate change across the Southern United States. In: Mickler, Robert A.; Fox, Susan, eds. *The productivity and sustainability of southern forest ecosystems in a changing environment*. New York: Springer-Verlag: 391-405. Chapter 22.
- McWilliams, William H.; Tansey, John B.; Birch, Thomas W.; Hansen, Mark H. 1998. *Taxodium-Nyssa* (cypress-tupelo) forests along the coast of the Southern United States. In: Laderman, Aimlee D. *Coastally restricted forests*. Biol. Resour. Manage. Ser. New York: Oxford University Press: 257-270. Chapter 17.
- Morse, Rachel L. 1999. An intensification of the forest health monitoring program: a pilot study in two Indiana State parks. West Lafayette, IN: Purdue University. 120 p. M.S. thesis.
- Ohmann, Janet Lynn. 1996. Regional gradient analysis and spatial pattern of woody plant communities in Oregon. Corvallis, OR: Oregon State University. 196 p. Ph.D. dissertation.
- Ohmann, Lewis F.; Grigal, David F.; Shifley, Stephen R.; Berguson, William E. 1994. Vegetative characteristics of five forest types across a Lake States sulfate deposition gradient. Resour. Bull. NC-154. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 29 p.
- Owens, Karen Elizabeth. 2001. Development and analysis of current and presettlement forest cover mapping methods for the eastern Upper Peninsula of Michigan, Luce District. Houghton, MI: Michigan Technological University. 215 p. Ph.D. dissertation.
- Powell, Douglas S. 1990. Temporal and spatial variation in tree demography and species composition based on forest inventories of Maine. Durham, NC: Duke University. 267 p. Ph.D. dissertation.
- Powell, Douglas S.; Considine, Thomas J., Jr. 1982. An analysis of Pennsylvania's forest resources. Resour. Bull. NE-69. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 97 p.
- Powell, Douglas S.; Kingsley, Neal P. 1980. The forest resources of Maryland. Resour. Bull. NE-61. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 103 p. + map.
- Pugh, Scott A.; Reed, David D.; Pregitzer, Kurt S.; Miles, Patrick D. 2001. FIAMODEL: user's guide CD-ROM]. Version 3.0. Revised. Houghton, MI: Michigan Technological University, School of Forestry and Wood Products. 46 p.
- Rosson, James F., Jr. 1994. *Quercus stellata* growth and stand characteristics in the *Quercus stellata-Quercus marilandica* forest type in the cross timbers region of central Oklahoma. In: Fralish, James H. [and others]. *Proceedings of the North American conference on savannas and barrens: living on the edge; 1994 October 15-16; Normal, IL*. Chicago: U.S. Environmental Protection Agency, Great Lakes National Program Office: 329-333. <http://www.epa.gov/glnpo/oak/Proceedings/Rosson.html>. [Date accessed: September 2001].

- Rubin, Benjamin Dana. 1999. Predicting growth rate and relative importance of common tree species in the Adirondacks from environmental variables. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 88 p. M.S. thesis.
- Rudis, Victor A. 1992. Agroforestry in the South Central U.S.: regional distribution and forest resource characteristics. In: Proceedings of the 56th annual meeting of the Mississippi academy of sciences; 1992 February 13–14; Biloxi, MS. Journal of the Mississippi Academy of Sciences. 37: 27.
- Schmidt, Thomas L.; Spencer, John S., Jr.; Hansen, Mark H. 1996. Old and potential old forest in the Lake States, USA. Forest Ecology and Management. 86: 81–96.
- Schmidt, Thomas L.; Wardle, Tom D. 1998. The forest resources of Nebraska. Res. Pap. NC–334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- Schulte, Benedict Joseph. 1997. The Southpro computer program: effects of uneven-aged silviculture on the stand structure, species composition and economic returns on loblolly pine stands. Madison, WI: University of Wisconsin. 199 p. M.S. thesis.
- Sheffield, Raymond M.; Birch, Thomas W.; McWilliams, William H.; Tansey, John B. 1998. *Chamaecyparis thyoides* (Atlantic white cedar) in the United States: extent and characterization using broad-scale inventory data. In: Laderman, Aimlee D., ed. Coastally restricted forests. New York: Oxford University Press: 111–123.
- Smith, Marie-Louise. 2000. Landscape-scale prediction of forest productivity by hyperspectral remote sensing of canopy nitrogen. Durham, NH: University of New Hampshire. 70 p. Ph.D. dissertation.
- Solomon, Dale E.; Brann, Thomas B.; Caldwell, Lawrence E. 2000. Adaptation of FIBER for forest inventory and analysis growth projections in the State of Maine. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 580–586.
- Suarez, Maria del Rocio; Nyland, Ralph D.; Davis, Craig J. 1998. Assessment of forest growth zones for New York. Misc. Rep. NYCFRD–98–03. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. [Number of pages unknown]. <http://www.esf.edu/faculty/for/centerweb/nyland1.htm>. [Date accessed: September 2001].
- Tansey, John B.; Cost, Noel D. 1990. Estimating the forested wetland resource in the Southeastern United States with forest survey data. In: Jackson, Ben D., ed. Special issue: the international forested wetlands resource: identification and inventory: Proceedings of the international conference; 1988 September 19–22; Baton Rouge, LA. Forest Ecology and Management. 33/34(1–4): 193–214.
- Turner, David P.; Koerper, Greg J.; Harmon, Mark E.; Lee, Jeffrey J. 1995. A carbon budget for forests of the conterminous United States. Ecological Applications. 5(2): 421–436.
- Ursic, Stan. 1987. The South's fourth forest: regional water response to timber management. Supplementary analyses. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- U.S. Department of Agriculture, Forest Service; USDA Soil Conservation Service; Alaska Department of Natural Resources. 1986. Timber and vegetation resources of the Susitna River Basin—Alaska: vegetation resource descriptions and statistics for the Susitna River Basin multi-resource inventory unit of Alaska, 1986. ASD–FPP 4550–86. Fort Richardson, AK: U.S. Army Publications Center. 49 p. + appendices.
- U.S. Department of Agriculture, Soil Conservation Service. 1987. Basic statistics 1982 national resources inventory. Stat. Bull. 756. Washington, DC: U.S. Department of Agriculture, Soil Conservation Service; Iowa State University Statistical Laboratory. 153 p.
- van Hees, Willem W.S. 1988. Timber productivity of seven forest ecosystems in southeast Alaska. Res. Pap. PNW–391. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 10 p.
- Watts, Stephen Earl. 2001. Determining forest productivity and carbon dynamics in southeastern Ohio from remotely-sensed data. Columbus, OH: Ohio State University. 138 p. Ph.D. dissertation.

- Whitesell, Craig D.; MacLean, Colin D.; Falanruw, Marjorie C. [and others]. 1986. Vegetation survey of Kosrae, Federated State of Micronesia. Resour. Bull. PSW-17. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.
- Woodcock, Hillary. 1993. White ash decline in Massachusetts: the role of site and climate factors. Amherst, MA: University of Massachusetts. 169 p. Ph. D. dissertation.
- Woodcock, Hillary; Patterson, W.A.; Davies, K.M. 1993. The relationship between site factors and white ash (*Fraxinus americana* L.) decline in Massachusetts. Forest Ecology and Management. 60(3-4): 271-290.
- Xu, Yi-Jun; Pristley, S. 2000. Linking STATSGO and FIA data for spatial analysis of land carbon densities [CD-ROM]. In: SOFOR GIS 2000: 3rd southern forestry GIS conference; 2000 October 10-12; Athens, GA. Athens, GA: University of Georgia, Georgia Center for Continuing Education. 12 p. http://www.soforgis.net/cdrom/pdf/Xu_Pristley.pdf. [Date accessed: August 2001].
- Zeide, Boris. 1997. Assessing biodiversity. Environmental Monitoring and Assessment. 48(3): 249-260.

Water quality: Citations with “water,” “hydrology,” or “erosion” in the title, abstract, or annotation.

- Adamus, Paul; Brandt, Karla. 1990. Wooded wetland vegetation. In: Impacts on quality of inland wetlands of the United States: a survey of indicators, techniques, and applications of community level biomonitoring data. Rep. EPA/600/3-90/073. [Place of publication unknown]: U.S. Environmental Protection Agency. [Number of pages unknown]. Chapter 7. [Reissued in 1998 by U.S. Environmental Protection Agency, Office of Wetlands, Oceans and Watersheds; Adamus Resource Assessment, Inc., Corvallis, OR]. <http://www.epa.gov/OWOW/wetlands/wqual/woody.html>. [Date accessed: August 2001].
- Anderson, Robert L.; Birdsey, Richard A.; Barry, Patrick J. 1982. Incidence of damage and cull in Puerto Rico’s timber resource, 1980. Resour. Bull. SO-88. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 13 p.
- Bechtold, William A.; Sheffield, Raymond M. 1991. Hardwood timber supplies in the United States. TAPPI Journal. 74(5): 111-116.
- Berguson, W.E.; Grigal, D.F.; Bates, P.C. 1994. Relative stocking index—a proposed index of site quality. Canadian Journal of Forest Research. 24(7): 1330-1336.
- Bones, James T. 1978. The forest resources of West Virginia. Resour. Bull. NE-56. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 105 p.
- DeForest, C.E.; Harris, T.G., Jr.; Cabbage, F.W.; Carlton, S.C. 1990. Timberland “erosion”: urbanization and the loss of timberland. In: Proceedings of the Society of American Foresters national convention; 1990 July 29-August 1; Washington, DC. Bethesda, MD: Society of American Foresters: 569-570.
- Dissmeyer, George E. 1979. Analysis of soils and hydrological data taken by renewable resources evaluation in South Carolina. In: Frayer, W.E., ed. Forest resource inventories: Workshop proceedings; 1979 July 23-26; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forestry and Wood Sciences. 1: 38-47.
- Dissmeyer, George E.; Cost, Noel D. 1984. Multiresource inventories: watershed condition of commercial forest land in South Carolina. Res. Pap. SE-247. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 26 p.
- Donovan, David D. 1987. The nonindustrial private forest landowners of Oklahoma: State statistics and implications for forestry. For. Ext. Rep. 1. Stillwater, OK: Oklahoma State University, Cooperative Extension Service. 15 p.
- Eckhoff, Janet Dawn. 2000. Efficacy of forest health monitoring indicators to evince impacts on a chemically manipulated watershed. Orono, ME: University of Maine. 318 p. Ph.D. dissertation.
- Flather, Curtis H.; Hoekstra, Thomas W.; Chalk, David E. [and others]. 1989. Recent historical and projected regional trends of white-tailed deer and wild turkey in the Southern United States. Gen. Tech. Rep. RM-172. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.

- Freimund, Wayne Alan. 1994. Empirical validation of a forest inventory based aesthetic value model. Madison, WI: University of Wisconsin. 94 p. Ph.D. dissertation.
- Graber, Jean W.; Graber, Richard R. 1976. Environmental evaluations using birds and their habitats. *Biol. Notes* 97. Urbana, IL: Illinois Natural History Survey. 40 p.
- Haugen, David E.; Piva, Ronald J.; Kingsley, Neal P.; Harsel, Robert A. 1999. North Dakota's forest resources, 1994. Res. Pap. NC-336. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 101 p.
- Heath, L.S.; Birdsey, R.A. 1993. Carbon trends of productive temperate forests of the coterminous United States. *Water, Air, and Soil Pollution*. 70(1-4): 279-293.
- Hodge, Rick L. 2001. Comment response document for the TMDLs for the Kanawha River (dioxin), Ohio River (dioxin) and the Little Kanawha. Chicago: U.S. Environmental Protection Agency, Great Lakes National Program Office. [Number of pages unknown].
- Hornbeck, J.W.; Smith, R.B.; Federer, C.A. 1986. Growth decline in red spruce and balsam fir relative to natural processes. *Water, Soil, and Air Pollution*. 31: 425-430.
- Iverson, L.R. 1988. Land-use changes in Illinois USA: the influence of landscape attributes on current and historic land use. *Landscape Ecology*. 2(1): 45-62.
- Jaakko Poeyry Consulting, Inc. 1992. Forest soils: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 199 p. <http://www.iic.state.mn.us/download/geis/soils/forsoil.pdf>. [Date accessed: June 2003].
- Jaakko Poeyry Consulting, Inc. 1992. Water quality and fisheries: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 320 p. <http://www.iic.state.mn.us/download/geis/water/watermain.htm>. [Date accessed: June 2003].
- Jakes, Pamela J. 1980. The fourth Minnesota forest inventory area. *Resour. Bull. NC-54*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 37 p. + map.
- Jakes, Pamela J.; Smith, W. Brad. 1982. A second look at North Dakota's timber land. *Resour. Bull. NC-58*. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 86 p.
- Joyce, Linda A.; Flather, Curtis H.; Flebbe, Patricia A. [and others]. 1990. Integrating forage, wildlife, water, and fish projections with timber projections at the regional level: a case study in the Southern United States. *Environmental Management*. 14(4): 489-500.
- Kress, Margaret Rose. 1996. The Delta: Lower Mississippi Valley natural resources partnership: geospatial data collection. Misc. Pap. EL-96-4. Vicksburg, MS: U.S. Army Engineer Waterways Experiment Station. 24 p.
- Leatherberry, Earl C.; Piva, Ronald J.; Josten, Gregory J. 2000. South Dakota's forest resources outside the Black Hills National Forest, 1996. Res. Pap. NC-338. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 103 p.
- Leatherberry, Earl C.; Schmidt, Thomas L.; Strickler, John K.; Aslin, Raymond G. 1999. An analysis of forest resources of Kansas. Res. Pap. NC-334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- Lennartz, Michael R.; Knight, Herbert A.; McClure, Joe P.; Rudis, Victor A. 1983. Status of red-cockaded woodpecker nesting habitat in the South. In: Wood, Don A., ed. Red-cockaded woodpecker symposium II; 1983 January 27-29; Panama City, FL. Tallahassee, FL: Florida Game and Fresh Water Fish Commission: 13-19.
- Lund, H. Gyde, ed. 1993. Integrated ecological and resource inventories: Proceedings—national workshop; 1993 April 12-16; Phoenix, AZ. WO-WSA-4. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management. 177 p.
- Marcouiller, David William. 1992. Development and use of a supply-determined social accounting matrix to evaluate economic impacts of forest productivity on distribution of regional factor income. Stillwater, OK: Oklahoma State University. 284 p. Ph.D. dissertation.

- McNulty, S.G.; Vose, J.M.; Swank, W.T. 1996. Loblolly pine hydrology and productivity across the Southern United States. *Forest Ecology and Management*. 86: 241–251.
- McNulty, S.G.; Vose, J.M.; Swank, W.T. [and others]. 1994. Regional-scale forest ecosystem modeling: database development, model predictions and validation using a geographic information system. *Climate Research*. 4: 223–231.
- McNulty, Steven G.; Vose, James M.; Swank, Wayne T. 1998. Predictions and projections of pine productivity and hydrology in response to climate change across the Southern United States. In: Mickler, Robert A.; Fox, Susan, eds. *The productivity and sustainability of southern forest ecosystems in a changing environment*. New York: Springer-Verlag: 391–405. Chapter 22.
- McWilliams, William H.; Hershey, Rachel Riemann; Drake, David A.; Alerich, Carol L. 1993. Characterizing forest composition of the Allegheny Mountains using extensive forest inventory data. In: Lund, H., Gyde, ed. *Integrated ecological and resource inventories: Proceedings—national workshop; 1993 April 12–16; Phoenix, AZ. WO–WSA–4*. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 113–115.
- Miller, Edwin L.; Liechty, Hal O. 2001. Forest inventory and analysis: what it tells us about water quality in Arkansas. In: Guldin, James M., tech. comp. *Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 71–78.
- Noon, Barry R. 1984. An analysis of the compatibility of forest inventory and analysis data as input to wildlife habitat relationship models; final report to California Department of Forestry. Arcata, CA: Humboldt State University, Department of Wildlife. 49 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2010. [Date accessed: August 2001].
- O'Brien, R.A.; Moisen, G.G. 1992. Expanded applications of large-scale integrated forest inventory data. In: Avers, Peter E., chairperson. *Taking an ecological approach to management: Proceedings of a national workshop; 1992 April 27–30; Salt Lake City. WO–WSA–3*. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 164.
- Powell, Douglas S.; Considine, Thomas J., Jr. 1982. An analysis of Pennsylvania's forest resources. *Resour. Bull. NE–69*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 97 p.
- Powell, Douglas S.; Kingsley, Neal P. 1980. The forest resources of Maryland. *Resour. Bull. NE–61*. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 103 p. + map.
- Rogers, Paul; Atkins, David; Frank, Michelle; Parker, Douglas. 2001. Forest health monitoring in the interior West: a baseline summary of forest health issues, 1996–1999. *Gen. Tech. Rep. RMRS–GTR–75*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 40 p. http://www.fs.fed.us/rm/ogden/pubs/pdfs/rmrs_gtr75.pdf. [Date accessed: September].
- Rudis, Victor A. 1990. A data base to assess the water, range, wildlife habitat, and biophysical recreation values and uses of forests in the United States. In: Gramann, James H., comp. *Proceedings: the 3rd symposium on social science in resource management; 1990 May 16–19; College Station, TX. College Station, TX: Texas A&M University: 107–108*.
- Rudis, Victor A. 1991. Wildlife habitat, range, recreation, hydrology, and related research using forest inventory and analysis surveys: a 12-year compendium. *Gen. Tech. Rep. SO–84*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 61 p.
- Rudis, Victor A. 2001. Composition, potential old growth, fragmentation and ownership of Mississippi Alluvial Valley bottomland hardwoods: a regional assessment of historic change. In: Hamel, Paul B.; Foti, Thomas L., tech. eds. *Bottomland hardwoods of the Mississippi Alluvial Valley: characteristics and management of natural function, structure, and composition: Proceedings of a symposium held during the natural areas conference; 1995 October 28; Fayetteville, AR. Gen. Tech. Rep. SRS–42*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 28–48.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. *Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24–45.

- Rudis, Victor A.; Evans, David L. 1992. Use of multiple value regional surveys in ecosystem management: a top-down and bottom-up approach. In: Avers, Peter E., chairperson. Taking an ecological approach to management: Proceedings of a national workshop; 1992 April 27–30; Salt Lake City. WO–WSA–3. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 162–163.
- Schmidt, Thomas L.; Wardle, Tom D. 1998. The forest resources of Nebraska. Res. Pap. NC–334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- Schreuder, H.T.; Czaplowski, R.; Bailey, R.G. 1999. Combining mapped and statistical data in forest ecological inventory and monitoring—supplementing an existing system. *Environmental Monitoring and Assessment*. 56(3): 269–291.
- Sheffield, Raymond M. 1981. Multiresource inventories: techniques for evaluation of nongame bird habitat. Res. Pap. SE–218. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 28 p.
- Sheffield, Raymond Marshall. 1978. Techniques for using regional multiresource inventory data to evaluate nongame bird habitat. Raleigh, NC: North Carolina State University. 76 p. M.F. report.
- Snyder, Dale E. 1982. Soil measurements for multiresource inventories. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME. SAF 82–02. Bethesda, MD: Society of American Foresters: 333–338.
- Spencer, John S., Jr.; Jakes, Pamela J. 1980. Iowa forest resources 1974. Resour. Bull. NC–52. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 90 p. + map.
- Ursic, Stan. 1987. The South's fourth forest: regional water response to timber management. Supplementary analyses. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- U.S. Environmental Protection Agency. 2000. Metals and pH TMDLs for the Elk River watershed, West Virginia. Section 4: technical approach. Philadelphia: U.S. Environmental Protection Agency. [Number of pages unknown].
- U.S. Environmental Protection Agency. 2000. Metals TMDLs for Little Kanawha River watershed, West Virginia. Philadelphia: U.S. Environmental Protection Agency. [Number of pages unknown].
- U.S. Environmental Protection Agency. 2001. Appendix a: Hurricane Creek modeling report. In: Notice of availability of proposed total maximum daily loads (TMDLs) for waters in the State of Alabama. Atlanta: U.S. Environmental Protection Agency, Water Management Division. [Various pages]. <http://www.epa.gov/region04/water/tmdl/alabama/warrior/HurricaneCreekAppendicesABC.PDF>. [Date accessed: June 2003].
- Wheatcraft, Andrew M.; Lewis, David K. 1986. Forest biomass resources of Oklahoma. Bull. B–781. Stillwater, OK: Oklahoma State University, Agricultural Experiment Station. [Number of pages unknown].
- Wu, Chin-Shien. 1994. Assessing the economic effects of streamside management zones on the forestry sector. Auburn, AL: Auburn University. 165 p. Ph.D. dissertation.

Vegetative habitat typing: Citations with “habitat type” in the title.

- DeBlander, Larry T. 2000. Forest resource of the Lolo National Forest [Montana]. National forest reports. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/lolo.pdf>. [Date accessed: September 2001].
- DeBlander, Larry T. 2001. Forest resource of the Gallatin National Forest [Montana]. National forest reports. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/gallatin.pdf>. [Date accessed: September].
- Frescino, Tracey S. 2000. Forest resource of the Bitterroot National Forest [Montana, Idaho]. National forest reports. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/bitterroot.pdf>. [Date accessed: September 2001].

- Kotar, John. 1999. Forest habitat type classification enhances interpretation of the 1996 Wisconsin forest inventory. In: Ek, Alan R.; ZumBahlen, Bruce, comps. Improving forest productivity for timber—a key to sustainability: Conference proceedings; 1998 December 1–3; Duluth, MN. St. Paul, MN: University of Minnesota, Department of Forestry: 197–210.
- Kotar, John; Kovach, Joseph A.; Brand, Gary. 1999. Analysis of the 1996 Wisconsin forest statistics by habitat type. Gen. Tech. Rep. NC–207. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 166 p. Maps in color available at: http://www.ncrs.fs.fed.us/4801/gtr207/p139_D_cnty.pdf. [Date accessed: September 2001].
- MacLean, Colin D.; Bolsinger, Charles L. 1973. Estimating productivity on sites with a low stocking capacity. Res. Pap. RP–PNW–152. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 18 p.
- McRoberts, Ronald E. 1996. Estimating variation in field crew estimates of site index. Canadian Journal of Forest Research. 26: 560–565.
- Moisen, Gretchen G.; Cutler, D. Richard; Edwards, Thomas C. 2000. Generalized linear mixed models for analyzing error in a satellite-based vegetation map of Utah. In: Mowrer, H. Todd; Congalton, Russell G., eds. Quantifying spatial uncertainty in natural resources: theory and applications for GIS and remote sensing. Chelsea, MI: Sleeping Bear Press: 37–43.
- O'Brien, R.A.; Moisen, G.G. 1992. Expanded applications of large-scale integrated forest inventory data. In: Avers, Peter E., chairperson. Taking an ecological approach to management: Proceedings of a national workshop; 1992 April 27–30; Salt Lake City. WO–WSA–3. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 164.
- O'Brien, Renee A. 1999. Comprehensive inventory of Utah's forest resources, 1993. RMRS–RB–1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 105 p.
- Parresol, Bernard R.; Vissage, John S. 1998. White pine site index for the southern forest survey. Res. Pap. SRS–10. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 8 p.
- Schreder, Peter Todd. 2000. Overstory/understory relationships in old growth grand fir habitat types of northeast Oregon. College Station, TX: Texas A&M University. 64 p. M.S. thesis.
- Scott, Charles T.; Voorhis, Nancy G. 1986. Northeastern forest survey site index equations and site productivity classes. Journal of Applied Forestry. 3: 144–148.
- Tansey, John B.; Cost, Noel D. 1990. Estimating the forested wetland resource in the Southeastern United States with forest survey data. In: Jackson, Ben D., ed. Special issue: the international forested wetlands resource: identification and inventory: Proceedings of the international conference; 1988 September 19–22; Baton Rouge, LA. Forest Ecology and Management. 33/34(1–4): 193–214.
- Wilson, Andrea M. 2001. Forest resource of the Helena National Forest [Montana, Idaho]. National forest reports. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/helena.pdf>. [Date accessed: September 2001].
- Wilson, Andrea M.; Miles, Patrick D. 2000. Forest resource of the Kootenai National Forest [Montana]. National forest reports. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 13 p. <http://www.fs.fed.us/rm/ogden/pubs/pdfs/kootenai.pdf>. [Date accessed: September 2001].

Wildlife: Citations with “wildlife” in the title.

- Allen, A.W.; Bernal, Y.K.; Moulton, R.J. 1996. Pine plantation and wildlife in the Southeastern United States: an assessment of impacts and opportunities. Inf. and Tech. Rep. 3. Washington, DC: U.S. Department of the Interior, National Biological Service. 32 p.
- Barnes, Robert B. 1979. Wildlife habitat from a forest resource inventory: is it possible? In: Healy, W.M., ed. Transactions of the northeast section, The Wildlife Society: Proceedings of the 36th northeast fish and wildlife conference; 1979 April 1–4; Providence, RI. [Location of publisher unknown]: [Publisher unknown]: 151–159. [Available from R.T. Brooks, Holdsworth Hall, University of Massachusetts, Amherst, MA].

- Barnes, Robert B.; Barnard, Joseph E. 1979. A wildlife habitat survey as part of a multi-resource evaluation procedure. In: Frayer, W.E., ed. *Forest resource inventories: Workshop proceedings; 1979 July 23–26; Fort Collins, CO.* Fort Collins, CO: Colorado State University, Department of Forestry and Wood Science. 1: 77–89.
- Brand, Gary J.; Shifley, Stephen R.; Ohmann, Lewis F. 1986. Linking wildlife and vegetation models to forecast the effects of management. In: Verner, Jared; Morrison, Michael L.; Ralph, C. John, eds. *Wildlife 2000: modeling habitat relationships of terrestrial vertebrates: international symposium; 1984 October 7–11; Fallen Leaf Lake, CA.* Madison, WI: University of Wisconsin Press: 383–387.
- Brooks, R.T. 1989. Use of forest site quality in evaluating wildlife habitat: an untested technology. In: *Forest and wildlife management in New England—what can we afford? Proceedings of a joint meeting of the Maine Division of New England Society of American Foresters, Maine Chapter of the Wildlife Society, and the Atlantic International Chapter of the American Fisheries Society; 1989 March 15–17; Portland, ME.* Orono, ME: Maine Agricultural Experiment Station: 49–55.
- Brooks, Robert T. 1986. Forest land wildlife habitat resources of south-central Ohio. *Resour. Bull. NE–RB–94.* Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 32 p.
- Brooks, Robert T. 1989. History and future trends for wildlife and wildlife habitat in Northeastern United States. In: Finley, J.C.; Brittingham, M.C., eds. *Timber management and its effect on wildlife: forestry resource issues conference: Proceedings; 1989 April 4–6; University Park, PA.* University Park, PA: The Pennsylvania State University: 37–54.
- Brooks, Robert T. 1990. State-of-the-art methodology of forest inventory: wildlife habitat assessment in the Northeastern United States. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. *State-of-the-art methodology of forest inventory: a symposium proceedings; 1989 July 30–August 5; Syracuse, NY.* Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 538–543.
- Brooks, Robert T. 1990. Wildlife habitat evaluation tools: the U.S. Forest Service's forest inventory and analysis. In: Oswald, Helfried, coord. *Proceedings: division 1: 19th IUFRO World Congress; 1990 August 5–11; Montreal, Canada.* Montreal, Canada: Canadian IUFRO World Congress Organizing Committee. 2: 163–172.
- Brooks, Robert T. 1993. What do inventory trends mean to wildlife? In: Finley, James C.; Jones, Stephen B., eds. *Penn's woods-change and challenge: Proceedings of the 1993 Penn State forest resources issues conference; State College, PA.* The Penn State University, School of Forest Resources: 82–95.
- Brooks, Robert T.; Barnard, Joseph E. 1984. Kentucky's fourth forest inventory: information for wildlife habitat evaluation. In: McComb, W.C., ed. *Management of nongame species and ecological communities: Proceedings of a workshop; 1984 June 11–12; Lexington, KY.* Lexington, KY: University of Kentucky: 53–58.
- Brooks, Robert T.; Birch, Thomas W. 1986. Opportunities and constraints for wildlife habitat management on private forests of the Northeast. *Northern Journal of Applied Forestry.* 3: 109–113.
- Brooks, Robert T.; Birch, Thomas W. 1988. Changes in New England forests and forest owners: implications for wildlife habitat resources and management. *Transactions of the North American Wildlife and Natural Resources Conference.* 53: 78–87.
- Brooks, Robert T.; DiGiovanni, Dawn M. 1989. Forest wildlife habitat statistics for Maryland and Delaware—1986. *Resour. Bull. NE–110.* Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 171 p.
- Brooks, Robert T.; Frieswyk, Thomas S.; Malley, Anne M. 1987. Forest wildlife habitat statistics for New Hampshire—1983. *Resour. Bull. NE–97.* Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 107 p.
- Brooks, Robert T.; Frieswyk, Thomas S.; Malley, Anne M. 1987. Forest wildlife habitat statistics for Vermont—1983. *Resour. Bull. NE–100.* Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 118 p.
- Brooks, Robert T.; Frieswyk, Thomas S.; Ritter, Arthur. 1986. Forest wildlife habitat statistics for Maine—1982. *Resour. Bull. NE–96.* Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 146 p.

- Brooks, Robert T.; Porter, William F. 1983. Development of a procedure to establish conditions and monitor changes in regional wildlife habitat quality. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry: 223–226.
- Chalk, David E.; Miller, Stephen A.; Hoekstra, Thomas W. 1984. Multiresource inventories: integrating information on wildlife resources. *Wildlife Society Bulletin*. 12: 357–364.
- Chojnacky, David C. 2000. FIA forest inventory data for wildlife habitat assessment. In: Hansen, Mark; Burk, Thomas, eds., Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 272–275.
- Cushwa, Charles T.; Petoskey, Merrill L., chairmen. 1979. Coordinating wildlife habitat inventories and evaluations. *Transactions of the North American Wildlife and Natural Resources Conference*. 44: 337–467.
- Czaplewski, Raymond L.; Cost, Noel D. 1985. Photointerpretation of wildlife, recreation, and livestock-grazing variables on one-acre forest plots in South Carolina. In: Oderwald, Richard G.; Burkhart, Harold E.; Burk, Thomas E., eds. Use of auxiliary information in natural resource inventories: Proceedings; 1985 October 1–2; Blacksburg, VA. SAF 86–01. Blacksburg, VA: Virginia Polytechnic Institute and State University, School of Forestry and Wildlife Resources: 24–37.
- Flather, Curtis H. 1988. Wildlife abundance and occurrence models: application in regional resource planning. In: Gelinas, R.; Bond, D.; Smit, B., eds. Perspectives on land modelling: Workshop proceedings; 1986 November 17–20; Toronto, Canada. Montreal, Canada: Polyscience Publications Inc.: 37–47.
- Flather, Curtis H.; Brady, Stephen J.; Knowles, Michael S. 1999. Wildlife resource trends in the United States: a technical document supporting the 2000 RPA assessment. Gen. Tech. Rep. RMRS–GTR–33. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 79 p.
- Flather, Curtis H.; Hoekstra, Thomas W. 1989. An analysis of the wildlife and fish situation in the United States: 1989–2040. Gen. Tech. Rep. RM–178. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 147 p.
- Hawkes, Clifford L.; Chalk, David E.; Hoekstra, Thomas W.; Flather, Curtis H. 1983. Prediction of wildlife and fish resources for national assessments and appraisals. Gen. Tech. Rep. WO–100. Washington, DC: U.S. Department of Agriculture, Forest Service. 21 p.
- Hirsch, Allan; Krohn, William B.; Schweitzer, Dennis L.; Thomas, Carl H. 1979. Trends and needs in Federal inventories of wildlife habitat. *Transactions of the North American Wildlife and Natural Resources Conference*. 44: 340–359.
- Hoekstra, T.W. 1988. Status of United States national wildlife and fish habitat inventory and evaluation activities. In: Stelfox, H.A.; Ironside, G.R., comps. Land/wildlife integration 3: Proceedings of a technical workshop to discuss the incorporation of wildlife information into ecological land surveys; 1985 September 16–19; Mont Ste-Marie, Ontario, Canada. Ecol. Classif. Series 22. Ottawa, Canada: Land Conservation Branch, Canadian Wildlife Service, Environment Canada: 123–129.
- Hoekstra, Thomas W.; Flather, Curtis H. 1986. Theoretical basis for integrating wildlife in renewable resource inventories. *Journal of Environmental Management*. 24: 95–110.
- Hoekstra, Thomas W.; Flather, Curtis H.; Flebbe, Patricia A. 1987. Regional fish and wildlife habitat models: application for natural multiple resource planning. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 404–409.
- Hoekstra, Thomas W.; Schweitzer, Dennis L.; Cushwa, Charles T. [and others]. 1979. Preliminary evaluation of a national wildlife and fish data base. *Transactions of the North American Wildlife and Natural Resources Conference*. 44: 380–391.
- Hunt, Frances A. 1990. The forest inventory: incorporating fisheries and wildlife values. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. State-of-the-art methodology of forest inventory: a symposium proceedings; 1989 July 30–August 5; Syracuse, NY. Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 475–477.

- Jaakko Poeyry Consulting, Inc. 1993. Forest wildlife: a technical paper for a generic environmental impact statement on timber harvesting and forest management in Minnesota. Tarrytown, NY: Jaakko Poeyry Consulting, Inc. 255 p. http://www.iic.state.mn.us/download/geis/wild/wild_main.pdf. [Date accessed: June 2003].
- Joyce, Linda A.; Flather, Curtis H. 1990. Using land base inventories to assess range and wildlife resources nationally. In: LaBau, Vernon J.; Cunia, Tiberius, tech. eds. State-of-the-art methodology of forest inventory: a symposium proceedings; 1989 July 30–August 5; Syracuse, NY. Gen. Tech. Rep. PNW–263. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 486–494.
- Joyce, Linda A.; Flather, Curtis H.; Flebbe, Patricia A. [and others]. 1990. Integrating forage, wildlife, water, and fish projections with timber projections at the regional level: a case study in the Southern United States. *Environmental Management*. 14(4): 489–500.
- Kingsley, Neal P. 1988. Role of the wildlife manager in nonindustrial private forest management. *Transactions of the North American Wildlife and Natural Resources Conference*. 53: 33–40.
- Major, John T. 1996. Forest inventory and analysis trends and wildlife. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 117–119.
- Noon, Barry R. 1984. An analysis of the compatibility of forest inventory and analysis data as input to wildlife habitat relationship models: final report to California Department of Forestry. Arcata, CA: Humboldt State University, Department of Wildlife. 49 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2010. [Date accessed: August 2001].
- Ohmann, Janet L. 1983. Evaluating wildlife as part of a continuing, extensive forest inventory. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR. Corvallis, OR: Oregon State University: 623–627.
- Ohmann, Janet L. 1984. Meeting wildlife habitat information needs in the Pacific Coast States—a forest inventory and analysis approach. In: Lund, H. Gyde, ed. Preparing for the 21st century: Proceedings of the forest land inventory workshop; 1984 March 26–30; Denver. Washington, DC: U.S. Department of Agriculture, Forest Service, Division of Timber Management: 116–125.
- Ohmann, Janet L. 1992. Wildlife habitats of the north coast of California—new techniques for forest inventory. Res. Pap. PNW–RP–440. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 48 p.
- Ohmann, Janet L.; Carleson, Dan; Lee, Philip L.; Oakley, Art L. 1988. Status of forest-related wildlife and fish resources in Oregon. In: Lettman, Gary J., tech. ed. Assessment of Oregon’s forests: a collection of papers published by the Oregon State Department of Forestry. Salem, OR: Oregon State Department of Forestry, Forest Resources Planning Section: 17–32.
- Ohmann, Janet L.; Mayer, Kenneth E. 1987. Wildlife habitats of California’s hardwood forests—linking extensive inventory data with habitat models. In: Plumb, Timothy R.; Pillsbury, Norman H., tech. coords. Proceedings of the symposium on multiple-use management of California’s hardwood resources; 1986 November 12–14; San Luis Obispo, CA. Gen. Tech. Rep. PSW–100. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 174–182.
- Porter, William F.; Mathews, Nancy E.; Doyle, Terence J.; Brooks, Robert T. 1983. The U.S. Forest Service inventory: an approach for assessing wildlife habitat. In: Bell, John F.; Atterbury, Toby, eds. Renewable resource inventories for monitoring changes and trends: Proceedings of an international conference; 1983 August 15–19; Corvallis, OR. Corvallis, OR: Oregon State University, College of Forestry: 628–631.
- Rudis, Victor A. 1990. A data base to assess the water, range, wildlife habitat, and biophysical recreation values and uses of forests in the United States. In: Gramann, James H., comp. Proceedings of the 3rd symposium on social science in resource management; 1990 May 16–19; College Station, TX. College Station, TX: Texas A&M University: 107–108.
- Rudis, Victor A. 1991. Wildlife habitat, range, recreation, hydrology, and related research using forest inventory and analysis surveys: a 12-year compendium. Gen. Tech. Rep. SO–84. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 61 p.

- Rudis, Victor A. 2001. Land use, recreation, and wildlife habitats: GIS applications using FIA plot data. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17–18; Salt Lake City. Gen. Tech. Rep. SRS–47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 129–136.
- Schofield, Doug. 1991. An analysis of the U.S. Forest Service 1990 forest survey data and its implications for wildlife habitat. In: Jones, R.H., ed. Proceedings: Alabama's forest resources: past, present and future; 1991 May 29–30; Auburn University, AL. Auburn University, AL: Auburn University School of Forestry; Alabama Cooperative Extension Service: 132–135.
- Thill, Ronald E.; Tappe, Philip A.; Koerth, Nancy E. 1994. Wildlife habitat conditions in mature pine-hardwood stands in the Ouachita/Ozark National Forest. In: Baker, James B., comp. Proceedings of the symposium on ecosystem management research in the Ouachita Mountains: pretreatment conditions and preliminary findings; 1993 October 26–27; Hot Springs, AR. Gen. Tech. Rep. SO–112. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 126–143.
- U.S. Department of Agriculture, Forest Service. 1999. Ozark-Ouachita Highlands assessment: terrestrial vegetation and wildlife. Rep. 5 of 5. Gen. Tech. Rep. SRS–35. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 201 p.
- Watson, Julia. 1994. Wildlife inventory compendium project [August 1, 1992]. In: Northern Forest Lands Council, ed. Technical appendix: a compendium of technical research and forum proceedings from the Northern Forest Lands Council. Concord, NH: Northern Forest Lands Council. Sect. 9: Misc. x. 80 p.
- Whelan, James B.; Tipton, James B.; Williamson, James F. [and others]. 1979. A comparison of three systems for evaluating forest wildlife habitat. Transactions of the North American Wildlife and Natural Resources Conference. 44: 392–403.

Wildlife: Citations with “wildlife” only in the abstract or annotation.

- Alerich, Carol L. 1996. Results of the 1993 forest inventory: a look at New York's forest resource. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 3–11.
- Arney, Ken S. 1995. Forests of the South. [Place of publication unknown]: Southern Forest Based Economic Development Council. 24 p.
- Barnes, Robert Brooks. 1975. A quantitative evaluation of winter deer browse in southern New Hampshire forests. Durham, NH: University of New Hampshire. 96 p. M.S. thesis.
- Birdsey, Richard A.; Weaver, Peter L. 1982. The forest resources of Puerto Rico. Resour. Bull. SO–85. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 59 p.
- Blackmon, B.G. 2001. Summation of the symposium on Arkansas forests. In: Guldin, James M., tech. comp. Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 124–125.
- Bolsinger, Charles L.; Waddell, Karen L. 1993. Area of old-growth forests in California, Oregon, and Washington. Resour. Bull. PNW–RB–197. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 26 p.
- Bones, James T. 1978. The forest resources of West Virginia. Resour. Bull. NE–56. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 105 p.
- Borges, Jose Guilherme Martins Dias Calvao. 1994. A modeling approach to spatial constraints in forest management. St. Paul, MN: University of Minnesota. 128 p. Ph.D. dissertation.
- Boyce, Stephen G.; Cost, Noel D. 1978. Forest diversity: new concepts and applications. Res. Pap. SE–194. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 36 p.

- Brooks, Robert T. 1990. Status and trends of raptor habitat in the Northeast. In: Pendleton, Beth Giron, ed. Proceedings of the northeast raptor management symposium and workshop; 1988 May 16–18; Syracuse, NY. Sci. and Tech. Ser. 13. Washington, DC: National Wildlife Federation, Institute for Wildlife Research: 123–132.
- Brooks, Robert Thomas. 1984. An analysis of the use of national land use inventories for regional avian habitat assessments. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 186 p. Ph.D. dissertation.
- Buck, Michael G.; Branam, Jeanine M.; Stormont, William T. 1988. The multiresource forest inventory for Kauai, Hawaii. Resour. Bull. PNW–RB–156. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 35 p.
- Buck, Michael G.; Costales, Patrick G.; McDuffie, Katharine. 1986. Multiresource forest statistics for Molokai, Hawaii. Resour. Bull. PNW–136. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 18 p.
- Caouette, John P.; Kramer, Marc G.; Nowacki, Gregory J. 2000. Deconstructing the timber volume paradigm in management of the Tongass National Forest. Gen. Tech. Rep. PNW–GTR–482. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 20 p.
- Cabbage, Frederick W.; Flather, Curtis H. 1993. Distribution and trends in southern forested wetlands. In: Brissette, John C., ed. Proceedings of the seventh biennial southern silvicultural research conference; 1992 November 17–19; Mobile, AL. Gen. Tech. Rep. SO–93. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 13–19.
- Cushwa, Charles T.; Barnard, Joseph E.; Barnes, Robert B. 1977. Trends in woodcock habitat in the United States. In: Keppie, Daniel; Owen, Ray B., Jr., eds. Proceedings of the 6th woodcock symposium; 1977 October 4–6; Fredericton, New Brunswick, Canada. Fredericton, New Brunswick: Canadian Wildlife Service, New Brunswick Department of Natural Resources: 31–38.
- Dickson, James G.; Sheffield, Raymond M. 2001. Defining the forests. In: Dickson, James G. Wildlife of southern forests: habitat and management. Blaine, WA: Hancock House Publishers: 37–47.
- Eck, Katherine C. 1984. Forest characteristics and associated deer habitat values, Prince William Sound Islands. In: Meehan, William R.; Merrell, Theodore R.; Hanley, Thomas A., eds. Fish and wildlife relations in old-growth forests: Proceedings of a symposium; 1982 April 12–15; Juneau, AK. Morehead City, NC: American Institute of Fishery Research Biologists: 235–245.
- Erkkila, Daniel Lee. 1991. Valuation of forest-based nonmarket outputs: a cost-price approach. St. Paul, MN: University of Minnesota. 176 p. Ph.D. dissertation.
- Flather, Curtis H.; Hoekstra, Thomas W.; Chalk, David E. [and others]. 1989. Recent historical and projected regional trends of white-tailed deer and wild turkey in the Southern United States. Gen. Tech. Rep. RM–172. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- Flebbe, Patricia A.; Cost, Noel D.; Hoekstra, Thomas W. 1988. Recent historical and projected regional trends of trout in the Southeastern United States. Gen. Tech. Rep. RM–160. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 19 p.
- Frayer, W.E., ed. 1979. Forest resource inventories: Proceedings of a workshop; 1979 July 23–26; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forest and Wood Sciences. 1–513, Vol. 1; 514–1037, Vol. 2.
- Graber, Jean W.; Graber, Richard R. 1976. Environmental evaluations using birds and their habitats. Biol. Notes 97. Urbana, IL: Illinois Natural History Survey. 40 p.
- Gutzweiler, Kevin J.; Strauss, Charles H.; Kinsley, Kevin R. [and others]. 1982. Relationships between land use and woodcock habitat in Pennsylvania, with guidelines for rangewide research. In: Dwyer, Thomas J.; Storm, Gerald L., tech. coords. Woodcock ecology and management: papers from the 7th woodcock symposium held at the Pennsylvania State University; 1980 October 28–30; University Park, PA. Wildl. Res. Rep. 14. Washington, DC: U.S. Department of the Interior, Fish and Wildlife Service: 86–96.

- Hamel, Paul B.; Cost, Noel D.; Sheffield, Raymond M. 1986. The consistent characteristics of habitats: a question of scale. In: Verner, Jared; Morrison, Michael L.; Ralph, C. John, eds. *Wildlife 2000: modeling habitat relationships of terrestrial vertebrates: international symposium*; 1984 October 7–11; Fallen Leaf Lake, CA. Madison, WI: University of Wisconsin Press: 121–128.
- Haugen, David E.; Piva, Ronald J.; Kingsley, Neal P.; Harsel, Robert A. 1999. North Dakota's forest resources, 1994. Res. Pap. NC–336. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 101 p.
- Ingram, Richard P.; Wood, Gene W. 1982. Woodcock and woodcock habitat in coastal South Carolina. For. Bull. 34. Clemson, SC: Clemson University, Department of Forestry. 6 p.
- Jakes, Pamela J.; Smith, W. Brad. 1982. A second look at North Dakota's timber land. Resour. Bull. NC–58. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 86 p.
- Krupa, K.S.; Daugherty, A.B. 1990. Major land uses: 1945–1987. Electronic Data Prod. 89003. Washington, DC: U.S. Department of Agriculture, Economic Research Service. <http://www.ers.usda.gov/data/sdp/view.asp?f=land/89003/>. [Date accessed: August 22, 2001].
- LaBau, Vernon J.; Fox, Patricia M. 1984. Use of timberlands by moose in the Yakutat area of coastal Alaska. In: LaBau, Vernon J.; Kerr, Calvin L., eds. *Inventorying forest and other vegetation of the high latitude and high altitude regions: Proceedings of an international symposium*; 1984 July 23–26; Fairbanks, AK. SAF 84–11. Bethesda, MD: Society of American Foresters: 249–256.
- Leatherberry, Earl C.; Piva, Ronald J.; Josten, Gregory J. 2000. South Dakota's forest resources outside the Black Hills National Forest, 1996. Res. Pap. NC–338. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 103 p.
- Lennartz, Michael R.; Knight, Herbert A.; McClure, Joe P.; Rudis, Victor A. 1983. Status of red-cockaded woodpecker nesting habitat in the South. In: Wood, Don A., ed. *Red-cockaded woodpecker symposium II*; 1983 January 27–29; Panama City, FL. Tallahassee, FL: Florida Game and Fresh Water Fish Commission: 13–19.
- Lennartz, Michael R.; McClure, Joe P. 1979. Estimating the extent of red-cockaded woodpecker habitat in the Southeast. In: Frayer, W.E., ed. *Forest resource inventories: Workshop proceedings*; 1979 July 23–36; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forestry and Wood Science. 1: 48–62.
- Lord, Roger G. 2000. Annual forest inventory: an industry perspective. In: McRoberts, Ronald E.; Reams, Gregory A.; Van Deusen, Paul C., eds. *Proceedings of the 1st annual forest inventory and analysis symposium*; 1999 November 2–3; San Antonio, TX. Gen. Tech. Rep. NC–213. San Antonio, TX: U.S. Department of Agriculture, Forest Service, North Central Research Station: 49–54.
- Mathews, Nancy E. 1982. The capability of U.S. Forest Service resources evaluation in assessing small mammal habitat. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 138 p. M.S. thesis.
- McComb, William C.; Bonney, Stephen A.; Sheffield, Raymond M.; Cost, Noel D. 1986. Den tree characteristics and abundance in Florida and South Carolina. *Journal of Wildlife Management*. 50(10): 584–591.
- McComb, William C.; Bonney, Stephen A.; Sheffield, Raymond M.; Cost, Noel D. 1986. Snag resources in Florida—are they sufficient for average populations of primary cavity-nesters? *Wildlife Society Bulletin*. 14(1): 40–48.
- Michael, Jeffrey Alan. 1999. The Endangered Species Act and private landowner incentives. Raleigh, NC: North Carolina State University. 129 p. Ph.D. dissertation.
- Mitchell, John E. 2000. Rangeland resource trends in the United States: a technical document supporting the 2000 USDA Forest Service RPA assessment. Gen. Tech. Rep. RMRS–GTR–68. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 84 p.
- Moisen, Gretchen G.; Cutler, D. Richard; Edwards, Thomas C. 2000. Generalized linear mixed models for analyzing error in a satellite-based vegetation map of Utah. In: Mowrer, H. Todd; Congalton, Russell G., eds. *Quantifying spatial uncertainty in natural resources: theory and applications for GIS and remote sensing*. Chelsea, MI: Sleeping Bear Press: 37–43.
- Morrison, Michael L.; Marcot, Bruce G. 1995. An evaluation of resource inventory and monitoring program used in national forest planning. *Environmental Management*. 19(1): 147–156.

- Muick, Pamela C.; Bartolome, James R. 1987. An assessment of natural regeneration of oaks in California; final report to California Department of Forestry. Berkeley, CA: University of California. 129 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=2012. [Date accessed: August 2001].
- O'Brien, R.A.; Moisen, G.G. 1992. Expanded applications of large-scale integrated forest inventory data. In: Avers, Peter E., chairperson. Taking an ecological approach to management: Proceedings of a national workshop; 1992 April 27–30; Salt Lake City. WO–WSA–3. Washington, DC: U.S. Department of Agriculture, Forest Service, Watershed and Air Management: 164.
- O'Brien, Renee. 1984. Forest survey status at the Intermountain Station: part III—understory vegetation procedure. In: Lund, H. Gyde, ed. Preparing for the 21st century: Proceedings of the forest land inventory workshop; 1984 March 26–30; Denver. Washington, DC: U.S. Department of Agriculture, Forest Service, Timber Management Staff: 109–115.
- O'Brien, Renee. 1984. Understory vegetation inventory in the intermountain West. In: LaBau, Vernon J.; Kerr, Calvin L., eds. Inventorying forest and other vegetation of the high latitude and high altitude regions: Proceedings of an international symposium; 1984 July 23–26; Fairbanks, AK. SAF 84–11. Bethesda, MD: Society of American Foresters: 285–288.
- O'Brien, Renee A. 1990. Assessment of nongame bird habitat using forest survey data. Res. Pap. INT–431. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 8 p.
- O'Brien, Renee Allen. 1987. Prediction of secondary cavity-nester habitat: a test of the forest survey data base. Logan, UT: Utah State University. 52 p. M.S. thesis.
- Ohmann, Janet L. 1989. Status and trends of coniferous forest habitats on the Western United States. In: Pendleton, Beth Giron, ed. Proceedings of the western raptor management symposium and workshop; 1987 October; Boise, ID. Washington, DC: National Wildlife Federation: 38–50.
- Ohmann, Janet L.; Bolsinger, Charles L. 1989. Monitoring biodiversity with permanent plots—landscape, stand structure, and understory species [Abstract]. In: Ruggiero, Leonard F. [and others]. Wildlife and vegetation of unmanaged Douglas-fir forests; 1989 March 29–31; Portland, OR. Gen. Tech. Rep. PNW–285. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 525–526.
- Parresol, Bernard R.; McCollum, Joseph M. 1997. Characterizing and comparing landscape diversity using GIS and a contagion index. *Journal of Sustainable Forestry*. 5(1–2): 249–261.
- Parresol, Bernard Ross. 1998. Sample-based forest landscape diversity indices. New Orleans: Louisiana State University and Agricultural and Mechanical College. 126 p. Ph.D. dissertation.
- Pearson, Henry A.; Sternitzke, Herbert S. 1976. Deer browse inventories in the Louisiana Coastal Plain. *Journal of Wildlife Management*. 40(2): 326–329.
- Powell, Douglas S.; Considine, Thomas J., Jr. 1982. An analysis of Pennsylvania's forest resources. Resour. Bull. NE–69. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 97 p.
- Powell, Douglas S.; Kingsley, Neal P. 1980. The forest resources of Maryland. Resour. Bull. NE–61. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 103 p. + map.
- Roberts, John C. 1988. Summary: innovations and incentives for integrated management of woodlands. *Transactions of the North American Wildlife and Natural Resources Conference*. 53: 108–113.
- Rubin, Benjamin Dana. 1999. Predicting growth rate and relative importance of common tree species in the Adirondacks from environmental variables. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 88 p. M.S. thesis.
- Rudis, Victor A. 1988. Nontimber values of east Texas timberland. Resour. Bull. SO–139. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 34 p.
- Rudis, Victor A. 1988. Nontimber values of Louisiana's timberland. Resour. Bull. SO–132. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 27 p.

- Rudis, Victor A. 1991. A recreation and landscape perspective of Alabama's changing forest environment: the human character of forests. In: Jones, R.H., ed. *Proceedings: Alabama's forest resources: past, present and future*; 1991 May 29–30; Auburn, AL. Auburn, AL: Auburn University School of Forestry, Alabama Cooperative Extension Service: 93–114.
- Rudis, Victor A. 1998. Regional forest resource assessment in an ecological framework: the Southern United States. *Natural Areas Journal*. 18(4): 319–332.
- Rudis, Victor A. 2001. Landscape context and regional patterns in Arkansas' forests. In: Guldin, James M., tech. comp. *Proceedings of the symposium on Arkansas forests: a conference on the results of the recent forest survey of Arkansas*; 1997 May 30–31; North Little Rock, AR. Gen. Tech. Rep. SRS–41. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 24–45.
- Schmidt, Thomas L.; Wardle, Tom D. 1998. The forest resources of Nebraska. Res. Pap. NC–334. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 114 p.
- Sheffield, Raymond M. 1981. Multiresource inventories: techniques for evaluation of nongame bird habitat. Res. Pap. SE–218. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 28 p.
- Sheffield, Raymond M.; Dickson, James G. 1998. The South's forestland—on the hot seat to provide more. *Transactions of the North American Wildlife and Natural Resources Conference*. 63: 316–331.
- Sheffield, Raymond Marshall. 1978. Techniques for using regional multiresource inventory data to evaluate nongame bird habitat. Raleigh, NC: North Carolina State University. 76 p. M.F. report.
- Sullivan, Neal H. 2001. An algorithm for a landscape level model of mast production. Columbia, MO: University of Missouri. 293 p. Ph.D. dissertation. http://www.snr.missouri.edu/~sullivan/dis_direct.html. [Date accessed: October].
- U.S. Department of Agriculture, Forest Service. 1988. *Proceedings of the policy and program conference on "The South's fourth forest: alternatives for the future"*; 1987 March 18–19; Atlanta. Misc. Publ. 1463. Washington, DC: U.S. Government Printing Office. 143 p.
- U.S. Department of Agriculture, Forest Service. 1999. *Ozark-Ouachita Highlands assessment: summary report*. Rep. 1 of 5. Gen. Tech. Rep. SRS–31. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 56 p.
- Wendt, Daniel G. 2001. Relating landscape indices of forest fragmentation to large scale forest assessment data [CD-ROM]. In: Greer, Jerry D., ed. *Remote sensing and geospatial technologies for the new millennium*; *Proceedings of the 8th Forest Service remote sensing applications conference*; 2000 April 10–14; Albuquerque, NM. ISBN 1–57083–062–2. Bethesda, MD: American Society for Photogrammetry and Remote Sensing: 74–84.
- Zeide, Boris. 1997. Assessing biodiversity. *Environmental Monitoring and Assessment*. 48(3): 249–260.

Other FIA-Associated Literature

This section contains citations not listed elsewhere:

- Abernethy, Y.; Turner, R.E. 1987. U.S. forested wetlands: 1940–1980. *BioScience*. 37(10): 721–727.
- Abt, Robert C. 1986. Simulating supply, demand, and inventory trends at the State level: implications of regional projections. In: Mathews, Edward E., ed. *Proceedings of the 1986 southern forest economics workshop*; 1986 April 16–18; New Orleans. Raleigh, NC: North Carolina State University: 53–62.
- Abt, Robert C.; Cabbage, Frederick W.; Pacheco, Gerardo. 1994. Hardwood availability: who will meet the demand? *Forest Farmer*. 53(2): 13–14, 32–34.
- Abt, Robert Carroll. 1984. Regional production, structure, and factor demand in the U.S. lumber industry. Berkeley, CA: University of California. 106 p. Ph.D. dissertation.
- Ahn, SoEun; Plantinga, Andrew J.; Alig, Ralph J. 2000. Predicting future forest land area: a comparison of econometric approaches. *Forest Science*. 46(3): 363–376.

- Aikman, Walt. 1996. Empire Forest visions: collaborative meeting results for the seventh American forest congress. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 134–136.
- Alig, Ralph J. 1986. Econometric analysis of forest acreage trends in the Southeast. *Forest Science*. 32(1): 119–134.
- Alig, Ralph J. 2000. Where do we go from here? Preliminary scoping of research needs. In: DeCoster, Lester A., ed. Proceedings of the forest fragmentation 2000 conference: sustaining private forests in the 21st century; 2000 September 17–20; Annapolis, MD. Alexandria, VA: Sampson Group, Inc.: 371.
- Alig, Ralph J.; Adams, Darius M.; Haynes, Richard W. 1983. Long-range projections of forest area change: new approaches are needed. *Journal of Forestry*. 81(11): 723–727.
- Alig, Ralph J.; Butler, Brett J.; Swensen, Jennifer J. 2000. Fragmentation and national trends in private forest lands: preliminary findings from the 2000 renewable Resource Planning Act assessment. In: DeCoster, Lester A., ed. Proceedings of the forest fragmentation 2000 conference: sustaining private forests in the 21st century; 2000 September 17–20; Annapolis, MD. Alexandria, VA: Sampson Group, Inc.: 34–47.
- Alig, Ralph J.; Wear, David N. 1992. Changes in private timberland: statistics and projections for 1952 to 2040. *Journal of Forestry*. 90(5): 31–36.
- Alig, Ralph J.; Wyant, James G. 1985. Projecting regional area changes in forestland cover in the U.S.A. *Ecological Modeling*. 29: 27–34.
- Allen, D.C.; Barnett, C.J.; Millers, I.; La Chance, D. 1992. Temporal change (1988–1990) in sugar maple health, and factors associated with crown condition. *Canadian Journal of Forest Research*. 22: 1776–1784.
- Allen, Douglas C. 1996. Using FIA data to assess forest health. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 82–90.
- Anderson, Robert L.; Cost, Noel D.; Hoffard, William H. [and others]. 1990. Incidence and impact of damage and mortality trends in South Carolina timber, 1986. *Resour. Bull. SE-114*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 26 p.
- Anderson, Robert L.; McCartney, Thomas C.; Cost, Noel D. [and others]. 1988. Fusiform-rust-hazard maps for loblolly and slash pines. *Res. Note SE-351*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 7 p.
- Anderson, Robert L.; McClure, Joe P.; Cost, Noel D.; Hoffard, William H. 1983. Incidence and impact of damage to Florida's timber, 1980. *Resour. Bull. SE-64*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 23 p.
- Anderson, Robert L.; McClure, Joe P.; Hoffard, William H.; Cost, Noel D. 1981. Incidence and impact of damage to South Carolina's timber, 1979. *Resour. Bull. SE-56*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 34 p.
- Arner, Stanford L. 1998. Comparison of a fully mapped plot design to three alternative designs for volume and area estimates using Maine inventory data. *Gen. Tech. Rep. NE-243*. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 7 p.
- Atkins, David; Byler, James; Livingston, Ladd [and others]. 1999. Health of Idaho's forests: a summary of conditions, issues and implications. *For. Health Prot. Rep. 99-4*. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region. 33 p. + appendices.
- Azuma, David L.; Birch, K.R.; DelZotto, P. [and others]. 1999. Land use change on nonfederal land in western Oregon, 1973–1994. Salem, OR: Oregon Department of Forestry. 55 p.
- Baker, R.L.; Pearson, H.A. 1981. Plot delineation with a pin-and-chain. *Journal of Range Management*. 34(4): 336–337.

- Barnard, J.E. 1978. FINSYS-tool for processing of integrated resource inventory data. In: Lund, H. Gyde [and others]. Integrated inventories of renewable natural resources: Proceedings of the workshop; 1978 January 8–12; Tucson, AZ. Gen. Tech. Rep. RM–55. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 332–335.
- Bechtold, W.A.; Ruark, G.A.; Lloyd, F.T. 1991. Changing stand structure and regional growth reductions in Georgia's natural pine stands. *Forest Science*. 37(2): 703–717.
- Bechtold, William A. 1983. DYNARIP: a technique for regional forest inventory projection. Durham, NC: Duke University. 58 p. M.S. thesis.
- Bechtold, William A. 1984. DYNARIP: a technique for regional forest inventory projection and policy analysis. Res. Pap. SE–243. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 42 p.
- Bechtold, William A.; Brown, Mark J.; Sheffield, Raymond M. 1990. Florida's forests, 1987. *Resour. Bull.* SE–110. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 83 p.
- Bechtold, William A.; Zarnoch, S.J. 1999. Field methods and data processing associated with mapped inventory plots. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 421–424.
- Beltz, Roy C. 1991. Forest survey results for higher grade hardwood sawtimber. In: Facing uncertain futures and changing rules in the 1990s: Proceedings of the 19th annual symposium of the Hardwood Research Council; 1991 March 10–12; Starkville, MS. Memphis, TN: Hardwood Research Council: 135–145.
- Beltz, Roy C.; Bertelson, Daniel F. 1990. Distribution maps for Midsouth tree species. *Resour. Bull.* SO–151. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 56 p.
- Beltz, Roy C.; Bertelson, Daniel F.; Faulkner, Joanne L.; May, Dennis M. 1992. Forest resources of Arkansas. *Resour. Bull.* SO–169. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 48 p.
- Beltz, Roy C.; Cost, Noel D.; Kingsley, Neal P.; Peters, John R. 1992. Timber volume distribution maps for the Eastern United States: fifty-two maps showing cubic-foot volumes and board-foot volumes for major timber species. Gen. Tech. Rep. WO–60. Washington, DC: U.S. Department of Agriculture, Forest Service. 59 p.
- Benessalah, Driss. 1985. Forest area estimation using cluster sampling in single and two phase survey designs. St. Paul, MN: University of Minnesota. 183 p. Ph.D. dissertation.
- Best, Constance; Wayburn, Laurie A. 2001. America's private forests: status and stewardship. Washington, DC: Island Press. 224 p.
- Birch, Thomas W.; Gansner, David A.; Arner, Stanford L.; Widmann, Richard H. 1992. Cutting activity on West Virginia timberlands. *Northern Journal of Applied Forestry*. 9(4): 146–148.
- Birch, Thomas W.; Wharton, Eric H. 1982. Land use change in Ohio, 1952 to 1979. *Resour. Bull.* RB–NE–70. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 24 p.
- Birdsey, R.A. 1993. Past and prospective carbon storage in United States forests. *Forest Ecology and Management*. 58: 33–40.
- Birdsey, Richard A. 1992. Carbon storage and accumulation in United States forest ecosystems. Gen. Tech. Rep. WO–59. Washington, DC: U.S. Department of Agriculture, Forest Service. 34 p.
- Birdsey, Richard A.; McWilliams, William H. 1986. Midsouth forest area trends. *Resour. Bull.* SO–107. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 17 p.
- Birdsey, Richard A.; Schreuder, Hans T. 1992. An overview of forest inventory and analysis estimation procedures in the Eastern United States with an emphasis on the components of change. Gen. Tech. Rep. RM–214. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 11 p.
- Birdsey, Richard A.; Weaver, Peter L. 1987. Forest area trends in Puerto Rico. Res. Note SO–331. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 5 p.

- Bolsinger, Charles L. 1980. California forests: trends, problems, and opportunities. Resour. Bull. PNW-89. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 138 p.
- Bolsinger, Charles L. 1990. California's western juniper and pinyon-juniper woodlands: area, stand characteristics, wood volume, and fenceposts. Resour. Bull. PNW-166. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 37 p.
- Bolsinger, Charles L. 1997. Challenges of inventorying and monitoring oak woodlands. In: Pillsbury, Norman H.; Verner, Jared; Tietje, William D., tech. coords. Proceedings of a symposium on oak woodlands: ecology, management, and urban interface issues; 1996 March 19-22; San Luis Obispo, CA. Gen. Tech. Rep. PSW-GTR-160. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 61-64.
- Bolsinger, Charles L.; McKay, Neil; Gedney, Donald R.; Alerich, Carol L. 1997. Washington's public and private forests. Resour. Bull. PNW-RB-218. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 144 p.
- Bolton, Robert Keith. 1984. A comparison of diameter growth for selected tree species among physiographic regions of Georgia. Auburn, AL: Auburn University. 104 p. M.S. thesis.
- Borders, B.E.; Brister, G.E.; Grahl, N. [and others]. 2000. A comparison of sample designs in the national inventory of the U.S. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16-20; Boise, ID. Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 20-27.
- Born, J. David. 1984. Forest survey status at the Intermountain Station: part II—techniques. In: Lund, H. Gyde, ed. Preparing for the 21st century: Proceedings of the forest land inventory workshop; 1984 March 26-30; Denver. Washington, DC: U.S. Department of Agriculture, Forest Service, Timber Management Staff: 100-108.
- Born, J. David; Chojnacky, David C. 1985. Woodland tree volume estimation: a visual segmentation technique. Res. Pap. INT-344. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 16 p.
- Born, J. David; Tymcio, Ronald P.; Casey, Osborne E. 1992. Nevada forest resources. Resour. Bull. INT-76. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 64 p.
- Boyce, Stephen G.; Martin, William G. 1993. The future of the terrestrial communities of the Southeastern United States. In: Martin, William H.; Boyce, Stephen G.; Echternacht, A.C., eds. Biodiversity of the Southeastern United States: upland terrestrial communities. New York: John Wiley: 339-366.
- Bradshaw, R.H.W.; Webb, Thompson, III. 1985. Relationships between contemporary pollen and vegetation data from Wisconsin and Michigan, USA. Ecology. 66(3): 721-737.
- Brantley, Elizabeth A.; Leonard, Donna; Cost, Noel D. [and others]. 1993. Incidence and impact of damage and mortality trends to Georgia's timber, 1989. Resour. Bull. SE-134. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 30 p.
- Brantley, Elizabeth A.; Leonard, Donna; Redmond, Clair; Thompson, Michael T. 1994. Incidence and impact of damage and mortality trends to Florida's timber, 1987. Resour. Bull. SE-143. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 33 p.
- Brickell, James E. 1989. Review of forest inventory methodology and results, Tongass National Forest. Juneau, AK: U.S. Department of Agriculture, Forest Service, Alaska Regional Office. 28 p. [On file with: Inventory Specialist, USDA Forest Service, Alaska Regional Office, Forest Management, 709 W. 9th Street, Juneau, AK 99801].
- Brooks, Robert T. 1994. A regional-scale survey and analysis of forest growth and mortality as affected by site and stand factors and acid deposition. Forest Science. 40(3): 543-557.
- Brooks, Robert T.; Dickson, David R.; Burkman, William G. [and others]. 1992. Forest health monitoring in New England: 1990 annual report. Resour. Bull. NE-125. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 111 p.

- Brooks, Robert T.; Frieswyk, Thomas S.; Griffith, Douglas M. [and others]. 1992. The New England forest: baseline for New England forest health monitoring. Resour. Bull. NE-124. U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 89 p.
- Brooks, Robert T.; Kittredge, David B., Jr. 1989. Massachusetts timber resources: volume and value change. Amherst, MA: University of Massachusetts, Cooperative Extension. 3 p.
- Brooks, Robert T.; Sykes, Karen J. 1984. Sampling land use edge from aerial photographs—line transect vs. circular pattern. Res. Note NE-321. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 6 p.
- Brown, James; Rudis, Victor. 1997. Understory vegetation guide: a compilation of descriptions, drawings, and photos. 197 p. On file with: U.S. Department of Agriculture, Forest Service, Southern Research Station, Forest Inventory and Analysis Unit, 4700 Old Kingston Pike, Knoxville, TN 37919.
- Brown, Mark J.; Chojnacky, David C. 1996. Idaho's forests, 1991. Resour. Bull. INT-RB-88. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 63 p.
- Brown, Mark J.; McWilliams, William H. 1990. Pine stands across the South—trends and projections. In: Saucier, Joseph R.; Cabbage, Frederick W., comps. Proceedings of southern plantation wood quality workshop—a workshop on management, utilization, and economics of the South's changing pine resource; 1989 June 6-7; Athens, GA. Gen. Tech. Rep. SE-63. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station: 1-15.
- Brown, Mark J.; Smith, Greg M.; McCollum, Joseph M. 2001. Wetland forest statistics for the South Atlantic States. Resour. Bull. SRS-62. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 52 p.
- Bullard, Steven H.; Robertson, Clay; Idassi, Joshua; Faulkner, Joanne L. 1995. Hardwoods in north Mississippi—resource information from two forest surveys. FWRC Bull. 001-0895. Mississippi State, MS: Mississippi State University, Mississippi Forest and Wildlife Research Center. 10 p.
- Bullard, Steven H.; Weaver, G.H.; van Hees, Willem W.S. 1981. Stand-age analysis of timber on Mississippi's private, nonindustrial forests. Bull. 896. Mississippi State, MS: Mississippi Agricultural and Forestry Experiment Station. 11 p.
- Burch, John R.; Abt, Robert C.; Pacheco, Gerardo [and others]. 1996. Hurricane Hugo: timber inventory, price and welfare effects for South Carolina. In: Haymond, Jacqueline L.; Hook, Donal D.; Harms, William R. Hurricane Hugo: South Carolina forest land research and management related to the storm. Gen. Tech. Rep. SRS-5. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 306-314.
- Burkman, William G.; Bechtold, William A. 2000. Has Virginia pine declined? The use of forest health monitoring and other information in the determination. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16-20; Boise, ID. Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 258-264.
- Campbell, Sally; Liegel, Leon, tech. coords. 1996. Disturbance and forest health in Oregon and Washington. Gen. Tech. Rep. PNW-GTR-381. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station; Pacific Northwest Region; Oregon Department of Forestry; Washington Department of Natural Resources. 105 p.
- Canadian Forest Inventory Committee. 2000. Minutes of the 25th meeting: Canadian forest inventory committee. Corner Brook, Newfoundland, Canada: Pacific Forestry Centre. 146 p. [Notes on inventories of common interest between countries. Pages 106 through 108 report the USDA-FS-FIA program, as presented by W. McWilliams].
- Caprata, Michael W. 1982. Adaptation of the stand and tree evaluation and modelling systems of the forest resource evaluation program in the Central States. Carbondale, IL: Southern Illinois University. 43 p. M.S. thesis.
- Carmean, W.H.; Hahn, J.T. 1981. Revised site index curves for balsam fir and white spruce in the Lake States. Res. Note NC-269. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 4 p.
- Carmean, W.H.; Hahn, J.T.; Jacobs, R.D. 1989. Site index curves for forest tree species in the Eastern United States. Gen. Tech. Rep. NC-128. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 142 p.

- Carpenter, Eugene M. 1980. Wood fuel potential from harvested areas in the Eastern United States. Resour. Bull. NC-51. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 14 p.
- Carter, Douglas Ray. 1993. Empirical evidence on efficiency in forest-related markets. Athens, GA: University of Georgia. 125 p. Ph.D. dissertation.
- Castonguay, Thomas L.; Hansen, Mark H. 1984. Wooded strips and windbreaks in Kansas—1981. Res. Note NC-313. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 8 p.
- Catts, Glenn Paul. 1992. Aerial photographic sampling for statewide resource inventory. Raleigh, NC: North Carolina State University. 295 p. Ph.D. dissertation.
- Chojnacky, David C. 1985. Pinyon-juniper volume equations for the Central Rocky Mountain States. Res. Pap. INT-339. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 27 p.
- Chojnacky, David C. 1996. Forest inventory and analysis (FIA) variables: indicators of ecological integrity. In: North American workshop on monitoring for ecological assessment of terrestrial and aquatic ecosystems; 1995 September 18–22; Mexico City, Mexico. Gen. Tech. Rep. RM-GTR-284. Ft. Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 247–258.
- Chojnacky, David C. 1986. Pinyon-juniper site quality and volume growth equations for Nevada. Res. Pap. INT-372. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 4 p.
- Chojnacky, David C. 1987. Volume and growth prediction for pinyon-juniper. In: Everett, R.L., comp. Pinyon-juniper conference proceedings; 1986 January 13–16; Reno, NV. Gen. Tech. Rep. INT-215. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 207–215.
- Chojnacky, David C. 1988. Juniper, pinyon, oak and mesquite volume equations for Arizona. Res. Pap. INT-391. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 11 p.
- Chojnacky, David C. 1988. Woodland volume equations for Arizona Fort Apache and San Carlos Indian Reservations. Res. Pap. INT-379. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 7 p.
- Chojnacky, David C. 1995. Southern Idaho's forest land outside national forests, 1991. Resour. Bull. INT-RB-82. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 57 p.
- Chojnacky, David C. 1996. Estimating diameter growth for pinyon and juniper trees in Arizona and New Mexico. Res. Note INT-RN-429. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 6 p.
- Chojnacky, David C. 2001. On FIA variables for ecological use. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17–18; Salt Lake City. Gen. Tech. Rep. SRS-47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 102–108.
- Chojnacky, David C.; Ott, Janet S. 1986. Pinyon-juniper volume equations for Arizona Hualapai and Havasupai Indian Reservations. Res. Note INT-363. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 4 p.
- Christopher, John F.; Sternitzke, Herbert S.; Beltz, Roy C. [and others]. 1976. Hardwood distribution on pine sites in the South. Resour. Bull. SO-59. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 27 p.
- Clark, Alexander; Souter, Ray A.; Schlaegel, Bryce E. 1991. Stem profile equations for southern tree species. Res. Pap. SE-282. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 113 p.
- Clark, Neil; Schmoldt, Daniel; Araman, Philip. 2000. Development of a digital camera tree evaluation system. In: Proceedings of the Society of American Foresters 1999 national convention; 1999 September 11–15; Portland, OR. SAF 00-1. Bethesda, MD: Society of American Foresters: 495–497. <http://www.srs4702.forprod.vt.edu/pubsubj/abstract/ab00t15.htm>. [Date accessed: June 2003].
- Collins, Dennis C. 1989. Timberland and woodland resources outside national forests in Arizona—1985. Resour. Bull. INT-66. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 61 p.

- Committee to Evaluate Indicators for Monitoring Aquatic and Terrestrial Environments, National Research Council. 2000. Ecological indicators for the Nation. Washington, DC: National Academy Press. 198 p. <http://www.nap.edu/books/0309068452/html/>. [Date accessed: September 2001].
- Compte, Roberta Sue Davidson. 1994. A tree height model for 34 species of the north central region of the U.S. St. Paul, MN: University of Minnesota. 59 p. M.S. thesis.
- Conner, Roger C. 1998. South Carolina's forests, 1993. Resour. Bull. SRS-25. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 78 p.
- Conner, Roger C.; Born, J. David; Green, Alan W.; O'Brien, Renee A. 1990. Forest resources of Arizona. Resour. Bull. INT-69. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 92 p.
- Conner, Roger C.; O'Brien, Renee A. 1993. Montana's forest resources. Resour. Bull. INT-81. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 96 p.
- Conner, William H.; Toliver, John R. 1990. Long-term trends in the bald-cypress (*Taxodium distichum*) resource in Louisiana (U.S.A.). In: Jackson, Ben D., ed. Special issue: the international forested wetlands resource: identification and inventory: Proceedings of the international conference; 1988 September 19-22; Baton Rouge, LA. Forest Ecology and Management. 33/34(1-4): 543-557.
- Conservation Foundation. 1980. Summary, a citizen's guide to the Resources Planning Act and Forest Service planning. Washington, DC: The Foundation. 33 p.
- Considine, Thomas J., Jr. 1984. An analysis of New York's timber resources. Resour. Bull. NE-80. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 70 p.
- Cost, Noel D. 1978. Multiresource inventories—a technique for measuring volume in standing trees. Res. Pap. SE-196. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 18 p.
- Cost, Noel D. 1984. Current inventory situation of the FIA unit in the Southeast. In: Lund, H. Gyde, ed. Preparing for the 21st century: Proceedings of the forest land inventory workshop; 1984 March 26-30; Denver. Washington, DC: U.S. Department of Agriculture, Forest Service, Timber Management Staff: 65-75.
- Cost, Noel D. 1990. A case for forest damage assessment using permanent forest inventory plots. In: Lund, H. Gyde; Preto, Giovanni, tech. coords. Global natural resource monitoring and assessments: preparing for the 21st century: Proceedings of the international conference and workshop; 1989 September 24-30; Venice, Italy. Bethesda, MD: American Society for Photogrammetry and Remote Sensing: 479-487.
- Cost, Noel D. 1999. A new annual forest inventory system for the South. Forest Landowner. 58(2): 16-19.
- Cost, Noel D.; Craver, Gerald C. 1981. Distribution of melaleuca in south Florida. In: Geiger, R.K., comp. Proceedings of the melaleuca symposium; 1980 September 23-24; Fort Myers, FL. Tallahassee, FL: Florida Department of Agriculture and Consumer Services, Division of Forestry: 1-8.
- Craver, Gerald C. 1982. Multiresource inventories—a technique for determining the distribution and extent of honeysuckle on commercial forest land in South Carolina. Res. Note SE-317. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 11 p. <http://www.srs.fs.fed.us/pubs/viewpub.jsp?index=638>. [Date accessed: January 2002].
- Cubbage, Frederick; Siry, Jacek; Abt, Robert [and others]. 1999. Forest productivity and timber supply modeling in the South. In: Ek, Alan R.; ZumBahlen, Bruce, comps. Improving forest productivity for timber—a key to sustainability: Conference proceedings; 1998 December 1-3; Duluth, MN. St. Paul, MN: University of Minnesota, Department of Forestry: 285-290.
- Cubbage, Frederick W.; Harris, Thomas, Jr.; Abt, Robert [and others]. 1994. Timber supply in the South: where is all the wood? In: Newman, David H.; Aronow, Mary Ellen, eds. Forest economics on the edge: Proceedings of the 24th annual southern forest economics workshop; 1994 March 27-29; Savannah, GA. Athens, GA: University of Georgia, Daniel B. Warnell School of Forest Resources: 43-58.

- Czaplewski, Raymond L. 1993. The forest inventory and analysis system for forests of the United States: current situation, and possible future direction. In: Preto, Giovanni; Koch, Barbara, eds. Forest resource inventory and monitoring and remote sensing technology: Proceedings of the IUFRO centennial meeting in Berlin; 1992 August 31–September 4; Berlin, Germany. Tokyo, Japan: Japan Society of Forest Planning Press: 47–50.
- Czaplewski, Raymond L. 1999. Integration of strategic inventory and monitoring programs for the forest lands, wood lands, range lands, and agricultural lands of the United States. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. North American science symposium: toward a unified framework for inventoring and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 342–348.
- Czaplewski, Raymond L.; Alig, Ralph J.; Cost, Noel D. 1988. Monitoring land/forest cover using the Kalman filter: a proposal. In: Ek, Alan R.; Shifley, Stephen R.; Burk, Thomas E., eds. Forest growth modelling and prediction: Proceedings of the IUFRO conference; 1987 August 23–27; Minneapolis. SAF 87–12. Gen. Tech. Rep. NC–120. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 2: 1089–1096.
- Czaplewski, Raymond L.; Cost, Noel D. 1985. Land use cover classification using large, medium, and small scale photographs in South Carolina. In: Color aerial photography in the plant sciences and related fields: Proceedings of the 10th biennial workshop on color aerial photography in the plant sciences; 1985 May 21–24; Ann Arbor, MI. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 35–44.
- Czaplewski, Raymond L.; Cost, Noel D.; Moore, Richard A.; Bernu, Gregory J. 1990. Photointerpreting forest type and stand characteristics in South Carolina. In: 12th biennial workshop on color aerial photography and videography in the plant sciences and related fields: Proceedings; 1989 May 23–26; Sparks, NV. Bethesda, MD: American Society for Photogrammetry and Remote Sensing: 51–60.
- Dahms, Cathy W.; Gells, Brian W., tech. eds. 1997. An assessment of forest ecosystem health in the Southwest. Gen. Tech. Rep. RM–GTR–295. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 97 p. http://www.rms.nau.edu/publications/rm_gtr_295/index.html. [Date accessed: August 2001].
- DeCoster, James Krause. 1996. Impacts of tornados and hurricanes on the community structure and dynamics of North and South Carolina forests. Chapel Hill, NC: University of North Carolina. 361 p. Ph.D. dissertation.
- Dennis, Donald F. 1983. An analysis of Ohio's forest resources. Resour. Bull. NE–75. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 46 p.
- Dennis, Donald F. 1990. A probit analysis of the harvest decision using pooled time-series and cross-sectional data. *Journal of Environmental Economics and Management*. 18(2 Part 1): 176–187.
- Denton, Shirley R.; Barnes, Burton V. 1987. Tree species distributions related to climatic patterns in Michigan. *Canadian Journal of Forest Research*. 17: 613–629.
- Dickson, David R.; McAfee, Carol L. 1988. Forest statistics for Connecticut—1972 and 1985. Resour. Bull. NE–105. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 102 p.
- Dickson, David R.; McAfee, Carol L. 1988. Forest statistics for Massachusetts—1972 and 1985. Resour. Bull. NE–106. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 112 p.
- Dickson, David R.; McAfee, Carol L. 1988. Forest statistics for Rhode Island—1972 and 1985. Resour. Bull. NE–104. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 96 p.
- DiGiovanni, Dawn M. 1990. Forest statistics for West Virginia—1975 and 1989. Resour. Bull. NE–114. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 172 p.
- DiGiovanni, Dawn M.; Scott, Charles T. 1990. Forest statistics for New Jersey—1987. Resour. Bull. NE–112. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 97 p.
- Doman, A.P.; Ennis, R.; Weigel, D. 1981. North central resources evaluation field instructions. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 91 p.

- Donnelly, Dennis; Lilly, Barry; Smith, Erin. 2001. The southern variant of the forest vegetation simulator, FVS. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Forest Management Service Center. 65 p. <http://ftp.fs.fed.us/pub/fmsc/ftp/fvs/docs/overviews/snvar.pdf> [Date accessed: June 2003].
- Dyer, James M. 2001. Using witness trees to assess forest change in southeastern Ohio. *Canadian Journal of Forest Research*. 31: 1708–1718.
- Eav, Bov B.; Thomas, Charles E. 1981. Study plan: Oklahoma midcycle timber inventory pilot test. Nationwide forestry applications program, remote sensing technology implementation project. LEMSCO–16041 (contract 53–3182–0–29). Houston: Lockheed Engineering & Management Services Co. 19 p.
- ECOFIA Steering Group. 1994. ECOFIA white paper: an ecological approach for the inventory, analysis, and monitoring of forests in the United States. <http://www.msstate.edu/dept/forestry/wp.html>. [Date accessed: April 10, 1995].
- Ek, A.R.; Burk, T.E. 1995. The straddler plot problem and implications for FIA survey design. Staff Pap. Ser. 103. St. Paul, MN: University of Minnesota, Department of Forest Resources. 5 p.
- Erkkila, Daniel Lee. 1980. Forest management opportunities and associated regional impacts for northeastern Minnesota. St. Paul, MN: University of Minnesota. 52 p. M.S. thesis.
- Everest, Fred H.; Swanston, Douglas N.; Shaw, Charles G., III [and others]. 1997. Evaluation of the use of scientific information in developing the 1997 forest plan for the Tongass National Forest. Gen. Tech. Rep. PNW–GTR–415. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 69 p.
- Flick, Dennis D. 1984. Private timber supply projections for western Oregon and Washington: a comparison with 1980 RPA timber supply estimates. Corvallis, OR: Oregon State University. 88 p. M.S. thesis.
- Fox, Lawrence, III. 1989. A classification, map, and volume estimate for the Coast Redwood Forest in California. Revised. Arcata, CA: Humboldt State University, Department of Forestry. 42 p. http://elib.cs.berkeley.edu/cgi-bin/doc_home?elib_id=1729. [Date accessed: August 2001].
- Fraye, W.E. 1978. Objectives of multi-resource inventories in relation to design considerations. In: Lund, H. Gyde [and others]. *Integrated inventories of renewable natural resources: Proceedings of the workshop; 1978 January 8–12; Tucson, AZ*. Gen. Tech. Rep. RM–55. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 267–269.
- Fraye, W.E. 1999. Complexity of sampling multiple resources. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. *North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico*. Proceedings RMRS–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 163–165.
- Fraye, W.E. 1999. Forest survey sampling designs: a history. *Journal of Forestry*. 97(12): 4–10.
- Fraye, W.E.; Beltz, Roy C. 1985. Loss of bottomland hardwoods in the Mississippi Alluvial Plain. In: Schmid-Haas, Paul, ed. *Inventorying and monitoring endangered forests: Proceedings of the IUFRO conference; 1985 August 19–24; Zurich, Switzerland*. Birmensdorf, Switzerland: Eidgenoessische Anstalt fuer das forstliche Versuchswesen (Swiss Federal Institute for Forestry Research): 307–309.
- Fraye, W.E.; Hartman, George B.; Bower, David C., eds. 1975. *Inventory design and analysis: Proceedings of a workshop; 1974 July 23–25; [Place of meeting unknown]*. Washington, DC: Society of American Foresters. 368 p.
- Freligh, Lee E.; Reich, Peter B. 1996. Old growth in the Great Lakes region. In: Davis, M.B. *Eastern old-growth forests: prospects for rediscovery and recovery*. Washington, DC: Island Press: 144–160. Chapter 11.
- Gadbury, G.L.; Iyer, H.K.; Schreuder, H.T.; Ueng, C.Y. 1998. A nonparametric analysis of plot basal area growth using tree based models—introduction. Res. Pap. RMRS–RP–2. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 14 p.
- Gansner, D.A.; Arner, S.L.; Widmann, R.H.; Alerich, C.L. 1993. After two decades of gypsy moth, is there any oak left? *Northern Journal of Applied Forestry*. 10: 184–186.

- Gansner, David; Birch, Thomas; Frieswyk, Thomas. 1988. Those resilient yankee forests. *American Forests*. July/August: 32–33, 85–86.
- Gansner, David; Birch, Thomas W.; Sheffield, Raymond M.; McWilliams, William H. 1992. Central Appalachian hardwoods: getting bigger and stocking up. *The Allegheny News*. April: 17–19.
- Gansner, David A. 1995. Using forest survey data to map the defoliation potential of gypsy moth. In: Kohl, Michael [and others]. *The Monte Verita conference on forest survey designs: simplicity versus efficiency and assessment of non-timber resources*; 1994 May 2–7; Ascona, Switzerland. Birmensdorf, Switzerland: Swiss Federal Institute for Forest, Snow and Landscape Research (WSL/FNP); Zurich, Switzerland: Swiss Federal Institute of Technology (ETH): 290–295.
- Gansner, David A.; Birch, Thomas W.; Lacy, Susan E. 1991. Northeastern woodlands: hanging in and stocking up. *American Forests*. 97(5/6): 48, 49, 57.
- Gansner, David A.; Birch, Thomas W.; Sheffield, Raymond M.; McWilliams, William H. 1991. Central Appalachian hardwoods: getting bigger and stocking up. *National Woodlands*. 14(4): 12–15.
- Gansner, David A.; Drake, David A.; Arner, Stanford L. [and others]. 1993. Defoliation potential of gypsy moth. Res. Note NE–354. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 11 p. [Abbreviated version NE–INF–117–93. 4 p.].
- Gansner, David A.; King, Susan L.; Arner, Stan L.; Drake, D.A. 1996. Mapping shifts in the relative stocking of tree species. *Northern Journal of Applied Forestry*. 13(2): 92–95.
- Gansner, David A.; King, Susan L.; Widmann, Richard H. 1995. Shifts in relative stocking point to potential problems in forest health. In: *Managing forests to meet peoples' needs: Proceedings of the 1994 Society of American Foresters/Canadian Institute of Forestry convention*; 1994 September 18–22; Anchorage, AK. SAF 95–02. Bethesda, MD: Society of American Foresters: 465–466.
- Gansner, David A.; Quimby, J.W.; King, Susan L. 1994. Tracking changes in the susceptibility of forest land infested with gypsy moth. Res. Pap. NE–690. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 4 p.
- Gansner, David A.; Quimby, John W.; King, Susan L. [and others]. 1995. Tracking changes in the susceptibility of forest land infested with gypsy moth. *Gypsy Moth News*. 37: 3–6.
- Gansner, David A.; Widmann, Richard H.; Arner, Stanford L. [and others]. 1992. Pennsylvania oak suffers from gypsy moth assaults. *The Northern Logger and Timber Processor*. 41(1): 20–21.
- Gedney, Donald R. 1976. The occurrence of laminated root rot on nonfederal timberland in northwest Oregon, 1976. Res. Note PNW–381. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 7 p.
- Gedney, Donald R.; Azuma, David L.; Bolsinger, Charles L.; McKay, Neil. 1999. Western juniper in eastern Oregon. Gen. Tech. Rep. PNW–GTR–464. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 53 p.
- Gedney, Donald R.; Hiserote, Bruce A. 1989. Changes in land use in western Oregon between 1971–74 and 1982. *Resour. Bull.* PNW–165. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 21 p.
- Geron, C.D.; Guenther, A.B.; Pierce, T.E. 1994. An improved model for estimating emissions of volatile organic compounds from forests in the Eastern United States. *Journal of Geophysical Research*. 99(D6): 12,733–12,791.
- Geron, Christopher D. 1999. Forest cover and natural volatile organic compounds in North America. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. *North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources*; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 126–129.
- Gillespie, Andrew J.R. 1999. Rationale for a national annual forest inventory program. *Journal of Forestry*. 97(12): 16–20.

- Gillespie, Andrew J.R. 1999. A strategic plan for forest inventory and monitoring in the United States. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 349–358.
- Gillespie, Andrew J.R. 2000. Pros and cons of continuous forest inventory: customer perspectives. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 60–66. <http://fia.fs.fed.us/library/procon.htm>. [Date accessed: June 2003].
- Goebel, J. Jeffrey; Schreuder, Hans T.; House, Carol C. [and others]. 1998. Integrating surveys of terrestrial natural resources: the Oregon demonstration project. Inventory and Monit. Rep. 2. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 20 p.
- Goodlatte, Bob; Garner, James. 1999. The new and improved FIA program. *Journal of Forestry*. 97(12): 64.
- Green, Alan W.; Conner, Roger C. 1989. Forests in Wyoming. Resour. Bull. INT–61. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 91 p.
- Green, Alan W.; O'Brien, Renee A. 1989. The Rocky Mountains. In: An analysis of the land base situation in the US. Gen. Tech. Rep. RM–181. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 32–37. Chapter 4.
- Green, Alan W.; O'Brien, Renee A.; Schaefer, James C. 1985. Montana's forests. Resour. Bull. INT–38. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 70 p.
- Gregoire, Timothy G. 1992. Roots of forest inventory in North America. In: American forestry: an evolving tradition: Proceedings of the 1992 Society of American Foresters national convention; 1992 October 25–27; Richmond, VA. Bethesda, MD: Society of American Foresters: 57–66.
- Grelen, Harold E.; Lewis, Clifford E. 1978. Multi-resource inventories: a potential of the forest survey. In: Lund, H. Gyde [and others], eds. Integrated inventories of renewable natural resources; 1978 January 8–12; Tucson, AZ. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 425–429.
- Grizzard, Kent. 1993. Measuring the forest, one State at a time. *Forestry Forum*. 7(1): 22–31.
- Gunter, James Thomas. 1994. An econometric analysis of softwood stumpage supply response to potential regional environmental changes. Mississippi State, MS: Mississippi State University. 99 p. M.S. thesis.
- Hahn, Jerold T.; MacLean, Colin D.; Arner, Stanford L.; Bechtold, William A. 1995. Procedures to handle inventory cluster plots that straddle two or more conditions. *Forest Science Monograph*. 31: 12–25.
- Hahn, Jerold T.; Stelman, Joan M. 1984. Empirical yield tables for Michigan. Gen. Tech. Rep. NC–96. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 33 p.
- Hamilton, Thomas E. 1987. Introduction to national land and resource management planning concepts. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. Land and resource evaluation for national planning in the Tropics: Proceedings of the international conference and workshop; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 15–20.
- Hansen, A.J.; Spies, T.A.; Swanson, F.J.; Ohmann, J.L. 1991. Conserving biodiversity in managed forests: lessons from natural forests. *BioScience*. 41(6): 382–392.
- Hansen, Andrew; Dale, Virginia. 2001. Biodiversity in U.S. forests under global climate change. *Ecosystems*. 4(3): 161–163.
- Hansen, Mark H. 1985. Line intersect sampling of wooded strips. *Forest Science*. 31(2): 282–288.
- Hansen, Mark H.; Hahn, Jerold T. 1992. Determining stocking, forest type, and stand-size class from forest inventory data. *Northern Journal of Applied Forestry*. 9(3): 82–89.

- Hansen, Mark H.; Schreuder, Hans T.; Heinzen, Dave. 2000. Selection of plot remeasurement in an annual inventory. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 67–78.
- Hansen, Mark Henry. 1990. A comprehensive sampling system for forest inventory based on an individual tree growth model. St. Paul, MN: University of Minnesota. 268 p. Ph.D. dissertation.
- Hartsell, Andrew John. 1999. Financial returns on timberlands in Mississippi from 1977 to 1994. Mississippi State, MS: Mississippi State University. 85 p. M.S.F. thesis.
- Hartsell, Andrew J.; Bullard, Steven H. 2000. Financial returns on timberlands in Mississippi between 1977 and 1994. In: Pelkki, M.H., ed. Proceedings of the 2000 southern forest economics workshop; [Date of meeting unknown]; Monticello, AR. Monticello, AR: University of Arkansas, School of Forest Resources: 277–283. <http://sofew.cfr.msstate.edu/papers/0152hartsell.pdf>. [Date accessed: June 2003].
- Haugen, D.E.; Leatherberry, E.C. 1998. The Lake States maple resource. In: Meeting in the middle: Proceedings of the Society of American Foresters national convention; 1997 October 4–7; Memphis, TN. Bethesda, MD: Society of American Foresters: 378–379.
- Haynes, Richard W., coord. 1990. An analysis of the timber situation in the United States: 1989–2040. Gen. Tech. Rep. RM–199. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 268 p.
- Hazard, John W.; Law, Beverly E. 1989. Forest survey methods used in the USDA Forest Service. EPA/600/3–89/065. Corvallis, OR: U.S. Environmental Protection Agency, Environmental Research Laboratory. 55 p.
- He, Hong S.; Mladenoff, David J.; Crow, Thomas R. 1999. Linking an ecosystem model and a landscape model to study forest species response to climate warming. *Ecological Modelling*. 114: 213–233.
- Healy, Robert G. 1985. Competition for land in the American South: agriculture, human settlement, and the environment. Washington, DC: The Conservation Foundation. 334 p.
- Hedlund, Arnold; Knight, Herbert A. 1969. Hardwood distribution maps for the South. Resour. Bull. SO–19. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 13 p.
- Hegg, Karl M.; Larson, Frederic R.; Mead, Delbert R.; Winterberger, Kenneth C. 1981. Multiresource inventories in Alaska. In: Color aerial photography in the plant sciences and related fields: Proceedings of the 8th biennial workshop on color aerial photography in the plant sciences; 1981 April 21–23; Luray, VA. Falls Church, VA: American Society of Photogrammetry and Remote Sensing: 59–65.
- Hershey, R. Riemann; Ramirez, M.A.; Drake, D.A. 1997. Using geostatistical techniques to map the distribution of tree species from ground inventory data. In: Gregoire, T.G. [and others]. Modelling longitudinal and spatially correlated data: methods, applications, and future directions; 1996 October 15–18; Nantucket, MA. New York: Springer-Verlag, Inc.: 187–198. Vol. 122. <http://www.fs.fed.us/ne/rsb/nant.html>. [Date accessed: August 2001].
- Hershey, Rachel R.; Ramirez, Martin A.; Drake, David A. 1995. Exploring the geostatistical techniques available to create a map of tree species distribution: an example using forest inventory and analysis (FIA) data. In: Thompson, Joyce Elma, comp. Analysis in support of ecosystem management; analysis workshop III; 1995 April 10–13; Fort Collins, CO. Washington, DC: U.S. Department of Agriculture, Forest Service, Ecosystem Management Analysis Center: 20–30.
- Heym, Douglas Carey. 1984. A methodology for comparing published regional field plot data to inventory plot data for natural hardwood stands in the Coastal Plain of South Carolina. Ann Arbor, MI: University of Michigan. 48 p. M.S. thesis.
- Hoekstra, Thomas W. 1982. Information needs and use assessments. In: Brann, Thomas B.; House, Louis O.; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME. SAF 82–02. Bethesda, MD: Society of American Foresters: 10–13.

- Hoekstra, Thomas W.; Joyce, Linda A.; Hamilton, Thomas E. 1987. Estimation of regional multiresource interactions. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 386–391.
- Holdaway, M.R. 1988. The relationship between tree diameter growth and climate in the Lake States. In: Ek, Alan R.; Shifley, Stephen R.; Burk, Thomas E., eds. Forest growth modelling and prediction: Proceedings of the IUFRO conference; 1987 August 23–27; Minneapolis. SAF 87–12. Gen. Tech. Rep. NC–120. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 1: 490–497.
- Holdaway, Margaret R. 1990. Correlation analysis of tree growth, climate, and acid deposition in the Lake States. Res. Pap. NC–294. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 21 p.
- Holdaway, Margaret R. 2000. The AFIS tree growth model for updating annual forest inventories in Minnesota. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 507–514.
- Hoppus, Michael L.; Lister, Andrew; Arner, Stan L. 2001. Stratifying FIA ground plots using a 3-year old MRLC forest cover map and current TM derived variables selected by decision tree classification. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. Proceedings of the second annual forest inventory and analysis symposium; 2000 October 17–18; Salt Lake City. Gen. Tech. Rep. SRS–47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 19–24.
- Hornbeck, J.W.; Smith, R.B.; Federer, C.A. 1988. Growth trends in 10 species of trees in New England, 1950–1980. Canadian Journal of Forest Research. 18: 1337–1340.
- Hyde, William F.; Stuart, William B. 1998. US South. In: Wilson, Bill [and others]. Forest policy: international case studies. London, England: CABI Publishing: 23–45. Chapter 2.
- Irland, Lloyd C. 1998. Maine's forest area, 1600–1995: review of available estimates. Misc. Publ. 736. Orono, ME: University of Maine, Maine Agricultural and Forest Experiment Station. 12 p. http://www.umaine.edu/mafes/elec_pubs/mp736.pdf. [Date accessed: June 2003]
- Iverson, L.R. 1991. Forest resources of Illinois: what do we have and what are they doing for us? Illinois Natural History Survey Bulletin. 34(4): 361–374.
- Iverson, L.R.; Prasad, A.M.; Hale, B.J.; Sutherland, E.K. 1999. An atlas of current and potential future distributions of common trees of the Eastern United States. Gen. Tech. Rep. NE–265. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 245 p.
- Iverson, Louis R.; Prasad, Anantha M. 2001. Potential changes in tree species richness and forest community types following climate change. Ecosystems. 4(3): 186–199.
- Jacobi, William R.; Anderson, Robert L.; Cost, Noel D. 1981. Multiresource inventories: procedures for assessing the damage caused by insects and diseases. Res. Pap. SE–221. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 11 p.
- Jacobs, David M.; Cooke, William Henry, III. 2000. Generating continuous surface probability maps from airborne video using two sampling intensities along the video transect. Res. Pap. SRS–22. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 5 p.
- Jacobs, Dennis M.; Evans, David L. 1996. Applications of airborne videography in forest inventory and analysis and in assessing catastrophic events. In: Paivinen, Risto [and others], eds. EFI proceedings: new thrusts in forest inventory: Proceedings of the subject group S4.02–00 and S4.12–00; IUFRO XX World Congress; 1995 August 6–12; Tampere, Finland. Joensuu, Finland: European Forest Institute, International Union of Forestry Research Organizations. I: 91–104.
- Jakes, Pamela J. 1977. The biological and economic potential of Minnesota's commercial forest land to produce timber. St. Paul, MN: University of Minnesota. 72 p. M.S. thesis.

- Jakes, Pamela J.; Spencer, John S., Jr.; Essex, Burton L. 1979. Land use change in Missouri, 1959–1972. Resour. Bull. NC–40. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 19 p.
- Jepson, E.J.; Marcouiller, D.W.; Deller, S.C. 1997. Incorporating market and nonmarket values into regional planning for rural development. *Journal of Planning Literature*. 12(2): 220–257. [Council of Planning Literature (CPL) Bibliographies. 338–340].
- Joyce, L.A.; McKinnon, B.; Hof, J.G.; Hoekstra, T.W. 1983. Analysis of multiresource production for national assessments and appraisals. Gen. Tech. Rep. RM–101. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 20 p.
- Joyce, Linda A.; Hoekstra, T.W. 1984. A national perspective on information needs from inventories. In: Lund, H. Gyde, ed. *Preparing for the 21st century: Proceedings of the forest land inventory workshop; 1984 March 26–30; Denver*. Washington, DC: U.S. Department of Agriculture, Forest Service, Timber Management Staff: 218–227.
- Joyce, Linda A.; Hoekstra, Thomas W.; Alig, Ralph J. 1986. Regional multiresource models in a national framework. *Environmental Management*. 20: 761–771.
- Julin, Kent R.; Caouette, John P. 1997. Options for defining old-growth timber volume strata: a resource assessment. In: Julin, Kent R., comp. *Assessments of wildlife viability, old-growth timber volume estimates, forested wetlands, and slope stability*. Gen. Tech. Rep. PNW–GTR–392. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 24–37.
- Kaiser, H. Fred. 1987. The importance of multiple use value in designing inventories. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. *Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop; 1987 January 25–31; Chetumal, Mexico*. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 168–171.
- Kelly, John F. 1989. Development and application of a variable density yield model for Midsouth pine-hardwood stands. In: Waldrop, Thomas A., ed. *Proceedings of pine-hardwood mixtures: a symposium on the management and ecology of the type; 1989 April 18–19; Atlanta*. Gen. Tech. Rep. SE–58. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station: 200–205.
- Kelly, John F.; Sims, Mike. 1989. Forest resources of Mississippi. Resour. Bull. SO–147. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 63 p.
- King, Susan L.; Gansner, David A. 1995. Trends in relative stocking help locate forest health problems. In: Sessions, John; Brodie, J. Douglas, eds. *Management systems for a global economy with global resource concerns; Proceedings of the 1994 symposium on systems analysis in forest resources; 1994 September 6–9; Pacific Grove, CA*. Bethesda, MD: Society of American Foresters: 418–425.
- King, Susan L.; Widmann, Richard H. 1997. Locating shifts in relative stocking for tree species in Maine. In: *Proceedings of the 1997 ACSM/ASPRS annual convention and exposition; 1997 April 7–10; Seattle*. Bethesda, MD: American Society for Photogrammetry and Remote Sensing; American Congress on Surveying and Mapping: 398–409. Vol. 4.
- Kingsley, Neal P. 1985. A forester's atlas of the Northeast. Gen. Tech. Rep. NE–95. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 96 p.
- Kingsley, Neal P. 1997. Resource availability from nonindustrial private forest land in the Lake States. In: Webster, Henry H.; Vasievich, J. Michael, tech. coords. *Lake States regional forest resources assessment: technical papers*. Gen. Tech. Rep. NC–189. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 72–76.
- Kingsley, Neal P.; Nicholls, Thomas H. 1991. Raptor habitat in the Midwest. In: Pendleton, Beth Giron; Krahe, Diane L., eds. *Proceedings of the Midwest raptor symposium and workshop; [Date of meeting unknown]; Chicago*. Sci. and Tech. Ser. 15. Washington, DC: National Wildlife Federation: 185–194.
- Kingsley, Neal P.; Powell, Douglas S. 1979. Oak: where is it? where's it been? where's it going? In: *Management and utilization of oak: Proceedings of the 7th annual hardwood symposium; 1979 May 1–4; Cashiers, NC*. Memphis, TN: National Hardwood Lumber Association: 12–28.

- Kingsley, Neal P.; Powell, Douglas S. 1982. Using resource evaluation data: the potential pitfalls. In: Brann, Thomas B.; House, Louise O., IV; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME. SAF 82–02. Bethesda, MD: Society of American Foresters: 994–996.
- Kjoss, V.A.; Litvaitis, J.A. 2001. Community structure of snakes in a human-dominated landscape. *Biological Conservation*. 98(3): 285–292.
- Kline, Jeffrey D.; Benford, Frank A.; Swenson, Jennifer J. 2000. Historic and projected trends in private forest land in the Western U.S. In: DeCoster, Lester A., ed. Proceedings of the forest fragmentation 2000 conference: sustaining private forests in the 21st century; 2000 September 17–20; Annapolis, MD. Alexandria, VA: Sampson Group, Inc.: 73–79.
- Klopatek, J.M.; Kitchings, J.T.; Olson, R.J. [and others]. 1981. A hierarchical system for evaluating regional ecological resources. *Biological Conservation*. 20: 271–290.
- Knight, Herbert A.; Nodine, Stephen K. 1996. The timber situation in South Carolina's northern Coastal Plain three years after the storm. In: Haymond, Jacqueline L.; Hook, Donal D.; Harms, William R. Hurricane Hugo: South Carolina's forest land research and management related to the storm. Gen. Tech. Rep. SRS–5. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 319–335.
- Koten, Donald E.; Hoern, Allen F. 1993. Forest resources and timber. In: Neville, L. Robert; Zipperer, Wayne C., tech. coords. New York-New Jersey Highlands regional study: analysis of selected resources. NA–TP–04–93. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Area State and Private Forestry: 1–11.
- LaBau, Vernon J. 1984. A review of nontimber data collection and information reported by the forest inventory and analysis projects in the U.S. In: Schlatterer, Ed; Lund, H. Gyde, eds. Proceedings of the inventory integration workshop; 1984 October 15–19; Portland, OR. Washington, DC: U.S. Department of Agriculture, Forest Service, Range and Timber Management Staffs: 59–63, 153–165.
- LaBau, Vernon J. 1987. Interagency cooperation in State and subregional inventories. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 73–77.
- LaBau, Vernon J.; Kerr, Calvin L., eds. 1984. Inventorying forest and other vegetation of the high latitude and high altitude regions. In: Proceedings of an international symposium; 1984 July 23–26; Fairbanks, AK. SAF 84–11. Bethesda, MD: Society of American Foresters: 296.
- LaBau, Vernon J.; Mead, Bert R.; Herman, David A. 1986. Quantification of vegetation edge for the Tanana River Basin, Alaska. In: 1986 ASPRS-ACSM fall convention—ASPRS technical papers; 1986 September 28–October 3; Anchorage, AK. Falls Church, VA: American Society for Photogrammetry and Remote Sensing: 335–341.
- Larson, Frederic R. 1984. Alaska integrated inventory system. In: Lund, H. Gyde, ed. Preparing for the 21st century: Proceedings of the forest land inventory workshop; 1984 March 26–30; Denver. Washington, DC: U.S. Department of Agriculture, Forest Service, Timber Management Staff: 126–141.
- Larson, Frederic R. 1984. Characterizing downed woody fuels by Alaska vegetation strata classes. In: LaBau, Vernon J.; Kerr, Calvin L., eds. Inventorying forest and other vegetation of the high latitude and high altitude regions: Proceedings of an international symposium; 1984 July 23–26; Fairbanks, AK. SAF 84–11. Bethesda, MD: Society of American Foresters: 220–224.
- Larson, Frederic R. 1984. Design, organization, budgeting, and scheduling of natural resource inventories. In: Schlatterer, Ed; Lund, H. Gyde, eds. Proceedings of the inventory integration workshop; 1984 October 15–19; Portland, OR. Washington, DC: U.S. Department of Agriculture, Forest Service, Range and Timber Management Staffs: 90–99.
- Larson, Frederic R. 1984. Planning extensive inventories for vast remote areas. In: LaBau, Vernon J.; Kerr, Calvin L., eds. Inventorying forest and other vegetation of the high latitude and high altitude regions: Proceedings of an international symposium; 1984 July 23–26; Fairbanks, AK. SAF 84–11. Bethesda, MD: Society of American Foresters: 50–53.
- Larson, Frederic R. 1992. Downed woody material in southeast Alaska forest stands. Res. Pap. PNW–RP–452. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 12 p.

- Larson, Frederic R.; Winterberger, Kenneth C. 1988. Tables and equations for estimating volumes of trees in the Susitna River Basin, Alaska. Res. Note PNW-478. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 20 p.
- Leatherberry, E.C. 1993. Using forest inventory data to assess use restrictions on private timberland in Illinois. Resour. Bull. NC-149. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 6 p.
- Leatherberry, Earl; Meunier, James. 1997. The forest resources of the Ottawa National Forest, 1993. Resour. Bull. NC-185. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 41 p.
- Leatherberry, Earl; Roussopoulos, Sue; Spencer, John, Jr. 1992. An analysis of Iowa's forest resources: 1990. Resour. Bull. NC-142. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 67 p.
- Leatherberry, Earl C.; Spencer, John S., Jr. 1998. The current state of the Lake States forest resource. *The Northern Logger and Timber Processor*. 47(3): 20-22, 28-32, 38-40.
- Lessard, Veronica C. 2000. Calibration of the STEMS diameter growth model using FIA data. In: Hansen, Mark; Burk, Thomas, eds. *Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16-20; Boise, ID*. Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 525-532.
- Lessard, Veronica C.; McRoberts, Ronald E.; Holdaway, Margaret R. 2001. Diameter growth models using Minnesota forest inventory and analysis data. *Forest Science*. 47(3): 301-310.
- Lewis, David K.; Goodier, Jeffery P. 1990. *The South's fourth forest: Oklahoma*. MP-130. Oklahoma City: Oklahoma State University, Division of Agriculture, Agricultural Experiment Station. 94 p.
- Li, H.G.; Schreuder, H.T.; Scott, C.T. 1990. Combining estimates that are both in error subject to marginal constraints. *Canadian Journal of Forest Research*. 20(10): 1675-1679.
- Liebhold, A.M.; Gottschalk, K.W.; Mason, D.A.; Bush, R.R. 1997. Forest susceptibility to the gypsy moth. *Journal of Forestry*. 95(5): 20-24.
- Liebhold, Andrew; Gottschalk, Kurt; Mason, Doug. 1998. Evaluation of forest susceptibility to the gypsy moth across the coterminous United States. <http://www.fs.fed.us/ne/morgantown/4557/gmoth/suscept/suscept.html>. [Date accessed: August 2001].
- Liebhold, Andrew M.; Gottschalk, Kurt W.; Luzader, Eugene R. [and others]. 1997. *Gypsy moth in the United States: an atlas*. Gen. Tech. Rep. NE-233. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 36 p.
- Lin, Ching-Rong. 1995. *Economics and diversity of trees and landscape in northern hardwood forests: implications of deterministic and stochastic models*. Madison, WI: University of Wisconsin. 168 p. Ph.D. dissertation.
- Lindsay, John J.; Gilbert, Alphonse H.; Birch, Thomas W. 1992. Factors affecting the availability of wood energy from non-industrial private forest lands in the Northeast. Resour. Bull. NE-122. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 19 p.
- Lister, Andrew; Riemann, Rachel; Hoppus, Michael. 2001. A nonparametric geostatistical approach for estimating species importance. In: Reams, Gregory A.; Liu, C.M.; Leuschner, W.A.; Burkhart, H.E.; de Steiguer, J.E. *A model for assessing the impact of atmospheric deposition on regional forest inventories*. *Journal of Environmental Management*. 30: 337-351.
- Lu, Hsien-Chih. 1992. *Economic management of Wisconsin's northern hardwood forest stands: a mixed-species model*. Madison, WI: University of Wisconsin. 145 p. Ph.D. dissertation.
- Lund, H. Gyde, ed. 1984. *Preparing for the 21st century: Proceedings of the forest inventory workshop; 1984 March 26-30; Denver*. Washington, DC: U.S. Department of Agriculture, Forest Service, Division of Timber Management. 334 p.
- Lund, H. Gyde. 1986. *A primer on integrating resource inventories*. Gen. Tech. Rep. W0-49. Washington, DC: U.S. Department of Agriculture, Forest Service. 64 p.

- Lund, H. Gyde. 1987. Developing resource inventory policies for national land and resource evaluation and planning. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. *Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop*; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO–39. Washington, DC: U.S. Department of Agriculture, Forest Service: 491–498.
- Lund, H. Gyde. 1990. From terras incognitas to illuminations. In: Lund, H. Gyde; Preto, Giovanni, tech. coords. *Global natural resource monitoring and assessments: preparing for the 21st century: Proceedings of the international conference and workshop*; 1989 September 24–30; Venice, Italy. Bethesda, MD: American Society for Photogrammetry and Remote Sensing: 32–40.
- Lund, H. Gyde. 1990. Inventory technology: ‘ebb tides’, ‘flash floods’ and ‘whirlpools.’ In: Jackson, Ben D., ed. *Special issue: the international forested wetlands resource: identification and inventory: Proceedings of the international conference*; 1988 September 19–22; Baton Rouge, LA. *Forest Ecology and Management*. 33/34(1–4): 559–570.
- Lund, H. Gyde. 1995. The far side of designing integrated inventories: people and politics. In: Kohl, Michael [and others]. *The Monte Verita conference on forest survey designs: simplicity versus efficiency and assessment of non-timber resources*; 1994 May 2–7; Ascona, Switzerland. Birmensdorf, Switzerland: Swiss Federal Institute for Forest, Snow and Landscape Research (WSL/FNP); Zurich, Switzerland: Swiss Federal Institute of Technology: 11–26.
- Lund, H. Gyde. 1998. A comparison of multipurpose resource inventories (MRIs) throughout the World. *EFI Work. Pap.* 14. Torikatu, Finland: European Forest Institute. 46 p.
- Lund, H. Gyde; Myers, Charles C. 1982. Integrating inventories. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. *In-place resource inventories: principles and practices: Proceedings of a national workshop*; 1981 August 9–14; Orono, ME. SAF 82–02. Bethesda, MD: Society of American Foresters: 79–84.
- Lund, H. Gyde; Thomas, Charles E. 1989. A primer on stand and forest inventory designs. Gen. Tech. Rep. WO–54. Washington, DC: U.S. Department of Agriculture, Forest Service. 96 p.
- Luppold, William; Baumgras, John; Barrett, George. 2001. Utilization of the eastern hardwood resource by the hardwood sawmilling industry. *Northern Journal of Applied Forestry*. 18(2): 37–41.
- Luppold, William G.; Baumgras, John E. 1999. The interaction between forest industry and the forest resource in West Virginia. In: Ek, Alan R.; ZumBahlen, Bruce, comps. *Improving forest productivity for timber—a key to sustainability: Conference proceedings*; 1998 December 1–3; Duluth, MN. St. Paul, MN: University of Minnesota, Department of Forestry: 159–164.
- Luppold, William G.; Baumgras, John E. 2000. Analysis of changes in eastern national forest timber sales between 1985 and 1997. *Forest Products Journal*. 50(1): 87–93.
- Luppold, William G.; Baumgras, John E.; Sheffield, Raymond M. 1998. A comparative analysis of hardwood sawtimber quality on national forests versus adjacent lands. *Forest Products Journal*. 48(5): 51–56.
- Luppold, William G.; McWilliams, William H. 2000. Issues affecting the interpretation of eastern hardwood resource statistics. *Forest Products Journal*. 50(4): 21–24.
- Marcouiller, D.W.; Deller, S.C. 1996. Natural resource stocks, flows, and regional economic change: seeing the forest and the trees. *Journal of Regional Analysis and Policy*. 28(2): 95–116.
- Marty, Robert. 1983. Retargeting public forestry assistance programs in the North. In: Royer, Jack P.; Risbrudt, Christopher D., eds. *Nonindustrial private forests: a review of economic and policy studies: Symposium proceedings*; 1983 April 19–20; Durham, NC. Durham, NC: Duke University, School of Forestry and Environmental Studies: 281–287.
- Max, Timothy A.; Schreuder, Hans T.; Hazard, John W. [and others]. 1996. The Pacific Northwest region vegetation and inventory monitoring system. Res. Pap. PNW–RP–493. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 22 p.
- May, Dennis M. 1990. Big trees of the Midsouth forest survey. Res. Note SO–359. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 17 p.

- May, Dennis M. 1990. Stocking, forest type, and size class—the southern forest inventory and analysis unit's calculation of three important stand descriptors. Gen. Tech. Rep. SO-77. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 7 p.
- May, Dennis M. 1996. Residential fuelwood consumption and production in Kansas, 1994. Resour. Bull. NC-169. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 25 p.
- May, Dennis M. 1996. Residential fuelwood consumption and production in South Dakota, 1994. Resour. Bull. NC-171. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 24 p.
- May, Dennis M. 1998. The north central forest inventory and analysis timber product output database: a regional composite approach. Gen. Tech. Rep. NC-200. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 16 p.
- May, Dennis M.; Kauffman, Bruce W. 1990. Status and trends in gypsy moth defoliation hazard in Tennessee. Res. Note SO-361. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 8 p.
- May, Dennis M.; LeDoux, Chris B.; Tansey, John B.; Widmann, Richard H. 1994. Impact of in-woods product merchandizing on profitable logging opportunities in southern [U.S.] upland hardwood forests. Res. Pap. SO-282. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 11 p.
- May, Dennis M.; Mace, Terry. 1996. Residential fuelwood consumption and production in Wisconsin, 1994. Resour. Bull. NC-172. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 29 p.
- May, Dennis M.; Settle, Jeff; Benjamin, Tamara. 1997. Residential fuelwood consumption and production in Indiana, 1996. Resour. Bull. NC-188. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 29 p.
- May, Dennis M.; Vissage, John S.; Few, D. Vince. 1990. New tree-classification system used by the southern forest inventory and analysis unit. Gen. Tech. Rep. SO-76. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 5 p.
- May, Dennis M.; Weatherspoon, Anthony K. 1993. Residential fuelwood consumption and production in Michigan, 1992. Resour. Bull. NC-148. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 29 p.
- Mayer, Kenneth E.; Passof, Peter C.; Bolsinger, Charles L. [and others]. 1986. The status of the hardwood resource of California: a report to the board of forestry. Sacramento, CA: State of California, Department of Forestry. 125 p.
- McDonald-Buller, E.C.; Wiedinmyer, C.; Kimura, Y.; Allen, D.T. 2001. Effects of land use data on dry deposition in a regional photochemical model. *Journal of Air and Waste Management Assoc.* 51(8): 1211–1218.
- McRoberts, R.E.; Hahn, J.T.; Hefty, G.J.; Van Cleve, J.R. 1994. Variation in forest inventory field measurements. *Canadian Journal of Forest Research.* 24: 1766–1770.
- McRoberts, Ronald E. 2000. Sources of uncertainty in annual forest inventory estimates. In: Hansen, Mark; Burk, Thomas, eds. *Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID.* Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 207–213.
- McRoberts, Ronald E. 2001. Imputation and model-based updating techniques for annual forest inventories. *Forest Science.* 47(3): 322–330.
- McRoberts, Ronald E.; Holdaway, Margaret R.; Lessard, Veronica C. 2000. Comparing the STEMS and AFIS growth models with respect to the uncertainty of predictions. In: Hansen, Mark; Burk, Thomas, eds. *Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID.* Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 539–548.
- McWilliams, W.H.; Griffith, D.M. 1997. Forest resources of Maine: 1982 to 1995. In: *Proceedings of the Society of American Foresters national convention; 1997 October 4–7; Memphis, TN.* Bethesda, MD: Society of American Foresters: 467–468.

- McWilliams, William H. 1986. Data management: a forest survey perspective. In: Allen, Sherhonda; Cooney, Timothy M., eds. *Data management issues in forestry: Proceedings of a computer conference and 3rd annual meeting of the Forest Resource Systems Institute*; 1986 April 7–9; Atlanta. Florence, AL: Forest Resources Systems Institute: 13–15.
- McWilliams, William H. 1992. Recent trends in afforestation and reforestation of nonindustrial private forests in Alabama. *Resour. Bull. SO-164*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 12 p.
- McWilliams, William H. 1997. Results from the 1995 Maine forest inventory. In: *Proceedings of the 1996 NCASI northeast regional meeting*; 1996 October 17; Boston. Spec. Rep. 97–07. Research Triangle Park, NC: National Council of the Paper Industry for Air and Stream Improvement Inc.: 177–189.
- McWilliams, William H. 2001. Forest inventory and monitoring information for New York. In: Adams, Morton S., ed. *Catskill ecosystem health: Proceedings of a symposium*; 1999 October; Delhi, NY. Fleischmanns, NY: Purple Mountain Press: 191–201.
- McWilliams, William H.; Birch, Thomas W. 1992. Who owns U.S. timber? *National Woodlands*. 15(4): 16–18.
- McWilliams, William H.; Birdsey, Richard A. 1987. Graphic displays for resource analysis. In: Lund, H. Gyde; Caballero-Deloya, Miguel; Villarreal-Canton, Raul, eds. *Land and resource evaluation for national planning in the tropics: Proceedings of the international conference and workshop*; 1987 January 25–31; Chetumal, Mexico. Gen. Tech. Rep. WO-39. Washington, DC: U.S. Department of Agriculture, Forest Service: 357–362.
- McWilliams, William H.; King, Susan L.; Scott, Charles T. 2001. Assessing regeneration adequacy in Pennsylvania's forests: a pilot study. In: Reams, Gregory A.; McRoberts, Ronald E.; Van Deusen, Paul C., eds. *Proceedings of the second annual forest inventory and analysis symposium*; 2000 October 17–18; Salt Lake City. Gen. Tech. Rep. SRS-47. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 119–122.
- McWilliams, William H.; Lord, Roger G. 1988. Forest resources of east Texas. *Resour. Bull. SO-136*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 61 p.
- McWilliams, William H.; Mills, John R.; Burkman, William G. 1993. The state of the Nation's forest land. *National Woodlands*. 16(2): 8–10, 13.
- McWilliams, William H.; O'Brien, Renee A.; Reese, Gordon C.; Waddell, Karen L. 2002. Distribution and abundance of oaks in North America. In: McShea, W.J.; Healy, W.M., eds. *Ecology and management of oaks for wildlife*. Baltimore: John Hopkins Press: 13–33. Chapter 2.
- McWilliams, William H.; Rosson, James F., Jr. 1988. Hardwood supply and availability in the Midsouth highlands. In: *Availability of hardwoods in the upland South: Proceedings of the conference*; 1988 January 7; Charlotte, NC. *Hardwood Res. Coop. Ser. 7*. Asheville, NC: Hardwood Research Council; [Raleigh, NC]: North Carolina State University: 47–95.
- McWilliams, William H.; Rosson, James F., Jr. 1990. Composition and vulnerability of bottomland hardwood forests of the Coastal Plain province in the South Central United States. In: Jackson, Ben D., ed. *Special issue: the international forested wetlands resource: identification and inventory: Proceedings of the international conference*; 1988 September 19–22; Baton Rouge, LA. *Forest Ecology and Management*. 33/34(1–4): 485–501.
- McWilliams, William H.; Stout, Susan L.; Bowersox, Todd W.; McCormick, Larry H. 1995. Adequacy of advance tree-seedling regeneration in Pennsylvania's forest. *Northern Journal of Applied Forestry*. 12(4): 187–191.
- McWilliams, William H.; White, Robert; Arner, Stanford L. [and others]. 1996. Characteristics of declining forest stands on the Allegheny National Forest. Res. Note NE-360. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 9 p.
- McWilliams, William Haney. 1983. A dynamic analysis of sawtimber availability in the Allegheny unit of Pennsylvania: the next three decades. University Park, PA: Pennsylvania State University. 173 p. M.S. thesis.
- Mead, Bert R. 1998. Phytomass in southeast Alaska. Res. Pap. PNW-RP-505. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 56 p.

- Miller, James H. 2001. Exotic pest plants of southeastern forests: a field guide for forest inventory and analysis. http://www.srs.fs.fed.us/fia/manual/EXOTIC_PEST_PLANTS_OF_SOUTHEASTERN_FORESTS_MAY_2001.pdf. [Date accessed: August 2001].
- Mills, John R. 1987. An evaluation of an inventory projection system: TRIM model predictions vs. forest inventory field measurements in North Carolina. Corvallis, OR: Oregon State University. 88 p. M.S. thesis.
- Mills, John R. 1989. TRIM timber projections: an evaluation based on forest inventory measurements. Res. Pap. PNW-RP-408. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 27 p.
- Mississippi Gap Analysis Program. 2001. Some of our cooperators. <http://www.cfr.msstate.edu/gap/coopratr.htm>. [Date accessed: August 2001].
- Mitchell, John E.; Bartling, Patricia N.S.; O'Brien, Renee A. 1988. Comparing cover-class macroplot data with direct estimates from small plots. *American Midland Naturalist*. 120(1): 70–78.
- Moisen, Gretchen G.; Edwards, Thomas C., Jr.; Frescino, Tracey S. 1999. Expanding applications, data, and models in a forest inventory of northern Utah. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMRS-P-12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 212–218.
- Morin, Randall S.; Liebhold, Andrew M.; Gottschalk, Kurt W. [and others]. 2001. Forest health conditions on the Allegheny National Forest (1989–1999): analysis of forest health monitoring surveys. NA-TP-04-01. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northeastern Area. 68 p. <http://www.fs.fed.us/ne/morgantown/4557/randy/report.pdf>. [Date accessed: June 2003].
- Morin, Randy. 2001. Development of landscape-level models of forest risk from selected exotic pests in the United States. <http://www.fs.fed.us/ne/morgantown/4557/randy/riskmapping.html>. [Date accessed: June 2003].
- Munn, Ian A.; Evans, David L. 1998. The southern commercial timberland base: changes and projections. In: Proceedings of the first international conference: geospatial information in agriculture and forestry; 1998 June 1–3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 81–88. Vol. 1.
- Murphy, Dennis L. 1981. Database management: a forest inventory application. Gen. Tech. Rep. NC-67. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 9 p.
- Murphy, Paul A.; Knight, Herbert A. 1974. Hardwood resources growing on pine sites. *Forest Products Journal*. 24(7): 13–16.
- Nater, E.A.; Grigal, D.F.; Ohmann, L.F.; David, M.B. 1991. Atmospheric deposition: evidence in forest ecosystems. In: Verry, Elon S.; Vermette, Stephen J., eds. The deposition and fate of trace metals in our environment; 1991 October 8; Philadelphia. Gen. Tech. Rep. NC-150. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 117–126.
- Noss, Reed F.; LaRoe, Edward T.; Scott, J. Michael. 1995. Endangered ecosystems of the United States: a preliminary assessment of loss and degradation. *Biolog. Rep.* 28. Washington, DC: U.S. Department of the Interior, National Biological Service. 58 p.
- Nyland, Ralph D. 1996. What the forest inventory can and cannot say about forest dynamics. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 92–97.
- Oak, Steven W.; Huber, Cindy M.; Sheffield, Raymond M. 1991. Incidence and impact of oak decline in western Virginia, 1986. *Resour. Bull.* SE-123. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 16 p.
- O'Brien, Renee A. 1989. Comparison of overstory canopy cover estimates on forest survey plots. Res. Pap. INT-417. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 6 p.
- O'Brien, Renee A. 1996. Forest resources of northern Utah ecoegions. *Resour. Bull.* INT-87. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 34 p.

- O'Brien, Renee A.; Collins, Dennis C. 1991. Forest statistics for land outside national forests in west-central Montana. Resour. Bull. INT-72. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 43 p.
- O'Brien, Renee A.; Conner, Roger C. 1991. Forest statistics for land outside national forests in eastern Montana, 1989. Resour. Bull. INT-71. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 45 p.
- Ohmann, Lewis F.; Grigal, David F.; Brovold, Sandra. 1989. Characterization of 171 study plots across a Lake States acidic deposition gradient. Resour. Bull. NC-110. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 47 p.
- Olson, R.J.; Klopatek, J.M.; Emerson, C.J. 1983. Regional environmental analysis and assessment utilizing the geoecology data base. In: Teichholz, E.; Berry, B.L., eds. Computer graphics and environmental planning. Englewood Cliffs, NJ: Prentice-Hall, Inc: 102-118.
- Olson, Richard J.; Emerson, Craig J.; Nungesser, Martha K. 1982. GEOECOLOGY county-level environmental data for the United States, 1964-1979 [Database]. http://www.daac.ornl.gov/VEGETATION/guides/geoecology_data.html. [Date accessed: June 2003].
- Olson, Richard J.; Kumar, K. Deva; Burgess, Robert L. 1982. Analyses of ecoregions utilizing the geoecology data base. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9-14; Orono, ME. SAF 82-02. Bethesda, MD: Society of American Foresters: 149-156.
- Oswald, Daniel D. 1984. Timber resources in areas developed for nonforest use in western Washington. Resour. Bull. PNW-112. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 20 p.
- Othic, Scot T. 1981. Conversion of forest land in the Missouri Ozark region. Columbia, MO: University of Missouri. 90 p. M.S. thesis.
- Parks, Peter J.; Alig, Ralph J. 1988. Land base models for forest resource supply analysis: a critical review. Canadian Journal of Forest Research. 18: 965-973.
- Parresol, Bernard R.; McCollum, Joseph. 1998. Development of a new landscape contagion index and variance estimation through subseries analysis. In: Proceedings of the first international conference: geospatial information in agriculture and forestry: decision support, technology, and applications; 1998 June 1-3; Lake Buena Vista, FL. Ann Arbor, MI: ERIM International, Inc.: 37-44. Vol. 2.
- Pelkki, Matthew Harold. 1992. Developing conceptual information system models for natural resources. St. Paul, MN: University of Minnesota. 226 p. Ph.D. dissertation.
- Pelz, Dieter R. 1995. Non-timber variables in forest inventories. In: Kohl, Michael [and others]. The Monte Verita conference on forest survey designs: simplicity versus efficiency and assessment of non-timber resources; 1994 May 2-7; Ascona, Switzerland. Birmensdorf, Switzerland: Swiss Federal Institute for Forest, Snow and Landscape Research (WSL/FNP); Zurich, Switzerland: Swiss Federal Institute of Technology (ETH): 103-109.
- Phillips, Douglas R.; Cost, Noel D. 1979. Estimating the volume of hardwood crowns, stems, and the total tree. Res. Note SE-276. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 6 p.
- Piazza, Marco. 2000. Diversity-productivity relations in the northern hardwoods of Wisconsin and Michigan. Madison, WI: University of Wisconsin. 54 p. M.S. thesis.
- Pittman, Kenneth; Kellison, R.C.; Lea, Russ. 1996. Hurricane Hugo damage assessment of bottomland hardwoods in South Carolina. In: Haymond, Jacqueline L.; Hook, Donal D.; Harms, William R. Hurricane Hugo: South Carolina forest land research and management related to the storm. Gen. Tech. Rep. SRS-5. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 52-63.
- Poppino, John H.; Gedney, Donald R. 1984. The hardwood resource in western Oregon. Resour. Bull. PNW-RB-116. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 37 p. + map.

- Potter, Donald A. 1998. Forested communities of the upper montane in the central and southern Sierra Nevada. Gen. Tech. Rep. PSW-GTR-169. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 319 p.
- Powell, Douglas S. 1985. Forest composition of Maine: an analysis using number of trees. Resour. Bull. NE-85. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 40 p.
- Powell, Douglas S.; Barnard, Joseph E. 1979. Identifying regional management opportunities by computer. In: Frayer, W.E., ed. Forest resource inventories: Workshop proceedings; 1979 July 23-26; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forest and Wood Sciences. 1: 486-498.
- Powell, Douglas S.; Barnard, Joseph E. 1982. Gypsy moth's impact on the timber resource. In: Coping with the gypsy moth: Proceedings of a conference; 1982 February 17-18; University Park, PA. University Park, PA: The Pennsylvania State University: 72-83.
- Powell, Douglas S.; McWilliams, William H.; Birdsey, Richard A. 1994. History, change and the U.S. forest inventory. *Journal of Forestry*. 92(12): 6-11.
- Prasad, A.M.; Iverson, L.R. 2000. A climate change atlas for 80 forest tree species of the Eastern United States. [Database]. <http://www.fs.fed.us/ne/delaware/atlas/>. [Date accessed: June 2003].
- Prestemon, Jeffrey P. 1998. Estimating tree grades for Southern Appalachian natural forest stands. *Forest Science*. 44(1): 73-86.
- Prestemon, Jeffrey P.; Buongiorno, Joseph. 2000. Determinants of tree quality and lumber value in natural uneven-aged southern pine stands. *Canadian Journal of Forest Research*. 30(2): 211-219.
- Pye, J.M.; Sheffield, R.M. 1992. Recent patterns for forest fragmentation in the Southeast based on stand-level measures. *Bulletin of the Ecological Society of America*. 73(2 Suppl.): 311.
- Pye, John; Lee, Karen J.; Sheffield, Ray. 1993. Effects of population on within-forest patch size in landscapes of the Southeastern US [Abstract]. In: Program and abstracts: pattern and process in landscape ecology: 8th annual U.S. landscape ecology symposium; 1993 March 24-27; Oak Ridge, TN. Oak Ridge, TN: Oak Ridge National Laboratory: 85-86.
- Pye, John; Wagner, John E.; Holmes, Thomas P.; Cabbage, Frederick W. 1995. What's a rust hazard prediction worth? A bioeconomic simulation of resistant seedling allocation across the South. In: Edwards, M. Boyd, comp. Proceedings of the eighth biennial southern silvicultural research conference; 1994 November 1-3; Auburn, AL. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 138-143.
- Raile, Gerhard K. 1986. Nebraska's second forest inventory. Resour. Bull. NC-96. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 87 p.
- Rea, James; Barnard, Joseph; Brann, Thomas. 1982. Digitizing photo interpretation points for future sample unit determination in decennial forest re-evaluation. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9-14; Orono, ME. SAF 82-02. Bethesda, MD: Society of American Foresters: 817-820.
- Reams, Gregory A. 1996. Radial growth trends of loblolly pine in the Virginia Coastal Plain. *Canadian Journal of Forest Research*. 26(9): 1660-1669.
- Reams, Gregory A.; McCollum, Joseph M. 2000. The use of multiple imputation in the southern annual forest inventory system. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16-20; Boise, ID. Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 228-233.
- Reams, Gregory A.; Roesch, Francis A.; Cost, Noel D. 1999. Annual forest inventory: cornerstone of sustainability in the South. *Journal of Forestry*. 97(12): 21-26.
- Reams, Gregory A.; Van Deusen, Paul C. 1993. Synchronic large-scale disturbances and red spruce growth decline. *Canadian Journal of Forest Research*. 23(7): 1361-1374.

- Reams, Gregory A.; Van Deusen, Paul C. 1999. The southern annual forest inventory system. *Journal of Agricultural Biological and Environmental Statistics*. 4(4): 346–360.
- Rennie, John; Song, Unsook; Rudis, Victor A. 1994. A land classification system for growth and yield prediction on the Cumberland Plateau in Tennessee [Abstract]. In: Program and abstracts of global-to-local ecological land classification conference; 1994 August 11–15; Thunder Bay, Ontario. Saulte St. Marie, Ontario: Canadian Forest Service: 90.
- Robinson, Andrew P.; Hamlin, David C.; Fairweather, Stephen E. 1999. Improving forest inventories: three ways to incorporate auxiliary information. *Journal of Forestry*. 97(12): 38–42.
- Rockwell, H. William, Jr. 1990. RPA—the sleeping giant awakes. *Journal of Forestry*. 88(8): 11, 15.
- Roesch, F.A., Jr.; Green, E.J.; Scott, C.T. 1989. New compatible estimators for survivor growth and ingrowth from remeasured horizontal point samples. *Forest Science*. 35(2): 281–293.
- Roesch, F.A., Jr.; Green, E.J.; Scott, C.T. 1991. Compatible basal area and number of trees estimators from remeasured horizontal point samples. *Forest Science*. 37(1): 136–145.
- Roesch, Francis A.; Reams, Gregory A. 1999. Analytical alternatives for an annual inventory system. *Journal of Forestry*. 97(12): 33–37.
- Rogers, Paul. 2002. Using forest health monitoring to assess aspen forest cover change in the southern Rockies ecoregion. *Forest Ecology and Management*. 155(1–3): 223–236.
- Romm, Jeff; Washburn, Courtland L. 1984. Preserving California's forestland: the timberland production zone. Berkeley, CA: University of California, Department of Forestry and Resource Management. 160 p.
- Rosson, James F., Jr. 1994. Current stand characteristics of Louisiana timberland harvested between 1975 and 1991. Res. Pap. SO–279. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 22 p.
- Rosson, James F., Jr. 1995. Forest plantations in the Midsouth, USA. Res. Pap. SO–29. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 30 p.
- Rosson, James F., Jr. 1995. Forest resources of Louisiana, 1991. Resour. Bull. SO–192. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 71 p.
- Rosson, James F., Jr. 2000. Forest resources of east Texas, 1992. Resour. Bull. SRS–53. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 70 p.
- Rosson, James F., Jr. 2001. Forest resources of east Oklahoma, 1993. Resour. Bull. SRS–58. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 75 p.
- Rudis, Victor A., comp. 1984. Work group: vegetation management techniques. In: Schlatterer, Ed; Lund, H. Gyde, eds. Proceedings of the inventory integration workshop; 1984 October 15–19; Portland, OR. Washington, DC: U.S. Department of Agriculture, Forest Service, Range and Timber Management Staffs: 145–149.
- Rudis, Victor A. 1985. Screenometer: a device for sampling vegetative screening in forested areas. *Canadian Journal of Forest Research*. 15: 996–999.
- Rudis, Victor A. 1988. Litter in Alabama's forests. *Alabama's Treasured Forests*. 7(1): 15.
- Rudis, Victor A. 1989. Distribution of selected Mississippi tree species. *Mississippi Native Plant Society Newsletter*. August: 1–5.
- Rudis, Victor A. 1991. Distribution of selected Mississippi tree species. *Journal of the Mississippi Academy of Sciences*. 36(2): 16–17.
- Rudis, Victor A. 1993. Forest fragmentation of Southern U.S. bottomland hardwoods. In: Brissette, J.C., ed. Proceedings of the seventh biennial southern silvicultural research conference; 1992 November 17–19; Mobile, AL. Gen. Tech. Rep. SO–93. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 35–46.
- Rudis, Victor A. 1999. Ecological subregion codes by county, coterminous United States. Gen. Tech. Rep. SRS–36. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 95 p.

- Rudis, Victor A. 2000. Designing multipurpose resource inventories workshop; 2000 February 21–25; Turrialba, Costa Rica. <http://www2.msstate.edu/~vrudis/multi.htm>. [Date accessed: August 2001].
- Rudis, Victor A. 2000. Using widely spaced observations of land use, forest attributes, and intrusions to map resource potential and human impact probability. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 721–733.
- Rudis, Victor A.; Birdsey, Richard A. 1986. Forest resource trends and current conditions in the lower Mississippi Valley. Resour. Bull. SO–116. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 7 p.
- Rudis, Victor A.; Rosson, James F., Jr.; Kelly, John F. 1984. Forest resources of Alabama. Resour. Bull. SO–98. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 55 p.
- Rudis, Victor A.; Skinner, Thomas V. 1991. Fire's importance in South Central U.S. forests: distribution of fire evidence. In: Nodvin, S.C.; Waldrop, T.A., eds. Fire and environment: ecological and cultural perspectives: Proceedings of an international symposium; 1990 March 20–24; Knoxville, TN. Gen. Tech. Rep. SE–69. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station: 240–251. [Presented as: Distribution of fire evidence in South Central U.S. forests. In: Program and abstracts. Knoxville, TN: The University of Tennessee: 33].
- Rudis, Victor A.; Tansey, John B. 1991. Placing man in regional landscape classification: use of forest survey data to assess human influences for Southern U.S. forest ecosystems. In: Mengel, Dennis L.; Tew, D. Thompson, eds. Ecological land classification: applications to identify the productive potential of southern forests: Proceedings of a symposium; 1991 January 7–9; Charlotte, NC. Gen. Tech. Rep. SE–68. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station: 135–136.
- Saucier, J.R.; Cost, N.D. 1988. The wetland timber resource of the Southeast: a report of the southeastern technical division wetland logging task force. 88–A–11. Washington, DC: American Pulpwood Association, Inc. 15 p.
- Schlatterer, Ed; Lund, H. Gyde, eds. 1984. Proceedings of the inventory integration workshop; 1984 October 15–19; Portland, OR. Washington, DC: U.S. Department of Agriculture, Forest Service, Range and Timber Management Staffs. 165 p.
- Schmidt, T.; Conner, R.; McWilliams, W.H. [and others]. 1995. An ecological approach to inventorying, classifying, and monitoring our national forests. In: Managing forests to meet peoples' needs: Proceedings of the 1994 Society of American Foresters/Canadian Institute of Forestry Convention; 1994 September 18–22; Anchorage, AK. SAF 95–02. Bethesda, MD: Society of American Foresters: 463–464.
- Schmidt, T.L.; Leatherberry, E.C. 1995. Expansion of eastern redcedar in the lower Midwest. Northern Journal of Applied Forestry. 12(4): 180–183.
- Schmidt, Thomas L. 1998. Black walnut in the United States. In: Jones, James E.; Mueller, Rita; Van Sambeek, J.W., tech. eds. Nut production handbook for eastern black walnut. Republic, MO: Southwest Missouri Resource Conservation and Development, Inc.: 5–21.
- Schmidt, Thomas L. 1999. Black walnut for nut production in the United States. In: Jones, J.; Mueller, R.; Van Sambeek, J., eds. Nut production handbook for eastern black walnut conference; 1998 April; Springfield, MO. Springfield, MO: Southwest Missouri Resource and Conservation and Development, Inc.: 5–21.
- Schmidt, Thomas L.; Hansen, Mark H. 1994. Forested wetlands in the central hardwood region. In: Roberts, Scott D.; Rathfon, Ronald A., eds. Management of forested wetland ecosystems in the central hardwood region: a regional ecosystem management conference: Proceedings of a conference; 1994 October 11–13; Evansville, IN. West Lafayette, IN: Purdue University, Department of Forestry and Natural Resources: 1–6.
- Schmidt, Thomas L.; Hansen, Mark H.; Solomakos, J.A. 2000. Illinois' forests in 1998. Resour. Bull. NC–198. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 133 p.
- Schmidt, Thomas L.; Hansen, Mark H.; Solomakos, J.A. 2000. Indiana's forests in 1998. Resour. Bull. NC–196. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 139 p.

- Schmidt, Thomas L.; Kingsley, Neal P. 1997. Status of black walnut in the United States. In: Van Sambeek, J.W., ed. Knowledge for the future of black walnut: Proceedings of the 5th black walnut symposium; 1996 July 28–31; Springfield, MO. Gen. Tech. Rep. NC–191. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 9–22.
- Schmidt, Thomas L.; McWilliams, William H. 1996. Status of eastern hemlock in the Northern U.S. In: Mroz, Glenn, ed. Proceedings of a regional conference on ecology and management of eastern hemlock; 1995 September 27–28; Iron Mountain, MI. Madison, WI: University of Wisconsin, College of Agriculture and Life Sciences: 61–72.
- Schmidt, Thomas L.; McWilliams, William H. 2000. Current status and trends of privately owned Northern USA timberlands. In: DeCoster, Lester A., ed. Proceedings of the forest fragmentation 2000 conference: sustaining private forests in the 21st century; 2000 September 17–20; Annapolis, MD. Alexandria, VA: Sampson Group, Inc.: 64–72.
- Schmidt, Thomas L.; Spencer, John S.; Bertsch, Robin. 1995. Michigan's forests 1993: an analysis. Resour. Bull. NC–179. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 96 p.
- Schreuder, H.T. 1994. Simplicity versus efficiency in sampling designs and estimation. *Environmental Monitoring and Assessment*. 33(3): 237–245.
- Schreuder, H.T. 1998. Weighted linear regression using D2H and D2 as the independent variables. Res. Pap. RMRS–RP–6. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 10 p.
- Schreuder, H.T.; Hansen, M.; Kohl, M. 1999. Relative costs and benefits of a continuous and a periodic forest inventory in Minnesota. *Environmental Monitoring and Assessment*. 59(2): 135–144.
- Schreuder, H.T.; Li, H.G.; Ryan, M.G.; Scott, C.T. 1988. Adjusting estimates in two-way tables by incorporating outside information. *Canadian Journal of Forest Research*. 18(10): 1280–1285.
- Schreuder, H.T.; Li, H.G.; Scott, C.T. 1987. Jackknife and bootstrap estimation for sampling with partial replacement. *Forest Science*. 33(3): 676–689.
- Schreuder, H.T.; Thomas, C.E. 1985. Efficient sampling techniques for timber sale surveys and inventory updates. *Forest Science*. 31(4): 857–866.
- Schreuder, H.T.; Thomas, C.E. 1991. Establishing cause-effect relationships using forest survey data. *Forest Science*. 37: 1497–1525.
- Schreuder, H.T.; Williams, M.S.; Reich, R.M. 1999. Estimating the number of tree species in a forest community using survey data. *Environmental Monitoring and Assessment*. 56(3): 293–303.
- Schreuder, Hans T.; Geissler, Paul H. 1999. Plot designs for ecological monitoring of forest and range. In: Aguirre-Bravo, Celedonio; Franco, Carlos Rodriguez, comps. North American science symposium: toward a unified framework for inventorying and monitoring forest ecosystem resources; 1998 November 2–6; Guadalajara, Mexico. Proceedings RMR S–P–12. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 180–185.
- Schreuder, Hans T.; Lin, Jin-Mann S.; Teply, John. 2000. Annual design-based estimation for the annualized inventories of forest inventory and analysis: sample size determination. Gen. Tech. Rep. RMRS–66. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 3 p.
- Schreuder, Hans T.; Lin, Jin-Mann S.; Teply, John. 2000. Estimating the number of tree species in forest populations using current vegetation survey and forest inventory and analysis approximation plots and grid intensities. Res. Note RMRS–8. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 7 p.
- Schreuder, Hans T.; Wardle, Tom D. 2000. An annualized forest inventory for Nebraska. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 171–175.
- Schreuder, Hans T.; Williams, Michael S. 2000. Reliability of confidence intervals calculated by bootstrap and classical methods using the FIA 1-ha plot design. Gen. Tech. Rep. RMRS–57. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 6 p.

- Schreuder, Hans T.; Wood, G.B.; Gregoire, T.G. 1993. Sampling methods for multiresource forest inventory. New York: John Wiley. 446 p.
- Scott, Charles T. 1981. Design of optimal two-stage multiresource surveys. St. Paul, MN: University of Minnesota, Department of Forestry. 138 p. Ph.D. dissertation.
- Scott, Charles T. 1982. Plot configurations in the East for multiresource purposes. In: Brann, Thomas B.; House, Louis O., IV; Lund, H. Gyde, eds. In-place resource inventories: principles and practices: Proceedings of a national workshop; 1981 August 9–14; Orono, ME. SAF 82–02. Bethesda, MD: Society of American Foresters: 379–382.
- Scott, Charles T. 1998. Sampling methods for estimating change in forest resources. *Ecological Applications*. 8(2): 228–233.
- Scott, Charles T. 2000. Estimating two-way tables based on forest surveys. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16–20; Boise, ID. Gen. Tech. Rep. NC–212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 234–238.
- Scott, Charles T.; Bechtold, William A. 1995. Techniques and computations for mapping plot clusters that straddle stand boundaries. *Forest Science Monograph*. 31: 46–61.
- Scott, Charles T.; Koehl, Michael; Schnellbaecher, Hans Joerg. 1999. A comparison of periodic and annual forest surveys. *Forest Science*. 45(3): 433–451.
- Scott, Charles Thomas. 1977. Unequal probability sampling for updating inventory estimates. Athens, GA: University of Georgia. 62 p. M.S. thesis.
- Sendak, Paul E. 1979. Estimating the potential resource for maple sap production using forest survey data. In: Frayer, W.E., ed. Forest resource inventories: Workshop proceedings; 1979 July 23–26; Fort Collins, CO. Fort Collins, CO: Colorado State University, Department of Forestry and Wood Sciences. 2: 936–942.
- Sendak, Paul E.; Dennis, Donald F. 1989. Vermont's use value appraisal property tax program: a forest inventory and analysis. Res. Pap. NE–627. Broomall, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 68 p.
- Sheffield, R.M.; Cost, N.D. 1987. Behind the decline. *Journal of Forestry*. 85(1): 29–33.
- Sheffield, Raymond M. 1996. Hurricane Hugo-damage assessment using permanent plot remeasurement. In: Haymond, Jacqueline L.; Hook, Donal D.; Harms, William R. Hurricane Hugo: South Carolina forest land research and management related to the storm. Gen. Tech. Rep. SRS–5. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 174–178.
- Sheffield, Raymond M.; Bechtold, William A. 1990. Volume and availability of eastern hardwoods. In: Present and future timber and non-commodity demands on eastern forests in the 1990: Proceedings of the 18th annual hardwood symposium of the Hardwood Research Council, 1990 May 6–9; Cashiers, NC. Memphis, TN: National Hardwood Lumber Association: 55–65.
- Sheffield, Raymond M.; Birch, Thomas W.; Leatherberry, Earl C.; McWilliams, William H. 1989. The pine-hardwood resource in the Eastern United States. In: Waldrop, Thomas A., ed. Proceedings of pine-hardwood mixtures: a symposium on the management and ecology of the type; 1989 April 18–19; Atlanta. Gen. Tech. Rep. SE–58. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station: 9–19.
- Sheffield, Raymond M.; Cost, Noel D.; Bechtold, William A.; McClure, Joe P. 1985. Pine growth reductions in the Southeast. *Resour. Bull.* SE–85. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 112 p.
- Sheffield, Raymond M.; Thompson, Michael T. 1992. Hurricane Hugo: effects on South Carolina's forest resource. Res. Pap. SE–284. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 51 p.
- Sheffield, Raymond M.; Thompson, Michael T. 1996. Hurricane Hugo: effects on South Carolina's forest resource. In: Haymond, Jacqueline L.; Hook, Donal D.; Harms, William R. Hurricane Hugo: South Carolina forest land research and management related to the storm. Gen. Tech. Rep. SRS–5. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 122–159.

- Shifley, Stephen R. 1988. Analysis and modelling of forest growth trends along a sulfate deposition gradient in North Central United States. In: Ek, Alan R.; Shifley, Stephen R.; Burk, Thomas E., eds. Forest growth modelling and prediction: Proceedings of the IUFRO conference; 1987 August 23–27; Minneapolis. SAF 87–12. Gen. Tech. Rep. NC–120. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 1: 506–513.
- Shifley, Stephen Richard. 1990. Analysis and modeling of patterns of forest ingrowth in the North Central United States. St. Paul, MN: University of Minnesota. 168 p. Ph.D. dissertation.
- Siry, Jacek P.; Cabbage, Frederick W.; Malmquist, Andy J. 2001. Potential impacts of increased management intensities on planted pine growth and yield and timber supply modeling in the South. *Forest Products Journal*. 51(3): 42–48.
- Smith, Katherine C.; Larson, Frederic R. 1984. Overstory-understory relationships in the black spruce type of interior Alaska. In: LaBau, Vernon J.; Kerr, Calvin L., ed. Inventorying forest and other vegetation of the high latitude and high altitude regions: Proceedings of an international symposium; 1984 July 23–26; Fairbanks, AK. SAF 84–11. Bethesda, MD: Society of American Foresters: 103–112.
- Smith, Robert B.; Hornbeck, James W.; Federer, C. Anthony; Krusic, Paul J., Jr. 1989. Regionally averaged diameter growth in New England forests. Res. Pap. NE–637. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 26 p.
- Smith, W. Brad. 1986. Wisconsin's fourth forest inventory: area. Resour. Bull. NC–97. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 48 p.
- Smith, W. Brad; Weatherspoon, Anthony K. 1990. Production and sources of residential fuelwood in Michigan. Resour. Bull. NC–123. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 76 p.
- Society of American Foresters. 2000. The forest inventory and analysis (FIA) program: SAF position statement December 10, 2000 [expires December 10, 2005]. <http://www.safnet.org/policy/psst/fia1200.htm>. [Date accessed: August 10, 2001].
- Song, Unsook. 1994. Use of a land classification system in growth and yield prediction on the Cumberland Plateau. Knoxville, TN: University of Tennessee. 53 p. M.S. thesis.
- Sousa, Claudio Ney Martins de. 1994. Modeling economic impacts of climate change on U.S. forests. College Station, TX: Texas A&M University. 149 p. M.S. thesis.
- Southern Environmental Law Center. 2001. Study confirms forest loss in southeast North Carolina. Press release. 1 p. [http://web.archive.org/web/20020616001248/ http://www.southernenvironment.org/res_news_2001-07-16.shtml](http://web.archive.org/web/20020616001248/http://www.southernenvironment.org/res_news_2001-07-16.shtml). [Date accessed: June 2003].
- Spencer, John S. 1982. The fourth Minnesota forest inventory: timber volumes and projections of timber supply. Resour. Bull. NC–57. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 72 p.
- Spencer, John S.; Hahn, Jerold T. 1984. Michigan's fourth forest inventory: timber volumes and projections of timber supply. Resour. Bull. NC–72. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 95 p.
- Spencer, John S.; Kingsley, Neal P.; Mayer, Robert V. 1990. Indiana's timber resource, 1986: an analysis. Resour. Bull. NC–113. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 85 p. + map.
- Spencer, John S.; Strickler, John K.; Moyer, William J. 1984. Kansas forest inventory, 1981. Resour. Bull. NC–83. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 134 p.
- Spencer, John S., Jr.; Roussopoulos, S.M.; Massengale, R.A. 1992. Missouri's forest resource, 1989: an analysis. Resour. Bull. NC–139. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 84 p.
- Spencer, John S., Jr.; Smith, W. Brad; Hahn, Jerold T.; Raile, Gerhard K. 1988. Wisconsin's fourth forest inventory, 1983. Resour. Bull. NC–107. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 158 p.
- Spencer, R.D.; Czaplowski, R.L. 1997. National forest inventory in the USA: an outline of the procedure. *Australian Forestry*. 60(1): 56–66.

- Starkey, Dale A.; Anderson, Robert L.; Young, Carol H. [and others]. 1997. Monitoring incidence of fusiform rust in the South and change over time. Prot. Rep. R8-PR-30. Atlanta: U.S. Department of Agriculture, Forest Service, Southern Region. 29 p.
- Sternitzke, Herbert S. 1974. Eastern hardwood resources: trends and prospects. *Forest Products Journal*. 24(3): 13-16.
- Sternitzke, Herbert S. 1976. Impact of changing land use on delta hardwood forests. *Journal of Forestry*. 74(1): 25-27.
- Sternitzke, Herbert S.; Nelson, T.C. 1970. The southern pines of the United States. *Economic Botany*. 24: 142-150.
- Sternitzke, Herbert S.; Pearson, Henry A. 1974. Forest-range resource statistics for southwest Louisiana parishes. *Resour. Bull. SO-50*. New Orleans: U.S. Department of Agriculture, Forest Service, Southern Forest Experiment Station. 22 p.
- Sternitzke, Herbert S.; Pearson, Henry A. 1975. Forest-range resources of southwest Louisiana. *Journal of Range Management*. 28(4): 264-266.
- Steyaert, Louis T.; Loveland, Thomas R.; Parton, William J. 1997. Land cover characterization and land surface parameterization research. *Ecological Applications*. 7(1): 1-2.
- Stone, Robert N. 1997. Great Lake States forest trends, 1952-1992. In: Webster, Henry H.; Vasievich, J. Michael, tech. coords. Lake States regional forest resources assessment: technical papers. Gen. Tech. Rep. NC-189. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 39-71.
- Stout, Benjamin B. 1993. The good, the bad and the ugly of monitoring programs; defining questions and establishing objectives. *Environmental Monitoring and Assessment*. 26: 91-98.
- Sun, Changyou; Zhang, Daowei. 2001. Forest resources, government policy, and investment location decisions of the forest products industry in the Southern United States. *Forest Science*. 47(2): 169-177.
- Tansey, John B. 1988. The hardwood resource in the Southeastern States. In: Availability of hardwoods in the upland South: Proceedings of the conference; 1988 January 7; Charlotte, NC. Hardwood Res. Coop. Ser. 7. Asheville, NC: Hardwood Research Council; [Raleigh, NC]: North Carolina State University: 4-45.
- Teeter, L.; Zhou, X. 1999. Projecting timber inventory at the product level. *Forest Science*. 45(1): 226-231.
- Thiede, Gerald Joseph. 1979. An interactive forest inventory, supply and demand model for timber roundwood in Wisconsin. Madison, WI: University of Wisconsin. 167 p. Ph.D. dissertation.
- Thomas, Charles E.; Parresol, Bernard R. 1989. Comparing basal area growth rates in repeated inventories: Simpson's paradox in forestry. *Forest Science*. 35(4): 1029-1039.
- Thompson, Michael T. 1996. Effects of Hurricane Hugo on the forests of North and South Carolina. In: Haymond, Jacqueline L.; Hook, Donal D.; Harms, William R. Hurricane Hugo: South Carolina forest land research and management related to the storm. Gen. Tech. Rep. SRS-5. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station: 169-173.
- Thompson, Michael T.; Johnson, Tony G. 1994. Virginia's forests, 1992. *Resour. Bull. SE-151*. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southeastern Forest Experiment Station. 103 p.
- Trani Griep, Margaret Katherine. 1999. Early-successional habitat and open lands assessment. Rep 1. Atlanta: U.S. Department of Agriculture, Forest Service, Southern Region. [Various pages; 5 chapters; 2 appendices].
- Turner, R. Eugene; Craig, Nancy J. 1980. Recent areal changes in Louisiana's forested wetland riparian habitat. *Louisiana Academy of Sciences*. 43: 61-78.
- U.S. Department of Agriculture, Forest Service. 1965. Timber trends in the United States. *Forest Resour. Rep. 17*. Washington, DC: Superintendent of Documents. 235 p.
- U.S. Department of Agriculture, Forest Service. 1980. A recommended renewable resources program—1980 update. FS-346. Washington, DC: U.S. Government Printing Office. 540 p. + appendices.
- U.S. Department of Agriculture, Forest Service. 1980. The report to Congress on the Nation's renewable resources. FS-347. Washington, DC: U.S. Government Printing Office. 155 p.

- U.S. Department of Agriculture, Forest Service. 1981. Proceedings of Minnesota forest resource inventory conferences; 1980 May 14, 16; St. Paul, MN. Gen. Tech. Rep. GTR-NC-64. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 121 p.
- U.S. Department of Agriculture, Forest Service. 1988. The South's fourth forest: alternatives for the future. For. Resour. Rep. 24. Washington, DC: U.S. Government Printing Office. 512 p.
- U.S. Department of Agriculture, Forest Service. 1992. A blueprint for forest inventory and analysis research and vision for the future. Program Aide 1512. Washington, DC: U.S. Department of Agriculture, Forest Service, Forest Inventory, Economics, and Recreation Research Staff. 20 p.
- U.S. Department of Agriculture, Forest Service. 1996. Forest inventory and analysis: explore the possibilities [Brochure]. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 8 p. + 2 p. <http://www.ncrs.fs.fed.us/pubs/misc/fiabrochure.pdf>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. 2001. FHM linkage with FIA/NFS inventory. FHM Fact Sheet. <http://www.na.fs.fed.us/spfo/fhm/fact/fhmlink.htm>. [Date accessed: August 2001].
- Van Deusen, Paul C. 1997. Annual forest inventory statistical concepts with emphasis on multiple imputation. Canadian Journal of Forest Research. 27: 379-384.
- Van Deusen, Paul C. 2000. Alternative sampling designs and estimators for annual surveys. In: Hansen, Mark; Burk, Thomas, eds. Integrated tools for natural resources inventories in the 21st century: Proceedings of the IUFRO conference; 1998 August 16-20; Boise, ID. Gen. Tech. Rep. NC-212. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station: 192-196.
- van Hees, Willem W.S. 1990. Boreal forested wetlands—what and where in Alaska. In: Jackson, Ben D., ed. Special issue: the international forested wetlands resource: identification and inventory: Proceedings of the international conference; 1988 September 19-22; Baton Rouge, LA. Forest Ecology and Management. 33/34(1-4): 425-438.
- van Hees, Willem W.S. 1994. A fractal model of vegetation complexity in Alaska. Landscape Ecology. 9(4): 271-278.
- van Hees, Willem W.S. 2001. Summary estimates of forest resources on unreserved lands of the Chatham inventory unit, Tongass National Forest, southeast Alaska, 1998. Resour. Bull. PNW-RB-234. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 12 p.
- Van Hooser, Dwane D. 1984. Forest survey status at the Intermountain Station: part 1: an overview. In: Lund, H. Gyde, ed. Preparing for the 21st century: Proceedings of the forest land inventory workshop; 1984 March 26-30; Denver. Washington, DC: U.S. Department of Agriculture, Forest Service, Timber Management Staff: 94-99.
- Van Hooser, Dwane D. 1990. Timberland and woodland resources outside National Forests in New Mexico, 1987. Resour. Bull. INT-68. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 72 p.
- Van Hooser, Dwane D.; Ciesla, William M.; Conner, Roger C. 1989. Damage assessment and insect and disease incidence on private forest land in northern Idaho. Resour. Bull. INT-67. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 34 p.
- Van Hooser, Dwane D.; Cost, Noel D.; Lund, H. Gyde. 1993. The history of the forest survey program in the United States. In: Preto, Giovanni; Koch, Barbara, eds. Forest resource inventory and monitoring and remote sensing technology: Proceedings of the IUFRO centennial meeting in Berlin; 1992 August 31-September 4; Berlin, Germany. Tokyo, Japan: Japan Society of Forest Planning Press: 19-27.
- Van Hooser, Dwane D.; Tymcio, Ronald P.; Rowland, Bruce D. 1990. INFORS: a comprehensive inventory system with international implications. In: Lund, H. Gyde; Preto, Giovanni, tech. coords. Global natural resource monitoring and assessments: preparing for the 21st century: Proceedings of an international conference and workshop; 1989 September 24-30; Venice, Italy. Bethesda, MD: American Society for Photogrammetry and Remote Sensing: 536-545.
- Van Hooser, Dwayne D.; O'Brien, Renee A.; Collins, Dennis D. 1993. New Mexico's forest resources. Resour. Bull. INT-79. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 110 p.

- Vasievich, J. Michael; Fried, Jeremy S.; Leefers, Larry A., eds. 2000. Seventh symposium on systems analysis of forest resources; 1997 May 28–31; Traverse City, MI. Gen. Tech. Rep. NC–205. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Research Station. 470 p.
- Vasievich, J. Michael; Potter-Witter, Karen. 1997. Timber supply and market trends in the Lake States. In: Webster, Henry H.; Vasievich, J. Michael, tech. coords. Lake States regional forest resources assessment: technical papers. Gen. Tech. Rep. NC–189. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station: 290–314.
- Vollmer, Mary A. 1986. Developing regional information from forest survey data: a pilot study using Tug Hill. Syracuse, NY: State University of New York, College of Environmental Science and Forestry. 186 p. M.S. thesis.
- Waddell, Karen L.; Oswald, Daniel D.; Powell, Douglas S. 1989. Forest statistics of the United States, 1987. Resour. Bull. PNW–168. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 106 p.
- Walker, Laurence C. 1991. The southern forest: a chronicle. Austin, TX: University of Texas Press. 322 p.
- Walker, Laurence C.; Oswald, Brian P. 2000. The southern forest: geography, ecology, and silviculture. Boca Raton, FL: CRC Press. 332 p.
- Wall, Brian R. 1983. Future timberland area: a crucial but elusive variable in timber economy models. *Journal of Forestry*. 81(11): 721–723.
- Ward, Daniel B. 1989. Commercial utilization of Atlantic whitecedar (*Chamaecyparis thyoides*, Cupressaceae). *Economic Botany*. 43(3): 386–415.
- Webster, Henry H.; Vasievich, J. Michael, tech. coords. 1997. Lake States regional forest resources assessment: technical papers. Gen. Tech. Rep. NC–189. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 314 p.
- Widmann, Richard H. 1995. Forest resources of Pennsylvania. Resour. Bull. NE–131. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 41 p.
- Widmann, Richard H.; Drake, David A. 1997. Forest resources on private land within the Adirondack Park. *Adirondack Journal of Environmental Studies*. 3(2): 11–18.
- Widmann, Richard H.; Gansner, David A. 1994. Has the gypsy moth destroyed Pennsylvania's oak resource? In: Kuharic, Kathryn, comp. Proceedings of the 1993 annual gypsy moth review; 1993 November 1–4; Harrisburg, PA. [Location of publisher unknown]: National Gypsy Moth Management Board: 200–207.
- Widmann, Richard H.; McWilliams, William H. 1996. A closer look at New York's key species. In: Abrahamson, Lawrence; Aikman, Walt; Whaley, Ross; Blackmon, Bob, comps. Conference proceedings: the Empire Forest—changes and challenges; 1995 November 13–14; Syracuse, NY. Syracuse, NY: State University of New York, College of Environmental Science and Forestry: 22–32.
- Williams, Michael. 1989. Americans and their forests: a historical geography. [Location of publisher unknown]: Cambridge University Press. 599 p.
- Williams, Michael S. 1998. Distinguishing between change and growth in forest surveys. *Canadian Journal of Forest Research*. 28: 1099–1106.
- Williams, Michael S.; Schreuder, Hans T. 1995. Documentation and evaluation of growth and other estimators for the fully mapped design used by FIA: a simulation study. *Forest Science Monograph*. 31: 26–45.
- Williams, Michael S.; Schreuder, Hans T.; Reich, Robin M. 1996. The extent of bias caused by substituting points in forest survey: a simulation study. Res. Pap. RMRS–327. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 7 p.
- Wilson, Andrea M.; O'Brien, Renee A.; Wilson, Michael J. 1999. Variability in mapping condition boundaries. [Draft paper]. http://www.fs.fed.us/rm/ogden/pubs/special_reports/maptest.html. [Date accessed: September 2001].
- Winterberger, Kenneth C.; Larson, Frederic R. 1988. Measuring crown cover in interior Alaska vegetation types. *Photogrammetric Engineering and Remote Sensing*. 54: 385–387.

- Wyant, J.G.; Alig, R.J.; Bechtold, W.A. 1985. A permutation approach to the analysis of forestland cover dynamics [Abstract]. In: Leemans, R.; Prentice, I.C.; Van Der Maarel, E. eds. Studies in plant ecology: theory and models in vegetation science: abstracts; international association for vegetation science symposium; 1985 July 8–13; Uppsala, Sweden. Stockholm, Sweden: Almqvist and Wiksell International: 109. Vol. 16.
- Wyant, James G.; Alig, Ralph J.; Bechtold, William A. 1991. Physiographic position, disturbance, and species composition in North Carolina USA Coastal Plain forests. *Forest Ecology and Management*. 41(1–2): 1–20.
- Yaussy, D.; Iverson, L.R.; Prasad, A.M. 1999. Diameter-growth model across shortleaf pine range using regression tree analysis. In: Amaro, A.; Tome, M. Empirical and process based models for forest tree and stand growth simulation. Lisbon, Portugal: Edicoes Salamandra, Lda.: 479–495.
- Yaussy, Daniel A. 1993. Method for estimating potential tree-grade distributions for northeastern forest species. Res. Pap. NE–670. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 12 p.
- Zarnoch, S.J.; Anderson, R.L.; Sheffield, R.M. 1995. Using the beta-binomial distribution to characterize forest health. *Canadian Journal of Forest Research*. 25(3): 462–469.
- Zarnoch, S.J.; Bechtold, W.A. 2000. Estimating mapped-plot forest attributes with ratios of means. *Canadian Journal of Forest Research*. 30(5): 688–697.
- Zarnoch, Stanley J.; Gansner, David A.; Powell, Douglas S.; Birch, Thomas W. 1990. Stand basal-area and tree-diameter growth in red spruce-fir forests in Maine, 1960–80. Res. Pap. NE–633. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. 18 p.
- Zhou, Xiaoping. 1998. Methods for improving timber inventory projections in Alabama. Auburn, AL: Auburn University. 102 p. Ph.D. dissertation.
- Zhou, Xiaoping; Teeter, Lawrence D. 1999. Using severance tax data to estimate annual timber removal levels for inventory projection in Alabama. *Forest Products Journal*. 49(1): 43–48.

Web Sites with FIA-Associated Data Uses

- Great Lakes Forest Alliance. [N.d.]. Great Lakes forest alliance: elevating the discourse about forest science policy, and practice [Homepage]. <http://www.lsfa.org>. [Date accessed: June 2003].
- National Association of Conservation Districts. [N.d.]. What is locally-led conservation? A reference. <http://www.nacdnet.org/locallyled/guidelines.htm>. [Date accessed: August 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Forest health monitoring program [Homepage]. <http://www.na.fs.fed.us/spfo/fhm/>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Forest inventory and analysis program [national FIA homepage]. <http://fia.fs.fed.us>. [Date accessed: August 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Forest inventory and monitoring envirometrics [Homepage]. <http://www.fs.fed.us/rm/ftcol/rwu4804.htm>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Index of library. [A collection of online documents associated with the national FIA program]. <http://fia.fs.fed.us/library.htm>. [Date accessed: August 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Integrated inventory and monitoring. [List of action items and the latest Forest Service activities concerning integrated inventories]. <http://www.fs.fed.us/emc/rig/iim/>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Interior west resource inventory, monitoring, and evaluation program [RMR SFIA homepage]. <http://www.fs.fed.us/rm/ogden/index.html>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Inventory and monitoring institute [Homepage]. <http://www.fs.fed.us/institute/>. [Date accessed: September 2001].

- U.S. Department of Agriculture, Forest Service. [N.d.]. IWRIME forest habitat modelling research group. http://www.fs.fed.us/rm/ogden/hab_modelling/hab_modelling.html. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. North Central Research Station Forest Inventory and Analysis [Homepage]. <http://www.ncrs.fs.fed.us/4801/>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Northeastern Research Station Forest Inventory and Analysis [Homepage]. <http://www.fs.fed.us/ne/fia/>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Pacific Northwest Research Station Forest Inventory and Analysis [Homepage]. <http://www.fs.fed.us/pnw/fia/>. [Date accessed: September 2001].
- U.S. Department of Agriculture, Forest Service. [N.d.]. Southern Research Station Forest Inventory and Analysis [Homepage]. <http://srsfia2.fs.fed.us/>. [Date accessed: June 2003].

Rudis, Victor A. 2003. Comprehensive regional resource assessments and multipurpose uses of forest inventory and analysis data, 1976 to 2001: a review. Gen. Tech. Rep. SRS-70. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 129 p.

Reported is a compilation of over 1,400 literature citations and a review of selected subjects that constitute an integrated knowledge base for comprehensive forest resource assessments with regional, field sample-based forest inventory data. The focus of the report is on nontraditional and novel technical uses tied to the U.S. Department of Agriculture, Forest Service, Forest Inventory and Analysis (FIA) field surveys published or in press between 1976 and July 2001. Briefly noted are pioneering studies that link FIA data with air pollution, biomass, dead wood, esthetics, geographic context (geographic information systems and satellite remote sensing), nearby nonforest influences (operability, roads), owner attitudes, range (agroforestry and livestock use), recreation, tropical inventories, water quality (soils and hydrology), vegetative habitat typing, and wildlife. All known M.S. theses and Ph.D. dissertations associated with FIA data since 1976 are included, regardless of subject matter. Also incorporated are citations of collected works concerning integrated assessments and multidisciplinary surveys and representative citations associated with economics, global climate change, remote sensing, sampling designs, tropical forest resources, and traditional timber resource assessments. The literature review suggests assessments are "comprehensive" for issues in selected regions and chosen resources. Multidiscipline involvement, multipurpose uses of nontraditional data, and analysis of resources other than timber are variable. Nontraditional measurements and models, with some exceptions, have been provincially, rather than nationally, applicable and not well coordinated among regions. Recommended are ways to accelerate progress toward comprehensive assessments and cost-effective multipurpose uses.

Keywords: Bibliography, ecological inventories, forest inventory, hydrology, interdisciplinary studies, integrated assessments, monitoring, natural resource planning, range, recreation, timber, water, wildlife habitat.



The Forest Service, United States Department of Agriculture (USDA), is dedicated to the principle of multiple use management of the Nation's forest resources for sustained yields of wood, water, forage, wildlife, and recreation. Through forestry research, cooperation with the States and private forest owners, and management of the National Forests and National Grasslands, it strives—as directed by Congress—to provide increasingly greater service to a growing Nation.

The USDA prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.